

Manufacturer:

Dymax


Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185

Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller





User Guide





Manufacturer:

Dymax

Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185

Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Introduction

This guide describes how to set up, use, and maintain BlueWave® MX-150 emitters safely and efficiently.

Intended Audience

This user guide is meant for experienced process engineers, technicians, and manufacturing personnel.

Safety



WARNING! Under NO circumstances should the interconnect cable from the controller to the LED emitter be connected or disconnected while power to the unit is on. This procedure is usually called "hot swapping" and should not be performed as it could cause damage to the controller or the emitter. Always power down the equipment before disconnecting or connecting any of these devices.



WARNING! If you use this UV LED light source without first reading and understanding the information in the UV Light Safety Guide, SAF001, injury can result from exposure to high-intensity light. To reduce the risk of injury, please read and ensure you understand the information in that guide before assembling and operating the Dymax UV LED light source.



Specific Safety statements for this device:

This device falls under IEC 62471 Risk Group 3 for UVA and Blue Light Emissions:

WARNING. UV emitted from this product. Avoid eye and skin exposure to unshielded products.

WARNING. Possibly hazardous optical radiation emitted from this product. Do not look at operating lamp. Eye injury may result.



Manufacturer:

Dymax

Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185

Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Product Overview

Description of BlueWave MX-150 Emitters

- When paired with a MX-series controller, BlueWave MX-150 emitters function as a high-intensity spot-curing system. The system can be set up in many configurations and can be used with a lightguide if needed.
- The BlueWave MX-150 emitter is air cooled using an axial fan.
- The BlueWave MX-150 emitter can be mounted using one of two hole-patterns in the housing body.

Figure 1.
BlueWave MX-150 Emitter





Manufacturer:

Dymax

Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185

Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Unpacking

Upon arrival, inspect all boxes for damage and notify the shipper of box damage immediately. Open each box and check for equipment damage. If parts are damaged, notify the shipper and submit a claim for the damaged parts.



WARNING! Until the BlueWave® MX-150 emitter is attached to a controller via the interconnect cable it is susceptible to ESD damage, handle according to ESD standards using a ground strap and do not touch exposed connector pins.

The parts below are included in every package/order.

Parts Included

LED Emitter

- BlueWave MX-150 LED Emitter Assembly
- 5-mm Lightguide Simulator
- User Guide

Installation

The BlueWave MX-150 emitter is part of a MX-series curing system and requires connection to a controller via an interconnect cable for proper operation.

Important Information

- Do not connect any components while power is applied.
- Mount the BlueWave MX-150 emitter to a rigid support, such as the emitter stand PN 42390, prior to connecting the interconnect cable to prevent handling damage.
- Do not touch the emitter aperture glass. This can result in poor performance and broken glass due to heating. Inspect before each use and clean with isopropyl alcohol if contaminated.



Manufacturer:

Dymax

Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185


Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

 If emitter aperture glass is permanently contaminated it must be replaced for safe operation.

Mounting/Connections

- Each emitter has two sets of M3 x 0.5 mm holes (Figure 1) that align with Dymax stands and holders.
- When connecting the emitter to the controller, ensure proper strain relief to prevent pinching or kinking of the interconnect cable.
- The cooling air intake on top of unit must be free flowing, do not cover.
- Exhausting air on sides must be given at least 1 mm (0.04") of clear space to obstructions for safe use.

Figure 2.
Bluewave MX-150 Emitter Dimensions





Manufacturer:

Dymax

Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185

Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Troubleshooting & Maintenance

Problem	Possible Cause	Corrective Action	
BlueWave MX-150 LED does not produce light	LED intensity adjustment set to 0% or too low	Increase LED intensity setting.	
	LED cycle time is set to 0 seconds	Seconds sets manual mode and requires a trigger.	
	Interlock is open	Verify interlock jumpers are in place. Verify PLC command structure for PLC mode.	
	Interface cable connections loose or damaged	Check connections and condition of interface cable.	
	Trigger setting not matched to input	Trigger setting on admin screen should match the desired input trigger channel.	
	LED head is not connected to the correct port/channel	Verify that the head is connected to the desired port/channel.	
BlueWave MX-150 LED suddenly stops producing light	Lightguide not inserted	Ensure the lightguide simulator or any lightguides installed with the unit are fully seated into the Wolf connector.	
	Over-temperature shutdown was triggered	Verify alarms.	
	Footswitch defective	Activate unit using the front control panel. Replace the footswitch if the unit operates from the front control panel.	
	Interlock is open	Verify interlock jumpers are in place.	
		Verify PLC command structure for PLC mode.	
BlueWave MX-150 LED provides only low-intensity light	LED intensity adjustment set to minimum	Increase LED intensity setting on admin settings or I/O input for PLC mode.	
	Contaminated/dirty lens optics	Clean the surface of the lens.	



Manufacturer:

Dymax

Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185

Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Product Cleaning and Care

- Product cleaning is limited to wiping the product with a damp cloth. Do not soak. Isopropanol Alcohol or household cleaners may be used for cleaning the product.
- Always inspect the quartz window for cleanliness before use. Foreign
 material can cause permanent damage to the window. Clean with
 Isopropanol Alcohol to remove smudges or foreign material. Damaged or
 permanently etched windows should be replaced.
- Do not use compressed air to removed particle debris inside the emitter as it may damage the high-speed cooling fan.



Manufacturer:

Dymax

Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185

Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Compatible Devices

Item	Part Number			
Controllers				
BlueWave® MX Series 2-Channel Controller/Power Supply - US	43185			
Emitters				
BlueWave MX-150, VisiCure® (405 nm)	42338			
BlueWave MX-150, PrimeCure® (385 nm)	42337			
BlueWave MX-150, RediCure® (365 nm)	42336			
Personal Protection Equipment				
Protective Goggles — Green	35286			
Protective Goggles — Gray (standard model included with unit)	35285			

 $[\]ensuremath{^{\star}}$ Intended for machine installations only.



Manufacturer:

Dymax

Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185

Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Specifications






Property	Specification			
Emitter	RediCure	PrimeCure	VisiCure	
Output Frequency	365 nm	385 nm	405 nm	
Typical Intensity Output*	24 W/cm ²	38 W/cm ²	36 W/cm ²	
Emitter Dimensions (W x D x H)	1.97" x 1.97" x 7.9" [5 cm x 5 cm x 20.06 cm]			
Weight	1.4 lbs. [0.64 kg]			
Unit Warranty	1 year from purchase date			
Operating Environment	10 to 40°C (50°F to 104°F), 0-80% relative humidity, non-condensing			

^{*} Measured using an ACCU-CAL™ 50-LED radiometer with a 5-mm lightguide at a distance of 0 mm.

Figure 3. BlueWave MX Series Spectral Output





Manufacturer:

Dymax

Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185

Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Declaration of Conformity

Figure 4.

Declaration of Conformity - CE





Manufacturer:

Dymax

Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185

Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Figure 5.

Declaration of Conformity - UKCA





Manufacturer:

Dymax

Product Name:

Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Manufacturer Part Number:

43185

Click here for more details on the Dymax BlueWave® MX-150 LED Curing Spot Lamp 2-Channel Controller

Warranty

From date of purchase, Dymax Corporation offers a one-year warranty against defects in material and workmanship on all system components with proof of purchase and purchase date. Unauthorized repair, modification, or improper use of equipment may void your warranty benefits. The use of aftermarket replacement parts not supplied or approved by Dymax Corporation, will void any effective warranties and may result in damage to the equipment.

IMPORTANT NOTE: DYMAX CORPORATION RESERVES THE RIGHT TO INVALIDATE ANY WARRANTIES, EXPRESSED OR IMPLIED, DUE TO ANY REPAIRS PERFORMED OR ATTEMPTED ON DYMAX EQUIPMENT WITHOUT WRITTEN AUTHORIZATION FROM DYMAX. THOSE CORRECTIVE ACTIONS LISTED ABOVE ARE LIMITED TO THIS AUTHORIZATION.

© 2019-2022 Dymax Corporation. All rights reserved. All trademarks in this guide, except where noted, are the property of, or used under license by Dymax Corporation, U.S.A.

Please note that most curing system applications are unique. Dymax does not warrant the fitness of the product for the intended application.

Dymax recommends that any intended application be evaluated and tested by the user to ensure that desired performance criteria are satisfied.

MAN097 3/19/2024