Quick Start Guide



Manufacturer:

Dymax®

Product Name:

Dymax BlueWave® MX-150 LED Spot-Curing Emitter - 385nm

Manufacturer Part Number:

42337

Click here for more details on the Dymax BlueWave® MX-150 LED Spot-Curing Emitter - 385nm



BlueWave® MX-150 Lightguide Simulator

Quick Start Installation Instructions

NOTE: This quick start guide can be used to install a lightguide simulator into any BlueWave® MX-150 emitter (part number 42336, 42337, or 42338).

- Before starting, verify that the power to the unit is <u>off</u> and the interconnect cable is disconnected.
- 2. Lay the emitter on its side and position it so you can access the lightguide mount (Figure 1).

Figure 1.
BlueWave® MX-150 Emitter (Lightguide Simulator Not Installed)




- Using the 1.5-mm allen wrench, rotate the M3 set screw out one turn counterclockwise, just enough so that the lightguide simulator can be fully seated.
- Before you insert the lightguide simulator into the lightguide mount, verify
 that the lightguide simulator is clean. If not, clean both ends of the lightguide
 simulator with isopropyl alcohol and a lint-free cloth.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

Insert the lightguide simulator as shown in Figure 2.

Figure 2.
Inserting Lightguide Simulator into MX-150



Using the 1.5-mm allen wrench, firmly hand tighten the M3 set screw.

NOTE: Do not attempt to overtighten the M3 set screw as damage to the light guide simulator or lightguide mount could occur.

The completed lightguide simulator installation should look like Figure 3.

Figure 3.
BlueWave® MX-150 Emitter (Lightguide Simulator Installed)





© 2021 Dymax Corporation. All rights reserved. All trademarks in this guide, except where noted, are the property of, or used under license by Dymax Corporation, U.S.A.

Please note that most dispensing and ouring system applications are unique. Dymax does not warrant the fitness of the product for the intended application. Any warranty applicable to the product, its application and use is strictly limited to that contained in Dymax's standard Conditions of Sale. Dymax recommends that any intended application be evaluated and tested by the user to ensure that desired performance criteria are satisfied. Dymax is willing to assist users in their performance testing and evaluation by offering equipment trial rental and leasing programs to assist in such testing and evaluations. Data sheets are available for valve controllers or pressure pots upon request.

Q\$102 5/21/2021

Contact the professionals at Fiber Optic Center for a quote or to get more details.