Manufacturer:
Labnet

Product Name:
Labnet AccuBlock™ 24 Port Curing Oven - 230V

Manufacturer Part Number:
D1301-230V-24

▶ Click here for more details on the Labnet AccuBlock™ 24 Port Curing Oven - 230V

Labnet AccuBlock™ Digital Dry Baths

The Labnet AccuBlock Digital Dry Baths are available in single, dual, and four block configurations and provide a broad temperature range up to 150°C, which makes them useful for a variety of applications in molecular biology, histology, clinical, environmental, and industrial laboratories.

They have been designed to incorporate the best combination of features including single, dual, and four block capacity, dual display, and an external temperature probe that gives life science researchers the confidence and efficiency they need when working with precious samples.

Features

▸ Single, dual, and four block capacity to maximize sample processing (blocks sold separately)
▸ Dual display allows for easy monitoring of temperature and time
▸ USB connectivity enables traceability of data
▸ Molded block chamber provides excellent temperature uniformity

Each Labnet AccuBlock Digital Dry Bath includes an easy fit magnetic lid

---

Contact the professionals at Fiber Optic Center for a quote or to get more details.

focenter.com • 508-992-6464 | (800) 473-4237 • sales@focenter.com
23 Centre Street • New Bedford, MA 02740 USA

Product specifications and data are subject to change without notice.

Manufacturer:
Labnet

Product Name:
Labnet AccuBlock™ 24 Port Curing Oven - 230V

Manufacturer Part Number:
D1301-230V-24

▶ Click here for more details on the Labnet AccuBlock™ 24 Port Curing Oven - 230V

Specifications

Temperature range	Ambient +5°C to 150°C
Temperature display	4-digit LED, accurate to 0.1°C
Temperature uniformity	± 0.2°C (at 37°C in block)
Temperature accuracy	± 0.3°C
Temperature control	User calibratable microprocessor
Timer	1 minute to 99 hours 59 minutes, or continuous in 1-minute increments
Operating Altitude	Up to 2,000 meters
Dimensions (W x D x H)	
Single block	8.3 x 12.4 x 4.7 in. (21 x 31.5 x 12 cm)
Dual block	8.3 x 12.4 x 4.7 in. (21 x 31.5 x 12 cm)
Four block	8.3 x 16.3 x 4.7 in. (21 x 41.5 x 12 cm)
Weight	
Single block	7.0 lbs. (3.2 kg)
Dual block	7.0 lbs. (3.2 kg)
Four block	9.6 lbs. (4.4 kg)

Ordering Information

Labnet AccuBlock™ Digital Dry Baths

Cat. No.	Description
D1301	Digital dry bath, single block, 120V
D1301-230V	Digital dry bath, single block, 230V
D1302	Digital dry bath, dual block, 120V
D1302-230V	Digital dry bath, dual block, 230V
D1304	Digital dry bath, four block, 120V
D1304-230V	Digital dry bath, four block, 230V

Accessories

Cat. No.	Description	Cat. No.	Description
D1101	Solid block for machining (no holes)	D1125	Single block, 6 x 25 mm tubes
D1102	Single block, 48 x 0.2 mL PCR tubes or 6 x 0.2 mL	D1150-TALL	Single block, 5 x 50 mL conical tubes
D1102A	Single block, 24 x 2.0 mL tubes	D1196-PCR	Single block, 96-well PCR plate, skirted or nonskirted
D1105	Single block, 24 x 0.5 mL tubes	D1296	Dual block, 96-well microplate or 4 slides
D1105A	Single block, 24 x 1.5 mL tubes	D1296-PCR	Dual block, 96-well PCR plate, skirted or non-skirted
D1106	Single block, 35 x 6 mm tubes		
D1110	Single block, 20 x 10 mm tubes	D12384	Dual block, 384-well PCR plate (for dual block unit only)
D1112	Single block, 20 x 12 mm tubes		
D1113	Single block, 20 x 13 mm tubes	D1100-PS	Pop stopper for D1102, D1102A, D1105, D1105A blocks
D1115-Tall	Single block, 12 x 15 mL conical tubes		
D1116	Single block, 12 x 15 or 16 mm tubes	D1105A-RACK	Labnet AccuRack™ tube rack for 20 x 1.5 mL tubes, compatible with the D1105A block
D1117	Single block, 12 x 17 mm tubes		
D1120	Single block, 6 x 20 mm tubes	D1300-PROBE	Dry bath external temperature sensor

Contact the professionals at Fiber Optic Center for a quote or to get more details.

Product specifications and data are subject to change without notice.