

SAFETY DATA SHEET (SDS)



Manufacturer: ÅngströmBond®
Product Name: ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)
Manufacturer Part Number: AB9088LV-3CC

▶ Click here for more details on the ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)



ÅNGSTRÖMBOND®

ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9088LV

AB 9088LV FROM ÅNGSTRÖMBOND 1

Adhesives

Safety Data Sheet

according to HazCom 2012

SDS #: AB 9088LV

Issue Date: 9/18/2016

Revision Date: 8/5/2025

Section 1: Identification

GHS Product Identifier/Name

ÅNGSTRÖMBOND® AB 9088LV

Other means of identification

Product Code

AB 9088LV

Other means of identification

Not available

Recommended use of the chemical and restrictions on use

Identified Uses

Adhesive

Details of the supplier of the Safety Data Sheet

Supplier Address

Fiber Optic Center, Inc.
23 Centre Street
New Bedford, MA 02740-6322 USA
Tel: 1-508-992-6464
Fax: 1-508-991-8876

Emergency Telephone

CHEMTREC 1-800-424-9300 (24 hrs)

For product emergencies involving spill, leak, fire exposure or accident please contact CHEMTREC.

For all other inquiries please contact Fiber Optic Center, Inc.™ at 1-800-473-4237

Section 2: Hazard(s) Identification

Emergency Overview:

Physical State- Liquid

Odor- Characteristic

Color- Colorless

Appearance- Transparent

Classification of the Substance or mixture:

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity – Oral

Category 4

Axute Toxicity – Inhalation (Gases)

Category 4

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

Category 1

Skin sensitization

Category 1A

Reproductive toxicity

Category 2

Specific target organ toxicity (single exposure)

Category 3

Target Organ Effects

Respiratory system, EYES, Skin.

Issue Date: 9/18/2016

Revision Date: 8/5/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 1/14/2026.

SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmBond®

Product Name:

ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)

Manufacturer Part Number:

AB9088LV-3CC

▶ [Click here for more details on the ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure \(3cc Syringe\)](#)



AB 9088LV FROM ANGSTROMBOND 2

Adhesives

ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9088LV

Section 2: Hazard(s) Identification

Continued

GHS Label Elements:

This product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard Pictograms:**Signal word:****DANGER****Hazard Statements:**

H302 – Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H332 – Harmful if inhaled
H335 - May cause respiratory irritation
H361 - Suspected of damaging fertility or the unborn child

Precautionary statements:**Prevention:**

Do not handle until all safety precautions have been read and understood
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Wear protective gloves/protective clothing/eye protection/face protection

Response:

IF ON SKIN: Wash with plenty of soap and water, Take off contaminated clothing and wash before reuse, If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES: Remove contact lens and rinse immediately with plenty of water, also under the eyelids for at least 15 minutes.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell, Rinse mouth

Storage:

Store in a well-ventilated place. Keep container tightly closed

Disposal:

Dispose of contents/container to an approved waste disposal plant.

Other Information:**Unknown acute toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

Issue Date: 9/18/2016

Revision Date: 8/5/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 1/14/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)

Manufacturer Part Number:
AB9088LV-3CC

▶ Click here for more details on the ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)



AB 9088LV FROM ÅNGSTROMBOND 3

ADHESIVES

ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9088LV

Section 3: Composition / Information on Ingredients

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Substances:

Chemical Name	CAS No.	%	Trade Secret	Classification (Reg. 1272/2008)
N,N-Dimethylacrylamide	2680-03-7	10-24	*	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Eye Dam. 1 (H318)
Isobornyl Methacrylate	Proprietary	10-24	*	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)
Acrylic Monomer	Proprietary	10-24	*	Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Irrit. 2B (H320) Skin Sens. 1 (H317)
2-Hydroxyethyl methacrylate	868-77-9	4-9	*	Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Skin Sens. 1 (H317)
Acrylic acid	79-10-7	1-3	*	Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1A (H314) STOT SE 3 (H335) Aquatic Acute 1 (H400)
Photoinitiator	Proprietary	1-3	*	Acute Tox. 4 (H302) Aquatic Chronic 2 (H411)
Visible Photoinitiator	Proprietary	<1	*	Repr. 2 (H361f) Aquatic Chronic 2 (H411)
Silane Coupling Agent	Proprietary	<1	*	Skin Sens. 1 (H317)

Remaining ingredients are not considered hazardous in accordance with the Globally Harmonized System (GHS)
*The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: First-Aid Measures

Description of first aid measures:

General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact

Flush eyes with water for at least 15 minutes. Get medical attention if eye irritation develops or persists.

Skin Contact

Wash off immediately with plenty of water, get medical attention if irritation develops and persists.

Inhalation

Remove to fresh air, if symptoms persist, call a physician.

Ingestion

If swallowed, Rinse mouth, Get medical attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Main Symptoms: No information available.

Issue Date: 9/18/2016

Revision Date: 8/5/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 1/14/2026.

SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmBond®

Product Name:

ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)

Manufacturer Part Number:

AB9088LV-3CC

▶ [Click here for more details on the ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure \(3cc Syringe\)](#)

**ÅNGSTRÖMBOND®**

AB 9088LV FROM ÅNGSTRÖMBOND 4

Adhesives

ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9088LV

Section 4: First-Aid Measures

Continued

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.

Section 5: Fire-Fighting Measures**Extinguishing Media:****Suitable extinguishing media**Use CO₂, dry chemical, or foam.**Unsuitable extinguishing media**

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemicalCarbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.**Hazardous combustion products**

Hazardous decomposition products due to incomplete combustion.

Explosion data**Sensitivity to Mechanical Impact** None.**Sensitivity to Static Discharge** None.**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures**Personal precautions, protective equipment and emergency procedures:****Personal precautions**

Ensure adequate ventilation, Wear protective gloves/clothing and eye/face protection.

Environmental precautions:**Environmental precautions**

Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses, See Section 12 for additional Ecological Information, Local authorities should be advised if significant spillages cannot be contained.

Other Information

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up:**Methods for containment**

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Issue Date: 9/18/2016

Revision Date: 8/5/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.23 Centre Street • New Bedford, MA 02740 USA • focenter.com508-992-6464 | (800) 473-4237 • sales@focenter.comData is subject to change without notice.
FOC last update 1/14/2026.



Manufacturer: ÅngströmBond®
Product Name: ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)
Manufacturer Part Number: AB9088LV-3CC

▶ [Click here for more details on the ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure \(3cc Syringe\)](#)



AB 9088LV FROM ANGSTROMBOND 5

Adhesives

ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS
 SDS # AB 9088LV

Section 7: Handling and Storage

Precautions for safe handling:

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice, ensure adequate ventilation, protect from light.

Conditions for safe storage, including any incompatibilities:

Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place, protect from light.

Incompatible products

Amines, Strong oxidizing agents, Strong acids, Strong bases, Oxygen scavengers, Thiosulfates.

Section 8: Exposure Controls / Personal Protection

Control Parameters:
Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acrylic Acid	TWA: 2 ppm S*	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m ³ S*	TWA: 2 ppm TWA: 6 mg/m ³

ACGIH (American Conference of Governmental Industrial Hygienists)

TLV - Threshold Limit Value

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL - Permissible Exposure Limits

NIOSH IDLH

Immediately Dangerous to Life or Health

Appropriate engineering controls:

Engineering Measures

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields, if splashes are likely to occur, wear: Goggles.

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required, do not breathe vapors, mist or gas.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice, when using do not eat, drink or smoke, Wear suitable gloves and eye/face protection. Wash hands before breaks and at the end of workday, Regular cleaning of equipment, work area and clothing is recommended.

Issue Date: 9/18/2016

Revision Date: 8/5/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)

Manufacturer Part Number:
AB9088LV-3CC

▶ [Click here for more details on the ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure \(3cc Syringe\)](#)



AB 9088LV FROM ÅNGSTRÖMBOND 6

Adhesives

ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9088LV

Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties:

Physical state	Liquid
Appearance	Transparent
Color	Colorless
Odor	Characteristic
Odor threshold	No information available

Property	Values	Remarks / Method
pH		No information available
Melting point / freezing point		No information available
Boiling point / boiling range		No information available
Flash point	101 °C / 213 °F	
Evaporation rate		No information available
Flammability (solid, gas)		No information available
Flammability Limit in Air		
Upper flammability limit -		
Lower flammability limit -		
Vapor pressure		No information available
Vapor density		No information available
Specific Gravity		No information available
Water Solubility	Practically insoluble	
Solubility in other solvents		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Dynamic viscosity	450 cP	
Kinematic viscosity		No information available
Explosive properties		No information available
Oxidizing properties		No information available

Other Information:

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	2,00189999991562
Density	No information available
Bulk density	No information available

Section 10: Stability and Reactivity

Reactivity:

No data available

Chemical Stability:

Stable under normal conditions.

Possibility of hazardous reactions:

None under normal processing.

Conditions to avoid:

Protect from light, heat, flames and sparks

Incompatible materials:

Amines, Strong oxidizing agents, Strong acids, Strong bases, Oxygen scavengers.

Hazardous decomposition products:

No decomposition if stored and applied as directed.

Issue Date: 9/18/2016

Revision Date: 8/5/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 1/14/2026.

SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmBond®

Product Name:

ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)

Manufacturer Part Number:

AB9088LV-3CC

▶ Click here for more details on the ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)

**ÅNGSTRÖMBOND®**

Advanced Polymers for High Tech Applications

SDS # AB 9088LV

AB 9088LV FROM ÅNGSTRÖMBOND 7

ADHESIVES**Section 11: Toxicological Information****Information on toxicological effects:****Acute toxicity****Information on likely routes of exposure****Inhalation** There is no data for this product**Eye contact** There is no data for this product**Skin Contact** There is no data for this product**Ingestion** There is no data for this product**Symptoms** No information available.**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Sensitization** May cause sensitization of susceptible persons**Mutagenic effects** No information available.**Reproductive toxicity** No information available.**Carcinogenicity** Contains no ingredients above reportable quantities listed as a carcinogen.**STOT - single exposure****Target Organ Effects** Respiratory system, EYES, Skin.**Aspiration hazard** No information available.**Other adverse effects** No information available.**Chronic toxicity** Repeated contact may cause allergic reactions in very susceptible persons

Avoid repeated exposure

Numerical measures of toxicity - Product Information

0 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1229 mg/kg
ATEmix (dermal)	2848 mg/kg
ATEmix (inhalation-gas)	4080 ppm
ATEmix (inhalation-dust/mist)	75 mg/l
ATEmix (inhalation-vapor)	489 mg/l

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
N,N-Dimethylacrylamide	252 mg/kg (Rat)	907 mg/kg (Rabbit)	776 ppm (Rat) 1 h
Isobornyl Methacrylate	LD50 2400 mg/kg (Rat)	LD50 > 3000 mg/kg (Rabbit)	
Acrylate Monomer		LD50 > 1,000 mg/kg (Rabbit)	
2-Hydroxyethyl methacrylate	= 5050 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	
Acrylic Acid	= 193 mg/kg (Rat) = 33500 µg/kg (Rat)	= 280 µL/kg (Rabbit) = 295 mg/kg (Rabbit)	= 5300 mg/m3 (Rat) 2 h
Photoinitiator	> 1700 mg/kg (Rat)	6929 mg/kg (Rat)	
Silane Coupling Agent	>5000 mg/kg (Rat)		

Issue Date: 9/18/2016

Revision Date: 8/5/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.23 Centre Street • New Bedford, MA 02740 USA • focenter.com508-992-6464 | (800) 473-4237 • sales@focenter.comData is subject to change without notice.
FOC last update 1/14/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)

Manufacturer Part Number:
AB9088LV-3CC

▶ Click here for more details on the ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)



AB 9088LV FROM ANGSTROMBOND 8

ADHESIVES

ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9088LV

Section 12: Ecological Information

Ecotoxicity:

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Acute aquatic toxicity

Product Information

Testing for acute and chronic aquatic effects determined no environmental classification is required.

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
N,N-Dimethylacrylamide		LC50 > 120 mg/L 96 h (Oncorhynchus mykiss)	EC50 > 120 mg/l 48 h (Daphnia magna)
Isobornyl Methacrylate	EbC50 0.9 mg/l ErC50 2.7 mg/l NOEC 0.3 mg/l	LC0 1.8 mg/l 96 h (Danio rerio) NOEC 1.0 mg/l (Danio rerio)	EC50 1.1 mg/l 48 h (Daphnia)
2-Hydroxyethyl methacrylate		LC50 = 227 mg/L 96 h (Pimephales promelas)	EC50 > 380 mg/l 48 h (Daphnia magna)
Acrylic Acid	EC50 0.04 mg/L 72 h (Desmodesmus subspicatus)	LC50 = 222 mg/L 96 h (Brachydanio rerio)	EC50 = 95 mg/L 48 h
Photoinitiator	EC50 195 mg/l 72 h (green algae)	LC50 160 mg/l 48 h (Leuciscus idus)	EC50 > 119 mg/l 48 h (Daphnia magna)
Visible Photoinitiator		LC50 = 10 mg/l 48 h (Oryzias latipes)	
Silane Coupling Agent	EC50 > 536.00 mg/L 72 h (Scenedesmus subspicatus)	LC50 > 1024.00 mg/l 96 h (Brachydanio rerio)	EC50 > 876.00 mg/l 48 h (Daphnia magna)

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical Name	log Pow
Acrylic Acid	0.46
2-Hydroxyethyl methacrylate	0.47

Mobility in soil

No product level data available.

Section 13: Disposal Considerations

Waste treatment methods:

Dispose of waste in compliance with local and national regulations.

Contaminated packaging

Dispose of in accordance with local regulations.

Issue Date: 9/18/2016

Revision Date: 8/5/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 1/14/2026.

**Manufacturer:**

ÅngströmBond®

Product Name:

ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)

Manufacturer Part Number:

AB9088LV-3CC

▶ [Click here for more details on the ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure \(3cc Syringe\)](#)



ÅNGSTRÖMBOND®

Advanced Polymers for High Tech Applications

SDS # AB 9088LV

AB 9088LV FROM ÅNGSTRÖMBOND 9

Adhesives

Section 14: Transport Information

DOT Not regulated
 ICAO/IATA Not regulated
 IMDG/IMO Not regulated

Section 15: Regulatory Information**International Inventories:**

TSCA Complies
 AICS Complies
 DSL/NDSL Complies
 EINECS/ELINCS Complies
 ENCS Complies
 IECSC Complies
 KECL Complies
 NZIoC Complies
 PICCS Complies
 TCSI Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substance Inventory

US Federal Regulations:**OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
2-(2-ethoxyethoxy)ethyl acrylate	1.0
Acrylic Acid	1.0

Issue Date: 9/18/2016

Revision Date: 8/5/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
 FOC last update 1/14/2026.

SAFETY DATA SHEET (SDS)



Manufacturer: ÅngströmBond®
Product Name: ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)
Manufacturer Part Number: AB9088LV-3CC

▶ Click here for more details on the ÅngströmBond® AB9088LV Plastic Bonding Adhesive, UV Cure (3cc Syringe)



AB 9088LV FROM ÅNGSTRÖMBOND 10

ADHESIVES

ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9088LV

Section 15: Regulatory Information

continued

SARA 311/312 Hazard Categories
Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acrylic Acid	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Acrylate Monomer	X		X
Acrylic Acid	X	X	X
Stabilizer	X	X	X
2-Propenoic acid, 2-methyl-	X	X	X

California Proposition 65

This product does not contain any Proposition 65 chemicals.

Section 16: Other Information

SDS Creation Date: 9/18/2016
SDS Revision Date: 3/18/2020
Reason for Revision: Update information for GHS format
For more information: phone: 1-800-473-4237, fax: 1-508-991-8876
Prepared by Fiber Optic Center, Inc.

ÅNGSTRÖMBOND® is a REGISTERED TRADEMARK of Fiber Optic Center, Inc., New Bedford MA, USA

Fiber Optic Center™, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes. This warranty is limited to a credit or replacement of the product only, and does not cover direct, indirect, consequential, incidental or any other type of damage resulting from the use of the product. Fiber Optic Center is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

Fiber Optic Center™, Inc., 23 Centre Street, New Bedford, MA, 02740-6322, USA E-mail: sales@focenter.com
Toll Free: (800) IS-FIBER or (800) 473-4237 • Phone: (508) 992-6464 • Fax: (508) 991-8876 • Website: www.focenter.com

Issue Date: 9/18/2016

Revision Date: 8/5/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 1/14/2026.