

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9590 Thermally Conductive Black Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:
AB9590-2.5G

▶ Click here for more details on the ÅngströmBond® AB9590 Thermally Conductive Black Epoxy, Room Temperature Cure (2.5g)



ISO 9001 CERTIFIED
ISO 14001 CERTIFIED

Safety Data Sheet acc. to OSHA HCS

SECTION 1: Identification

1.1 GHS Product identifier

Product name AB9590-2.5G Part A

1.2 Recommended use of the chemical and restrictions on use

Adhesive, encapsulant, potting compound

1.3 Supplier's details

Name Fiber Optic Center, Inc.
Address 23 Centre Street
New Bedford, MA 02740-6322 USA
Telephone 1-508-992-6464
Fax 1-508-991-8876

1.4 Emergency phone number

Chemtrec Emergency (800)-424-9300
Call this number in the event of an accident resulting in a spill, leak or fire. Call this number in the event of exposure to the chemicals.

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: UN GHS revision 10

- Skin corrosion/irritation, Cat. 2
- Sensitization - skin, Cat. 1
- Eye damage/irritation, Cat. 2
- Reproductive toxicity, Cat. 2
- Specific target organ toxicity, single exposure, Cat. 3
- Hazardous to the aquatic environment, short-term (acute), Cat. 2
- Hazardous to the aquatic environment, long-term (chronic), Cat. 2

2.2 GHS label elements, including precautionary statements

Pictograms



Signal word

Hazard statement(s)

H315
H317
H319
H361
H335
H336
H401
H411

Precautionary statement(s)

P264
P280
P302+P352
P332+P317
P362+P364
P261
P272

Warning

Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
Suspected of damaging fertility or the unborn child
May cause respiratory irritation
May cause drowsiness or dizziness
Toxic to aquatic life
Toxic to aquatic life with long lasting effects

Wash hands thoroughly after handling.
Wear protective gloves / protective clothing / eye protection
IF ON SKIN: Wash with soap and water.
If skin irritation occurs: Get medical help.
Take off contaminated clothing and wash it before reuse.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Contaminated work clothing should not be allowed out of the workplace.

Version 4.0, Supersedes: 2.0, Date of issue: 2024-08-21, p. 1 of 5

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 12/15/2025.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9590 Thermally Conductive Black Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:
AB9590-2.5G

▶ Click here for more details on the ÅngströmBond® AB9590 Thermally Conductive Black Epoxy, Room Temperature Cure (2.5g)

Safety Data Sheet AB9590-2.5G Part A

P333+P317
P501
P264+P265
P305+P351+P338

P337+P317
P203
P318
P405
P271
P304+P340
P319
P403+P233
P273
P391

If skin irritation or rash occurs: Get medical help.
Dispose of contents/container to an approved waste disposal plant.
Wash hands thoroughly after handling. Do not touch eyes.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical help.
Obtain, read and follow all safety instructions before use.
If exposed or concerned, get medical advice.
Store locked up.
Use only outdoors or in a well-ventilated area.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Get medical help if you feel unwell.
Store in a well-ventilated place. Keep container tightly closed.
Avoid release to the environment.
Collect spillage.

SECTION 3: Composition/information on ingredients

3.1 Substances

1. Non-hazardous ingredients

Concentration
CAS no.

35 - 45 % (weight)
Proprietary

2. Polymer Resin

Concentration
CAS no.

20 - 30 % (weight)
Proprietary

3. Epoxy Resin

Concentration
CAS no.

15 - 25 % (weight)
Proprietary

4. Epoxy Diluent

Concentration
CAS no.

5 - 15 % (weight)
Proprietary

5. Silica, fumed

Concentration
CAS no.

1 - 5 % (weight)
67762-90-7

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Move to fresh air. Aid in breathing, if necessary, and get immediate medical attention.

In case of skin contact

Remove contaminated clothing/shoes and wash affected areas with water followed by washing with soap and water. If irritation occurs, get medical attention. Launder contaminated clothing before reuse.

In case of eye contact

In case of eye contact - Immediately wash eyes with running water for 15 minutes. Get immediate medical attention.

If swallowed

DO NOT INDUCE VOMITING. Dilute with water or milk and call a physician immediately. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

4.2 Most important symptoms/effects, acute and delayed

No data available.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water fog, alcohol foam, carbon dioxide or dry chemical extinguishing media.

Version 4.0, Supersedes: 2.0, Date of issue: 2024-08-21, p. 2 of 5

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 12/15/2025.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9590 Thermally Conductive Black Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:
AB9590-2.5G

▶ Click here for more details on the ÅngströmBond® AB9590 Thermally Conductive Black Epoxy, Room Temperature Cure (2.5g)

Safety Data Sheet AB9590-2.5G Part A

5.2 Specific hazards arising from the chemical

Carbon oxides

5.3 Special protective actions for fire-fighters

Material will not burn unless preheated. Firefighters should not enter confined space without full bunker gear (helmet with faces shield, bunkercoats, gloves and rubber boots), including a positive pressure, NIOSH approved, self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Extinguish all sources of ignition. Wear appropriate clothing, gloves, goggles or glasses. Provide adequate ventilation.

6.2 Environmental precautions

Do not discharge into any sewage system or waterway.

6.3 Methods and materials for containment and cleaning up

Absorb with earth, sand, or other inert material and place in suitable containers for disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Observe normal standard of industrial hygiene for handling chemicals. Avoid contact with skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area. Keep containers tightly closed and away from heat, direct sunlight and ignition sources.

SECTION 8: Exposure controls/personal protection

8.1 Appropriate engineering controls

Mechanically exhaust vapors at points of application. Maintain airborne contaminant levels of chemicals below their recommended TLV's or PEL's.

8.2 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Chemical goggles or safety glasses with side shields.

Skin protection

Avoid prolonged or repeated contact with skin. Wear impervious gloves such as nitrile, latex, or polychloroprene and other clothing to prevent contact.

Respiratory protection

For confined areas or areas with poor ventilation, use an approved cartridge type, organic vapor respirator.

SECTION 9: Physical and chemical properties

9.1 Basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Color	Black
Odor	Slight odor
Odor threshold	Not determined
Melting point/freezing point	Not determined
Boiling point or initial boiling point and boiling range	> 200 deg. C
Flammability	Not determined
Lower and upper explosion limit/flammability limit	Not determined
Flash point	> 100 deg. C
Auto-ignition temperature	Not determined
Decomposition temperature	Not determined
pH	Not determined
Kinematic viscosity	Not determined
Solubility	Not determined
Partition coefficient n-octanol/water (log value)	Not determined
Vapor pressure	Not determined

Version 4.0, Supersedes: 2.0, Date of issue: 2024-08-21, p. 3 of 5

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 12/15/2025.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9590 Thermally Conductive Black Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:
AB9590-2.5G

▶ Click here for more details on the ÅngströmBond® AB9590 Thermally Conductive Black Epoxy, Room Temperature Cure (2.5g)

Safety Data Sheet AB9590-2.5G Part A

Evaporation rate	Not determined
Density and/or relative density	1.54
Relative vapor density	Heavier than air
Particle characteristics	No data available on product itself.
Supplemental information regarding physical hazard classes	
No data available on product itself.	
Further safety characteristics (supplemental)	
No data available on product itself.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available on product itself.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Can react vigorously with strong oxidizing agents, strong Lewis acids or mineral acids, and strong mineral and organic bases.

10.4 Conditions to avoid

Storage in open containers, sources of ignition, high temperatures and direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents, strong Lewis acids or mineral acids, and strong mineral and organic bases.

10.6 Hazardous decomposition products

Carbon monoxide, aldehydes, acids, and other organic substances can be formed during combustion, thermal, or oxidative decomposition. Reaction with some curing agents may produce considerable heat.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available on product itself.

ATE, mix

LD50, oral = > 3,200 mg/kg

LD50, dermal = > 2,000 mg/kg

Skin corrosion/irritation

Avoid prolonged or repeated contact with skin. Wear impervious gloves such as nitrile, latex, or polychloroprene and other clothing to prevent contact.

Serious eye damage/irritation

Chemical goggles or safety glasses with side shields

Respiratory or skin sensitization

For confined areas or areas with poor ventilation, use an approved cartridge type, organic vapor respirator.

Germ cell mutagenicity

No data available on product itself.

Carcinogenicity

No data available on product itself.

Reproductive toxicity

No data available on product itself.

Specific target organ toxicity (STOT) - single exposure

No data available on product itself.

Specific target organ toxicity (STOT) - repeated exposure

No data available on product itself.

Aspiration hazard

No data available on product itself.

SECTION 12: Ecological information

12.1 Toxicity

No data available on product itself.

Version 4.0, Supersedes: 2.0, Date of issue: 2024-08-21, p. 4 of 5

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 12/15/2025.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9590 Thermally Conductive Black Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:
AB9590-2.5G

▶ Click here for more details on the ÅngströmBond® AB9590 Thermally Conductive Black Epoxy, Room Temperature Cure (2.5g)

Safety Data Sheet AB9590-2.5G Part A

ATE, mix

EC50 (fish, 96h): = > 2.5 mg/L

EC50 (daphnia magna, 48h) = > 2.25 mg/L

EC50 (algae, 72h) = > 60 mg/L

EC50 (bacteria, 21d) = > 110 mg/L

12.2 Persistence and degradability

No data available on product itself.

12.3 Bioaccumulative potential

No data available on product itself.

12.4 Mobility in soil

No data available on product itself.

12.5 Results of PBT and vPvB assessment

No data available on product itself.

SECTION 13: Disposal considerations

13.1 Disposal methods

Dispose of contents/container in accordance with all local, regional, national and international regulations.

SECTION 14: Transport information

14.1 UN Number	None
14.2 UN Proper Shipping Name	None
14.3 Transport hazard class(es)	None
14.4 Packing group	None
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Transport in bulk according to IMO instruments	None

SECTION 15: Regulatory information

15.1 HMIS Rating

AB9590-2.5G Part A	
HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate and meets all State and Federal guidelines. However, Fiber Optic Center, Inc. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of the suitability of any material is the sole responsibility of the user. SDS prepared 21st of August 2024. Updated SDS to current GHS revision (10).

Version 4.0, Supersedes: 2.0, Date of issue: 2024-08-21, p. 5 of 5

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 12/15/2025.