


SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

SAFETY DATA SHEET

AB9715

SECTION 1: IDENTIFICATION

1.1. Product identifier

▼ *Trade name:* AB9715
Product no.: AB9715

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Adhesive, Sealant
Restricted to professional and industrial use.
Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet

Company and address: **Hernon Manufacturing Inc**
121 Tech Drive
FL 32771 Sanford
USA
T: +1-407-322-4000
www.hernon.com

Contact person: Hernon SDS Coordinator
E-mail: customerservice@hernon.com

SDS date: 4/29/2026

SDS Version: 5.0

Date of previous version: 3/25/2026 (4.0)

1.4. Emergency telephone number

Contact the poison control at 1-800-222-1222 (24/7) or use the webpoisoncontrol (triage.webpoisoncontrol.org) to get specific guidance for your case.

VelocityEHS:
+1-800-255-3924 (USA)
+1-813-248-0585 (International)
1-300-954-583 (Australia)
0-800-591-6042 (Brazil)
400-120-0751 (China)
000-800-100-4086 (India)
800-099-0731 (Mexico)
Contract #: (MIS0002665)

SECTION 2: HAZARD(S) IDENTIFICATION

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

2.1. Classification of the substance or mixture

Not classified according to HCS (29 CFR 1910.1200)

2.2. Label elements

Hazard pictogram(s): Not applicable.

Signal word: Not applicable.

Hazard statement(s):

Precautionary statement(s):

General: Not applicable.

Prevention: Not applicable.

Response: Not applicable.

Storage: Not applicable.

Disposal: Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-methoxyethyl 2-cyanoacrylate	CAS No.: 27816-23-5	70-100%		
1,4-dihydroxybenzene hydroquinone quinol	CAS No.: 123-31-9	<0.1%	Acute Tox. 4, H302 Skin Sens. 1, H317 Eye Dam. 1, H318 Muta. 2, H341 Carc. 2, H351	

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

-

SECTION 4: FIRST-AID MEASURES

4.1. Description of first aid measures

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ [Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive \(20g\)](#)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

General information:

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact:

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact:

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion:

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Headache, Methaemoglobinaemia (1,4-dihydroxybenzene hydroquinone quinol)

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ [Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive \(20g\)](#)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)
Carbon oxides (CO / CO₂)

5.3. Advice for firefighters
No specific requirements.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Always store in containers of the same material as the original container.

Storage conditions: Keep away from any light sources
Protect from moisture.
Room Temperature, 15 to 29°C or Refrigerator, 2 to 7°C

Incompatible materials: Strong oxidizing agents
Strong Reducing Agents
Water

7.3. Specific end use(s)

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ [Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive \(20g\)](#)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

1,4-dihydroxybenzene hydroquinone quinol
Long term exposure limit (OSHA Table Z-1) (mg/m³): 2
Long term exposure limit (ACGIH TLV) (mg/m³): 1
Ceiling value (NIOSH REL) (mg/m³): 2 [15-min]

Part 1910 - Occupational Safety and Health Standards (29 CFR 1910.1000 TABLE Z-1 - Limits for Air Contaminants)

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios:

There are no exposure scenarios implemented for this product.

Exposure limits:

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures:

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures:

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure:

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally:

Use only protective equipment with a recognized certification mark, e.g. the UL mark.

Respiratory Equipment:

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ [Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive \(20g\)](#)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Skin protection:

Recommended	Type/Category	Standards	
-	Protective Clothing		

Hand protection:

Nitrile Rubber

Eye protection:

Type	Standards	
Safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

<i>Physical state:</i>	Gel
<i>Color:</i>	Clear
<i>Odor:</i>	Irritating
<i>Odor threshold (ppm):</i>	No data available
<i>pH:</i>	Not applicable
<i>Density (g/cm³):</i>	No data available.
	-
<i>Relative density:</i>	1.1
<i>Kinematic viscosity:</i>	No data available
<i>Particle characteristics:</i>	No data available

Phase changes

<i>Melting point/freezing point (°F):</i>	-
<i>Melting point/freezing point (°C):</i>	-22
<i>Softening point/range (°F):</i>	Does not apply to liquids.
<i>Boiling point (°F):</i>	-
<i>Boiling point (°C):</i>	>200
<i>Vapor pressure:</i>	<0.2 mmHg

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ [Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive \(20g\)](#)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Relative vapor density: 3
Decomposition temperature (°F): No data available

Data on fire and explosion hazards

Flash point (°F): -
Flash point (°C): 80-94
Flammability (°F): No data available.
Auto-ignition temperature (°F): -
Auto-ignition temperature (°C): 485
Explosion limits (% v/v): No data available

Solubility

Solubility in water: No data available
n-octanol/water coefficient (LogKow): No data available
Solubility in fat (g/L): No data available

9.2. Other information

Sensitivity to shock: No
Evaporation rate (n-butylacetate = 100): No data available
Other physical and chemical parameters: No data available.
Oxidizing properties: No data available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions, including those associated with foreseeable emergencies

Development of heat will occur upon polymerisation of larger quantities of the material

10.4. Conditions to avoid

Moisture
Extremes of temperature
Mechanical influences (e.g. Shock, pressure, impact, friction). Fire, sparks or other ignition sources.

10.5. Incompatible materials

Strong oxidizing agents
Strong Reducing Agents

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ [Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive \(20g\)](#)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Water

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects

None known.

Other information

1,4-dihydroxybenzene hydroquinone quinol has been classified by IARC as a group 3 carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Based on available data, the classification criteria are not met.

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ [Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive \(20g\)](#)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)

None of the components are listed

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	UN3334	AVIATION REGULATED LIQUID, N.O.S. (2-methoxyethyl 2-cyanoacrylate)	Transport hazard class: 9 Classification code: M11	III	No	See below for additional information.

* Packing group

** Environmental hazards

Additional information

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ [Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive \(20g\)](#)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. U.S. Federal regulations

TSCA (the non-confidential portion): 1,4-dihydroxybenzene hydroquinone quinol is listed
Clean Air Act: 1,4-dihydroxybenzene hydroquinone quinol is regulated as a hazardous air pollutant (HAPS)
EPCRA Section 302: 1,4-dihydroxybenzene hydroquinone quinol is regulated with a Treshold Planning Quantity (TPQ) of: 500/10000 pounds
EPCRA Section 304: 1,4-dihydroxybenzene hydroquinone quinol is regulated with a Reportable Quantity (RQ) of: 100 pounds
EPCRA section 313: 1,4-dihydroxybenzene hydroquinone quinol is listed
CERCLA: 1,4-dihydroxybenzene hydroquinone quinol is regulated with a Reportable Quantity (RQ) of: 100 pounds
Hazardous chemical inventory reporting:

15.3. State regulations

California / Prop. 65: None of the components are listed
Massachusetts / Right To Know Act: 1,4-dihydroxybenzene hydroquinone quinol is listed
New Jersey / Right To Know Act: 1,4-dihydroxybenzene hydroquinone quinol / Substance number: 1019
—
New York / Right To Know Act: 1,4-dihydroxybenzene hydroquinone quinol is listed
1,4-dihydroxybenzene hydroquinone quinol is regulated with a Reportable Quantity (RQ) of: 1 pounds
1,4-dihydroxybenzene hydroquinone quinol is regulated with a Treshold Reporting Quantity (TRQ) of: 0 pounds
1,4-dihydroxybenzene hydroquinone quinol is regulated with a Treshold Planning Quantity (TPQ) of: 500*/10000 pounds
*Quantity applies if the substance is present in the form of a fine powder (particle size less than 100 microns), molten or in solution, or reacts with water.
—
Pennsylvania / Right To Know Act: 1,4-dihydroxybenzene hydroquinone quinol is listed
1,4-dihydroxybenzene hydroquinone quinol is hazardous to the environment (E)
—

15.4. Restrictions for application

Restricted to professional users.

15.5. Demands for specific education

No specific requirements.

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ [Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive \(20g\)](#)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

15.6. Additional information

Not applicable.

15.7. Chemical safety assessment

No

15.8. Sources

OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.
H317, May cause an allergic skin reaction.
H318, Causes serious eye damage.
H341, Suspected of causing genetic defects.
H351, Suspected of causing cancer.

The full text of identified uses as mentioned in section 1

None known.

Abbreviations and acronyms

ACGIH = American Conference of Governmental Industrial Hygienists
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CERCLA = Comprehensive Environmental Response Compensation and Liability Act
DOT = Department of Transportation
EINECS = European Inventory of Existing Commercial chemical Substances
EPCRA = Emergency Planning and Community Right-To-Know Act
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
HCIS = Hazardous Chemical Information System
HNOC = Hazards Not Otherwise Classified
IARC = International Agency for Research on Cancer
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
LogKow = logarithm of the n-octanol/water coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NFPA = National Fire Protection Association
NIOSH = National Institute for Occupational Safety and Health
OECD = Organisation for Economic Co-operation and Development
OSHA = Occupational Safety and Health Administration
PBT = Persistent, Bioaccumulative and Toxic
RCRA = Resource Conservation and Recovery Act

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive (20g)

Manufacturer Part Number:
AB9715-20G

▶ [Click here for more details on the ÅngströmBond® AB9715 Cyanoacrylate Adhesive Gel, Fiber Optic Ribbonization and Repitch Instant Adhesive \(20g\)](#)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SARA = Superfund Amendments and Reauthorization Act
SCL = A specific concentration limit.
STEL = Short-term exposure limits
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TSCA = The Toxic Substances Control Act
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable.

The safety data sheet is validated by

SDS Coordinator

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product.
Information in this safety data sheet cannot be used as a product specification.
Country-language: US-en

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 6/11/2026.