

**Manufacturer:**

ÅngströmLap®

Product Name:

ÅngströmBrush® Ultimas™-F SiOx Flock Pile Lapping Film Disc - 8 inch

Manufacturer Part Number:

ULT26MFPG802N50

[Learn More](#)

▶ [Click here for more details on the ÅngströmBrush® Ultimas™-F SiOx Flock Pile Lapping Film Disc - 8 inch](#)

PRODUCT SPECIFICATIONS:**Description by Application**

FO Type Name: SO26-MFPG

Color: Grey

Abrasive Type

Particle Type: Silicon dioxide

Flock Pile

Pile Material: Nylon

Pile Diameter: 1 d

Pile Length: 0.4 mm

Flock Pile

Base Film Material: Poly-ethylene terephthalate

Base Film Thickness: 2 mil (50 µm)



Contact the professionals at Fiber Optic Center for a quote or to get more details.

focenter.com • 508-992-6464 | (800) 473-4237 • sales@focenter.com

23 Centre Street • New Bedford, MA 02740 USA

Product specifications and data are subject to change without notice. FOC last update 1/6/2026.

**Manufacturer:**

ÅngströmLap®

Product Name:

ÅngströmBrush® Ultimas™-F SiOx Flock Pile Lapping Film Disc - 8 inch

Manufacturer Part Number:

ULT26MFPG802N50

▶ Click here for more details on the ÅngströmBrush® Ultimas™-F SiOx Flock Pile Lapping Film Disc - 8 inch

PRODUCT SPECIFICATIONS:**Unit:** Standard packaging of 50

Roll - Product that has already been slit down for samples or to product specifications requested by the customer. This specification standard covers tapes for various applications.

Disc - Product that has been slit down into rolls then die cut into circular discs to conform to customer specified sizes. This specification standard covers disks for various applications

Sheet - Product that has been slit down into rolls then sheet cut into rectangular sheets to conform to customer specified sizes. This specification standard covers sheets for various applications

Description:*Example: SO26-MFPG*

Abrasive Material	Process Type
SO26	MFPG
Silicon dioxide	Flock Pile Type

Lot Description:

Indicated by 10 digits number.

Automatic numbering by enterprise resource planning system.

*Example: 0000012345***Product Specifications:**

Mipox product standards are specified by the abrasive film Surface roughness and the total thickness diameter and length.

Storage Environment:

- Temperature: 10 to 50 centigrade
- Humidity: 20 to 80%

Product Life: Mipox product life is guaranteed up to 5 years from the manufactured date

Recommended Usage: Usage amounts are conservative estimates and may vary based on individual conditions. Please contact Fiber Optic Center to optimize these usage numbers. Specifications subject to change without notice.

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**focenter.com • 508-992-6464 | (800) 473-4237 • sales@focenter.com

23 Centre Street • New Bedford, MA 02740 USA

Product specifications and data are subject to change without notice. FOC last update 1/6/2026.



Manufacturer:
ÅngströmLap®


Product Name:
ÅngströmBrush® Ultimas™-F SiOx Flock Pile Lapping Film Disc - 8 inch

Manufacturer Part Number:
ULT26MFPG802N50



[Learn More](#)

▶ [Click here for more details on the ÅngströmBrush® Ultimas™-F SiOx Flock Pile Lapping Film Disc - 8 inch](#)



Contact the professionals at Fiber Optic Center for a quote or to get more details.

focenter.com • 508-992-6464 | (800) 473-4237 • sales@focenter.com

23 Centre Street • New Bedford, MA 02740 USA

Product specifications and data are subject to change without notice. FOC last update 1/6/2026.