

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

## SAFETY DATA SHEET



### 1. Identification

**Fiber Optic Center Inc.**  
23 Centre Street  
New Bedford, MA 02740  
USA

#### TRANSPORTATION EMERGENCY

CALL CHEMTRIC:  
INTERNATIONAL: (800) 424-9300  
(703) 527-3887

#### NON-TRANSPORTATION

Emergency Phone:  
Information Phone: Call Chemtrec  
(844) 646-0545

**Product Name:**

DeSolite 3471-3-14

**Material Number:**

50025036

**Chemical Family:**

UV-Curable Mixture

**Use:**

Raw material for coatings, inks, adhesives, sealants, or elastomers in  
industrial applications

**Restrictions on use:**

Do-It-Yourself Applications

### 2. Hazards Identification

#### GHS Classification

Skin irritation: Category 2  
Eye irritation: Category 2A  
Skin sensitisation: Category 1  
Carcinogenicity: Category 2  
Reproductive toxicity (Oral): Category 1B

#### GHS Label Elements

Hazard pictograms:



Signal word:

Danger

Hazard statements:

Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May damage fertility or the unborn child if swallowed.  
Suspected of causing cancer.

Precautionary statements:

**Prevention:**  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and  
understood.

Material Name: DeSolite 3471-3-14

Material Number: 50025036

Page: 1 of 12

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice.  
FOC last update 1/12/2026.

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

Avoid breathing dust, mist, gas, vapors or spray.  
Wash skin and face thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear permeation resistant protective gloves and clothing. Wear eye and face protection.

**Response:**  
IF ON SKIN: Wash with plenty of soap and water.  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical attention.  
If skin irritation or rash occurs: Get medical attention.  
If eye irritation persists: Get medical attention.  
Take off contaminated clothing and wash it before reuse.

**Storage:**  
Store locked up.  
**Disposal:**

Dispose of contents and container in accordance with existing federal, state, and local environmental control laws.

## 3. Composition/Information on Ingredients

### Hazardous Components

Concentration	Components	CAS-No.
7 - 13%	1,1,1-trimethylol propane triacrylate	15625-89-5
1 - 5%	Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-	75980-60-8
0.1 - 1%	Oligomer	CAS# is a trade secret
0.1 - 1%	2-Hydroxyethyl Acrylate	818-61-1

The specific chemical identity and/or exact percentage of component(s) have been withheld as a trade secret.

## 4. First Aid Measures

### Most Important Symptom(s)/Effect(s)

**Acute:** May cause allergic skin reaction with symptoms of reddening, itching, swelling, and rash., Causes skin irritation with symptoms of reddening, itching, and swelling., Causes serious eye irritation with symptoms of reddening, tearing, swelling, and burning.

### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

### Skin Contact

In case of skin contact, wash affected areas with soap and water. Wash off immediately with plenty of water for at least 15 minutes. Immediately remove contaminated clothing and shoes. Call a physician if irritation develops or persists. Wash clothing and shoes before reuse.

### Inhalation

If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

Material Name: DeSolite 3471-3-14	Material Number: 50025036
Page: 2 of 12	

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

Learn More

Data is subject to change without notice.  
FOC last update 1/12/2026.

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

respiration. Get medical attention.

#### Ingestion

If ingested, do not induce vomiting unless directed to do so by medical personnel. Call a physician immediately.

## 5. Firefighting Measures

**Suitable Extinguishing Media:** All extinguishing media are suitable.

**Unsuitable Extinguishing Media:** No Data Available

#### Fire Fighting Procedure

Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes. Use cold water spray to cool fire-exposed containers to minimize the risk of rupture.

#### Hazardous Decomposition Products

By Fire and Thermal Decomposition: Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), dense black smoke., Acrylate monomers, Aldehydes, Organic acids

#### Unusual Fire/Explosion Hazards

Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.

## 6. Accidental Release Measures

#### Spill and Leak Procedures

Cleanup personnel must use appropriate personal protective equipment. Dike or dam spilled material and control further spillage, if possible. Prevent from entering open drains and waterways. Cover spill with inert material (e. g., dry sand or earth) and collect for proper disposal.

## 7. Handling and Storage

#### Handling/Storage Precautions

Avoid breathing dust, vapor, or mist. Avoid contact with skin or clothing. Avoid contact with eyes. Use only with adequate ventilation/personal protection. Wash thoroughly after handling. Keep container closed when not in use.

#### Storage Temperature

Minimum: 15 °C (59 °F)  
Maximum: 30 °C (86 °F)

#### Storage Conditions

Inhibitor only effective in the presence of oxygen. Exposure to light may cause product polymerization. Extreme heat will result in product polymerization. Protect against heat and direct sunlight.

Employee education and training in the safe use and handling of this product are required under the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### Substances to Avoid

Exothermic reaction with:, Free radical initiators, Peroxides, strong alkalis, Strong acids, Reactive metals

Material Name: DeSolite 3471-3-14	Material Number: 50025036
Page: 3 of 12	

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)  
508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

Learn More

Data is subject to change without notice.  
FOC last update 1/12/2026.

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

## 8. Exposure Controls/Personal Protection

The recommendations in this section should not be a substitute for a personal protective equipment (PPE) assessment performed by the employer as required by 29 CFR 1910 Subpart I.

### Exposure Limits

Country specific exposure limits have not been established or are not applicable

Any component which is listed in section 3 and is not listed in this section does not have a known ACGIH TLV, OSHA PEL or supplier recommended occupational exposure limit.

### Industrial Hygiene/Ventilation Measures

General dilution and local exhaust as necessary to control airborne vapors, mists, dusts and thermal decomposition products below appropriate airborne concentration standards/guidelines.

### Respiratory Protection

Respiratory protection is recommended in insufficiently ventilated working areas and during heating or spraying. For components with occupational exposure limits, when workers are facing concentrations above those limits, they must use appropriate certified respirators.

### Hand Protection

Ensure gloves remain in good condition during use and replace if any deterioration is observed.  
Permeation resistant gloves., Nitrile rubber gloves., Avoid natural rubber gloves., Do not wear PVC gloves,  
as PVC absorbs acrylates.

### Eye Protection

Chemical safety goggles or safety glasses with side-shields.

### Skin Protection

Permeation resistant clothing, Gloves, long sleeved shirts and pants.

### Additional Protective Measures

Ultraviolet (UV) light source is used for curing this product. UV light can be hazardous to unprotected skin and eyes. Protective eyewear should always be worn when working in UV curing areas. Skin protection such as long sleeves, long pants, and gloves should be worn when UV lights are being used.  
Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product. Emergency showers and eye wash stations should be available.

## 9. Physical and Chemical Properties

Physical state:	liquid
Appearance:	liquid
Color:	Colorless to light yellow
Odor:	characteristic
Odor Threshold:	No Data Available
pH:	not applicable
Melting Point:	
Boiling Point:	
Flash Point:	> 93 °C (> 199.4 °F) (closed cup)
Evaporation Rate:	No Data Available
Lower explosion limit:	No Data Available

Material Name: DeSolite 3471-3-14

Material Number: 50025036

Page: 4 of 12

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice.  
FOC last update 1/12/2026.

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

<b>Upper Explosion Limit:</b>	No Data Available
<b>Vapor Pressure:</b>	No Data Available
<b>Vapor Density:</b>	No Data Available
<b>Density:</b>	1.12 g/cm³ @ 20 °C (68 °F)
<b>Relative Vapor Density:</b>	No Data Available
<b>Specific Gravity:</b>	No Data Available
<b>Solubility in Water:</b>	No Data Available
<b>Partition Coefficient: n-octanol/water:</b>	No Data Available
<b>Auto-ignition Temperature:</b>	No Data Available
<b>Decomposition Temperature:</b>	Stable under recommended storage conditions. The product is chemically stable.
<b>Unblocking Temperature:</b>	No Data Available
<b>Dynamic Viscosity:</b>	8,140 - 13,140 mPa.s @ 20 °C (68 °F)
<b>Kinematic Viscosity:</b>	> 7267 mm²/s @ 20 °C (68 °F)
<b>Bulk Density:</b>	No Data Available
<b>Molecular Weight:</b>	No Data Available
<b>Self Ignition:</b>	not applicable
<b>Particle characteristics:</b>	No Data Available

## 10. Stability and Reactivity

### Hazardous Reactions

No hazardous reactions when stored and handled correctly.

### Stability

Stable

### Materials to Avoid

Exothermic reaction with: Free radical initiators, Peroxides, strong alkalis, Strong acids, Reactive metals

### Conditions to Avoid

Heat Exposure to sunlight. Protect from freezing. Product contains an inhibitor system. Must be inhibited to prevent hazardous polymerization. Inhibitor only effective in the presence of oxygen.

### Hazardous Decomposition Products

By Fire and Thermal Decomposition: Carbon dioxide (CO2), carbon monoxide (CO), dense black smoke, Acrylate monomers, Aldehydes, Organic acids

## 11. Toxicological Information

<b>Likely Routes of Exposure:</b>	Skin Contact Eye Contact Ingestion Inhalation
-----------------------------------	--

### Health Effects and Symptoms

**Acute:** May cause allergic skin reaction with symptoms of reddening, itching, swelling, and rash., Causes skin irritation with symptoms of reddening, itching, and swelling., Causes serious eye irritation with symptoms of reddening, tearing, swelling, and burning.

**Chronic:** Suspected of causing cancer., May damage fertility or the unborn child.

### Toxicity Data for: DeSolite 3471-3-14

Material Name: DeSolite 3471-3-14		Material Number: 50025036
-----------------------------------	--	---------------------------

Page: 5 of 12

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice.  
FOC last update 1/12/2026.

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

## Acute Oral Toxicity

Acute toxicity estimate: 1,012 mg/kg (Calculation method)

## Acute Inhalation Toxicity

no data available

## Acute Dermal Toxicity

Acute toxicity estimate: 596.12 mg/kg (Calculation method)

Acute toxicity estimate: > 5,000 mg/kg (Calculation method)

## Toxicity Data for: 1,1,1-trimethylol propane triacrylate

### Acute Oral Toxicity

LD50: > 5,000 mg/kg (rat)

### Acute Inhalation Toxicity

LC50: 0.55 mg/l, 6 h, vapour (rat, male/female)

### Acute Dermal Toxicity

LD50: 5,170 mg/kg (rabbit)  
assuming density = 1.1 g/cm3

### Skin Irritation

rabbit, OECD Test Guideline 404, irritating

### Eye Irritation

rabbit, Draize, irritating

### Sensitization

Skin sensitisation: positive (Guinea pig)

### Repeated Dose Toxicity

Oral: NOAEL: 300 mg/kg, (rat, male/female, daily)

Dermal: LOAEL: 0.3 mg/kg, (rat, male/female, 5 days/week)

Dermal: NOAEL: 0.3 mg/kg, (Mouse, male/female, 5 days/week)

### Mutagenicity

Genetic Toxicity in Vitro:

Mammalian cell - gene mutation assay: positive (Mouse lymphoma cells (L5178Y/TK), Metabolic Activation: with/without)  
Chromosome aberration test: positive (other mammalian peripheral blood lymphocytes, Metabolic Activation: with/without)  
Ames test: ambiguous (Salmonella typhimurium, Metabolic Activation: with/without)

Genetic Toxicity in Vivo:

Micronucleus Assay: negative (Mouse, male/female, oral)  
negative

### Carcinogenicity

Mouse, male, Dermal, 80, 2 times/week  
NOAEL: 50mg/kg body weight/day

Material Name: DeSolite 3471-3-14

Material Number: 50025036

Page: 6 of 12

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice.  
FOC last update 1/12/2026.

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

## Toxicity to Reproduction/Fertility

Oral, daily, (rat, male/female) NOAEL (parental): 300 mg/kg, NOAEL (F1): 300 mg/kg,

## Developmental Toxicity/Teratogenicity

rabbit, male and female, Oral, daily, NOAEL (teratogenicity): >= 130 mg/kg, NOAEL (maternal): >= 130 mg/kg,

## Toxicity Data for: Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

### Acute Oral Toxicity

LD50: > 5,000 mg/kg (rat) (OECD Test Guideline 401)

### Acute Dermal Toxicity

LD50: > 2,000 mg/kg (rat) (OECD Test Guideline 402)

### Skin Irritation

rabbit, Non-irritating

### Eye Irritation

rabbit, Non-irritating

### Sensitization

Skin sensitization (local lymph node assay (LLNA)): sensitizer (Mouse, OECD Test Guideline 429)

### Repeated Dose Toxicity

90 Days, oral: NOAEL: 100 mg/kg, (Rat)

### Mutagenicity

Genetic Toxicity in Vitro:

gene mutation test: negative (Bacteria, Metabolic Activation: with/without)

In vitro mammalian cell gene mutation test: negative (Chinese hamster lung cells)

Chromosome aberration test in vitro: negative (Chinese hamster lung cells)

## Toxicity to Reproduction/Fertility

oral, (Rat) NOAEL (parental): 200 mg/kg, NOAEL (F2): 60 mg/kg, Reproductive effects have been observed in animal studies.

Paternal Effects - Spermatogenesis (including genetic material, sperm morphology, motility, and count), testes, epididymis, sperm duct

## Developmental Toxicity/Teratogenicity

Rat, NOAEL (maternal): 150 mg/kg,

## Toxicity Data for: Oligomer

### Acute Oral Toxicity

LD50: > 2,000 mg/kg (rat, female) (OECD Test Guideline 423)

### Acute Dermal Toxicity

LD50: > 2,000 mg/kg (rat)

### Skin Irritation

In vitro test system, OECD Test Guideline 439, positive

### Eye Irritation

Material Name: DeSolite 3471-3-14

Material Number: 50025036

Page: 7 of 12

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice.  
FOC last update 1/12/2026.

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

rabbit, OECD Test Guideline 405, slight irritant

#### Sensitization

Skin sensitization (local lymph node assay (LLNA)):: positive (Mouse, OECD Test Guideline 429)

#### Repeated Dose Toxicity

Oral: NOAEL: 1,000 mg/kg, (rat, male/female, daily)

#### Mutagenicity

Genetic Toxicity in Vitro:

Ames test: negative (Escherichia coli, Metabolic Activation: with/without)

Chromosome aberration test in vitro: negative (Human lymphocytes, Metabolic Activation: with/without)

#### Toxicity Data for: 2-Hydroxyethyl Acrylate

##### Acute Oral Toxicity

LD50: 540 mg/kg (rat)

##### Acute Inhalation Toxicity

LC50: > 1.45 mg/l, 7 h, vapour (rat, female)

##### Acute Dermal Toxicity

LD50: > 1,000 mg/kg (rat, male/female)

##### Skin Irritation

rabbit, Corrosive

##### Eye Irritation

rabbit, Corrosive

##### Sensitization

Skin sensitization (local lymph node assay (LLNA)):: positive (Mouse)

##### Repeated Dose Toxicity

1,5 a, Inhalative: NOAEL: 0.0024 mg/l, (rat, male/female)

##### Mutagenicity

Genetic Toxicity in Vitro:

Salmonella/microsome test (Ames test): negative (Salmonella typhimurium, Metabolic Activation: with/without)

Micronucleus test: positive (mouse lymphoma cells, Metabolic Activation: without)

Genetic Toxicity in Vivo:

Micronucleus test: negative (Mouse)

Toxicological studies of a comparable product.  
negative

##### Carcinogenicity

rat, male/female, Inhalative, 1,5 a

##### Toxicity to Reproduction/Fertility

Two-generation study, (rat, male/female) Toxicological studies of a comparable product.

##### Developmental Toxicity/Teratogenicity

rat, NOAEL (maternal): 20 mg/kg,

Material Name: DeSolite 3471-3-14

Material Number: 50025036

Page: 8 of 12

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice.  
FOC last update 1/12/2026.

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

## **Carcinogenicity:**

1,1,1-trimethylol propane  
triacrylate

IARC - Overall evaluation: 2B Possibly carcinogenic to humans.

## **12. Ecological Information**

### **Ecological Data for 1,1,1-trimethylol propane triacrylate**

**Biodegradation**  
aerobic, 82 - 90 %, Exposure time: 28 d, i.e. readily biodegradable

### **Bioaccumulation**

123 BCF  
Accumulation in aquatic organisms is unlikely.

### **Acute and Prolonged Toxicity to Fish**

LC50: 0.87 mg/l (Danio rerio (zebra fish), 96 h)

### **Acute Toxicity to Aquatic Invertebrates**

LC50: 19.9 mg/l (Daphnia magna (Water flea), 48 h)

### **Toxicity to Aquatic Plants**

ErC50: 4.86 mg/l, (scenedesmus subspicatus, 72 h)

EC50: 18.8 mg/l, (Desmodesmus subspicatus (Green algae), 72 h)

EC10: 1.9 mg/l, (Desmodesmus subspicatus (Green algae), 72 h)

### **Toxicity to Microorganisms**

EC20: 625 mg/l, (activated sludge, 0.5 h)

### **Ecological Data for Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-**

**Acute and Prolonged Toxicity to Fish**  
LC50: 10 - 100 mg/l (Golden orfe (Leuciscus idus), 96 h)

### **Acute Toxicity to Aquatic Invertebrates**

EC50: 10 - 100 mg/l (Water flea (Daphnia magna), 48 h)

### **Toxicity to Aquatic Plants**

EC50: 10 - 100 mg/l, (72 h)

### **Toxicity to Microorganisms**

EC50: > 500 mg/l, (Wastewater bacteria, 17 h)

### **Ecological Data for Oligomer**

**Biodegradation**  
aerobic, 0 %, Exposure time: 28 d, i.e. not readily degradable  
Studies of a comparable product.

### **Acute and Prolonged Toxicity to Fish**

LC50: 20 mg/l (Fish, 96 h)

### **Acute Toxicity to Aquatic Invertebrates**

EC50: 44 mg/l (Daphnia magna (Water flea), 48 h)

Material Name: DeSolite 3471-3-14

Material Number: 50025036

Page: 9 of 12

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



*Data is subject to change without notice.  
FOC last update 1/12/2026.*

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

## Toxicity to Aquatic Plants

NOEC: 2 mg/l, (Pseudokirchneriella subcapitata (green algae), 72 h)

EC50: 37 mg/l, (Pseudokirchneriella subcapitata (green algae), 72 h)

## Ecological Data for 2-Hydroxyethyl Acrylate

### Biodegradation

79 %, Exposure time: 28 d, i.e. readily biodegradable

## Acute and Prolonged Toxicity to Fish

LC50: 4.8 mg/l (Pimephales promelas (fathead minnow), 96 h)

## Acute Toxicity to Aquatic Invertebrates

EC50: 9.3 mg/l (Daphnia magna (Water flea), 48 h)

## Toxicity to Aquatic Plants

EC50: 6 mg/l, (Pseudokirchneriella subcapitata (green algae), 72 h)

NOEC: 1 mg/l, (Pseudokirchneriella subcapitata (green algae), 72 h)

## Toxicity to Microorganisms

EC10: > 100 mg/l, (Sewage sludge, 72 h)

## Additional Ecotoxicological Remarks

Very toxic to aquatic organisms.

## 13. Disposal Considerations

### Waste Disposal Method

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

### Empty Container Precautions

Do not reuse empty container. Empty containers retain product residue (dust, liquid, vapor and/or gases) and can be dangerous.

## 14. Transportation Information

### Land transport (DOT)

Non-Regulated

### Sea transport (IMDG)

Proper Shipping Name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 2-(2-Ethoxyethoxy)ethyl acrylate, Trimethylolpropane triacrylate)

Hazard Class or Division:

9

UN number:

UN3082

Packaging Group:

III

Hazard Label(s):

MISCELLANEOUS

Marine pollutant:

Marine pollutant

### Air transport (ICAO/IATA)

Proper Shipping Name:

Environmentally hazardous substance, liquid, n.o.s. (contains 2-(2-Ethoxyethoxy)ethyl acrylate, Trimethylolpropane triacrylate)

Material Name: DeSolite 3471-3-14

Material Number: 50025036

Page: 10 of 12

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice.  
FOC last update 1/12/2026.

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

**Hazard Class or Division:** 9  
**UN number:** UN3082  
**Packaging Group:** III  
**Hazard Label(s):** MISCELLANEOUS  
**Marine pollutant:** Marine pollutant

## 15. Regulatory Information

### United States Federal Regulations

**US. Toxic Substances Control Act:** Listed on the Active Portion of the TSCA Inventory.

#### **SNUR Components**

No substances are subject to Section 5 Significant New Use Rule (SNUR) requirements.

#### **Section 6 Risk Management Components:**

No substances are subject to Section 6 Risk Management rule requirement.

#### **Section 12b Components:**

No substances are subject to TSCA 12(b) export notification requirements.

#### **Section 4 Test Order/Rule Components:**

No substances are subject to Section 4 Final Test Orders or Rules.

#### **Consent Order:**

No substances are subject to Section 5 Consent Order requirements.

#### **US. EPA CERCLA Hazardous Substances (40 CFR 302.4) Components:**

Acrylic Acid Ester	Included in the regulation but with no data values. See regulation for further details
--------------------	--

#### **SARA Section 311/312 Hazard Categories:**

Refer to hazard classification information in Section 2.

#### **US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III**

#### **Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components:**

None

#### **US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III**

#### **Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components:**

<b>Concentration</b>	<b>Components</b>	<b>CAS-No.</b>
10 - 30%	Acrylic Acid Ester	7328-17-8

#### **US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous Wastes**

#### **and Appendix VIII Hazardous Constituents (40 CFR 261):**

Under RCRA, it is the responsibility of the person who generates a solid waste, as defined in 40 CFR 261.2, to determine if that waste is a hazardous waste.

#### **State Right-To-Know Information**

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

#### **Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:**

Material Name: DeSolite 3471-3-14	Material Number: 50025036
Page: 11 of 12	

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

Learn More

*Data is subject to change without notice.  
FOC last update 1/12/2026.*

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®  
**Product Name:**  
Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)  
**Manufacturer Part Number:**  
COV-3471-3-14-1KG

► Click here for more details on the Desolite® 3471-3-14 Single Coat Primary Optical Fiber Coating, UV Cure (1 kg)

<u>Concentration</u>	<u>Components</u>	<u>CAS-No.</u>
>=1%	Oligomer	CAS# is a trade secret
10 - 30%	Acrylic Acid Ester	7328-17-8
7 - 13%	1,1,1-trimethylol propane triacrylate	15625-89-5
1 - 5%	Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-	75980-60-8

**New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists:**

<u>Concentration</u>	<u>Components</u>	<u>CAS-No.</u>
10 - 30%	Acrylic Acid Ester	7328-17-8
0.1 - 1%	2-Hydroxyethyl Acrylate	818-61-1

**California Proposition 65 List:**

<u>Concentration</u>	<u>Components</u>	<u>CAS-No.</u>
7 - 13%	1,1,1-trimethylol propane triacrylate	15625-89-5
<0.1%	Toluene	108-88-3

**CFATS (Chemical Facility Anti-Terrorism Standards) Chemicals**

To the best of our knowledge, this product does not contain Appendix A Chemicals of Interest (COI), at or above the Screening Threshold Quantity (STQ), as defined by the Department of Homeland Security Chemical Facility Anti-terrorism Standard (CFATS, 6 CFR Part 27).

Based on information provided by our suppliers, this product is considered "DRC Conflict Free" as defined by the SEC Conflict Minerals Final Rule (Release No. 34-67716; File No. S7-40-10; Date: 2012-08-22).

## 16. Other Information

The method of hazard communication for Covestro LLC is comprised of product labels and safety data sheets. Safety data sheets for all of our products and general product declarations are available for download at [www.productsafetyfirst.covestro.com](http://www.productsafetyfirst.covestro.com).

Contact: Product Safety Department  
Telephone: (412) 413-2835  
Version Date: 01/12/2026  
SDS Version: 1.5

**For more information: phone: 1-800-473-4237, fax: 1-508-991-8876. Prepared by Fiber Optic Center, Inc.**

**ÅngströmBond® is a registered trademark of Fiber Optic Center, Inc., New Bedford MA, USA**

Fiber Optic Center™, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes. This warranty is limited to a credit or replacement of the product only, and does not cover direct, indirect, consequential, incidental or any other type of damage resulting from the use of the product. Fiber Optic Center is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

Material Name: DeSolite 3471-3-14

Material Number: 50025036

Page: 12 of 12

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



*Data is subject to change without notice.  
FOC last update 1/12/2026.*