

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®

**Product Name:**  
ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)

**Manufacturer Part Number:**  
AB9092-3CCM

▶ Click here for more details on the ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)



ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9092

AB 9092 FROM ÅNGSTROMBOND 1

ADHESIVES

## Safety Data Sheet

according to OSHA HCS

**SDS #: AB 9092**  
Issue Date: 2/29/2016

### Section 1: Identification

**GHS Product Identifier/Name**

ÅNGSTROMBOND® AB 9092

**Other means of identification**

Product Code

AB 9092

Other means of identification

None

**Relevant identified uses of the substance or mixture**

Identified Uses

UV Curing Adhesive

**Details of the supplier of the Safety Data Sheet**

Supplier Address

Fiber Optic Center, Inc.  
23 Centre Street  
New Bedford, MA 02740-6322 USA  
Tel: 1-508-992-6464  
Fax: 1-508-991-8876

**Emergency Telephone**

CHEMTREC 1-800-424-9300 (24 hrs)

For product emergencies involving spill, leak, fire exposure or accident please contact CHEMTREC.  
For all other inquiries please contact Fiber Optic Center, Inc.™ at 1-800-473-4237

### Section 2: Hazard(s) Identification

**Classification of the Substance or mixture:**

Mercapto-ester

Triallyl Isocyanurate

1 Health, R22/R36/R38/R43

1 Flammability

1 Reactivity

B Protective equipment

**Hazard Rating**

4 Extreme, 3 Serious, 2 Moderate, 1 Slight, 0 Minimal, B Glove and Eye protection

Issue Date: 2/29/2016

Revision Date: 10/26/2025

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**


23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice. FOC last update 1/14/2026.

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®

**Product Name:**  
ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)

**Manufacturer Part Number:**  
AB9092-3CCM

▶ Click here for more details on the ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)



ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9092

AB 9092 FROM ÅNGSTRÖMBOND 2

ADHESIVES

## Section 2: Hazard(s) Identification

continued

### Health Risks:

R22 Harmful if in contact with skin or if swallowed.  
R36 Irritating to eyes  
R38 Irritating to skin  
R43 May cause sensitization by skin contact

### GHS Label Elements:

This product is classified and labeled according to the Globally Harmonized System (GHS).

### Hazard Pictograms:

Signal word:

WARNING



## Section 3: Composition / Information on Ingredients

Chemical Name: Urethane related based information

### Substances:

COMPONENTS	CAS#	EINECS#	% CONCENTRATION
Mercapto-ester*	*	*	30-50%
Mercapto-ester*	*	*	35-60%
Triallyl Isocyanurate	1025-15-6	213-837-7	15-40%

\* The specific chemical identity and concentration is being withheld from this data sheet as a Trade Secret. None of the ingredients are listed as carcinogens in NTP, IARC, OSHA, RoHS, REACH or any state's list of chemicals known to cause reproductive toxicity.

## Section 4: First-Aid Measures

**In case of inhalation:** If tightness in the chest, irritation or coughing occurs, remove to fresh air. Get medical attention if symptoms persist.

**In case of splashes in eye:** If the material gets in the eyes, immediately wash the eyes with copious amounts of water, occasionally lifting the lower and upper eyelids. Continue for 15 minutes and get medical attention immediately.

**In case of skin contact:** If the material gets on the skin, immediately wash the area with soap and water and flush with water. If irritation develops get medical attention.

**In case of clothing spattering:** Discard or wash contaminated clothing before reuse.

**In case of ingestion:** If the material has been swallowed, dilute with milk or water if the victim is alert. See doctor as soon as possible.

Issue Date: 2/29/2016

Revision Date: 10/26/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice. FOC last update 1/14/2026.

# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
ÅngströmBond®

**Product Name:**  
ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)

**Manufacturer Part Number:**  
AB9092-3CCM

▶ Click here for more details on the ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)



ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9092

AB 9092 FROM ÅNGSTRÖMBOND 3

Adhesives

## Section 5: Fire-Fighting Measures

**Extinguishing Media recommended:** Carbon Dioxide, foam, dry chemical

**Extinguishing Media inadvisable:** Water. Jets of water from fire hose.

**Special Hazards:** None.

**Hazardous decomposition/combustion products:** Could generate carbon monoxide, carbon dioxide, sulfur dioxide or hydrogen sulfide.

**Special protective equipment:** A self-contained breathing apparatus.

### Explosion Data:

Sensitivity to Impact: None

Sensitivity to Static Discharge: None

## Section 6: Accidental Release Measures

### Measures for personal safety:

**GLOVES:** Use gloves made from an impervious material, e.g. nitrile, butyl or latex rubber. Latex rubber may soften and become pervious if also exposed to organic solvents.

### RESPIRATOR:

Not required under normal operating conditions. Respiratory protection may be needed in unusual circumstances where significant exposure to fumes or mists can occur. A NIOSH approved air purifying respirator with an organic vapor cartridge would then be recommended. Use must comply with OSHA (29 CFR 1910.134) and other regulatory standards.

**EYE:** Wear safety glasses.

**FOOTWEAR:** Impervious shoes, e.g. leather, not cloth or sandals.

**VENTILATION REQUIREMENTS:** A fume hood is not generally required. The room should have adequate ventilation to avoid potential for concentration of mist or vapors.

**ENVIRONMENTAL MEASURES:** Stop the product from entering the drainage system and the natural environment. Limit leakage with earth.

**CLEANING METHODS:** Recovery: Absorb material with paper towel or other absorbent. Place in container for disposal. If possible, expose absorbed resin to UV light or sunlight to solidify the resin.

**CLEANING/DECONTAMINATION:** Clean up with soap and water.

**ELIMINATION:** Eliminate according to local and national regulations.

Issue Date: 2/29/2016

Revision Date: 10/26/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice. FOC last update 1/14/2026.



**Manufacturer:**  
ÅngströmBond®

**Product Name:**  
ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)

**Manufacturer Part Number:**  
AB9092-3CCM

▶ Click here for more details on the ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)



ANGSTRÖMBOND®

ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9092

AB 9092 FROM ANGSTROMBOND 4

ADHESIVES

### Section 7: Handling and Storage

#### Handling:

Technical measures: Do not reuse container. This product is for industrial use only. Practice good housekeeping and vigorous personal hygiene to minimize contact with material.

Precautions to take: Avoid contact with skin and eyes.

Storage: Store at 5°C to 25°C. Keep away from sunlight.

### Section 8: Exposure Controls / Personal Protection

Precautionary Measure: None.

Exposure limits: None.

#### Protective personal equipment:

Respiratory protection: Not needed with normal use.

Protection for hands: Use gloves made from an impervious material, e.g. nitrile, butyl or latex rubber. Latex rubber may soften and become pervious if also exposed to organic solvents

Eye Protection: Wear safety glasses.

Protection from skin: Wear clothing that provides protection to skin.

### Section 9: Physical and Chemical Properties

#### Information on basic physical and chemical properties:

##### General Information

##### Appearance

Form:  
Color:

Liquid  
Clear  
Slight sulfur odor  
Not applicable  
Not applicable  
Not applicable  
175°C  
> 300°C  
Not applicable  
None  
None  
>1  
<0.1 @ 20°C  
Not Miscible  
2000 cps @ 25°C

Odor

pH

Melting Point

Boiling Point

Flash Point

Decomposition Temperature

Auto-ignition Temperature

Explosive Properties

Oxidizing Properties

Density

Vapor Pressure

Solubility in Water

Viscosity

Issue Date: 2/29/2016

Revision Date: 10/26/2025


Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice. FOC last update 1/14/2026.



**Manufacturer:**  
ÅngströmBond®

**Product Name:**  
ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)

**Manufacturer Part Number:**  
AB9092-3CCM

▶ Click here for more details on the ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)



ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9092

AB 9092 FROM ÅNGSTRÖMBOND 5

Adhesives

## Section 10: Stability and Reactivity

Conditions to avoid: Keep away from UV and sunlight. Temperatures above 65°C may cause exothermic nonhazardous polymerization.

Substances to avoid: None

Hazardous decomposition products: None

## Section 11: Toxicological Information

### Acute toxicity:

Ingestion: LD50: >5 mg/kg (rats)  
Inhalation: LC50: >2.5 mg/l

Local effects:  
On skin: slight irritating to skin.  
On eyes: irritating to eyes.

Long term toxicity: Skin contact: May cause sensitization by skin contact.

## Section 12: Ecological Information

Ecotoxicity: No data available.

Mobility: Cured adhesives are immobile.

General ecological: Do not empty liquid into drains or ground water.

## Section 13: Disposal Considerations

Disposal Methods for product and waste: Send to authorized disposal plants or for incineration under controlled conditions.

Disposal methods for contaminated packaging: Do not reuse package. Send to authorized disposal plants or for incineration under controlled conditions.

You should comply with the local and national regulations in force when disposing.

## Section 14: Transport Information

Land transport (ADR/RID)  
Not classified as dangerous in the meaning of land transport regulations(ADR/RID).

Shipping transport(IMDG)  
Not classified as dangerous in the meaning of shipping transport regulations(IMDG).

Air transport (IATA)  
Not classified as dangerous in the meaning of air transport regulations (IATA).

Issue Date: 2/29/2016

Revision Date: 10/26/2025


Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice. FOC last update 1/14/2026.



**Manufacturer:**  
ÅngströmBond®

**Product Name:**  
ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)

**Manufacturer Part Number:**  
AB9092-3CCM

▶ Click here for more details on the ÅngströmBond® AB9092 High Strength Optical Adhesive, UV Cure (3cc Syringe)



AB 9092 from ÅNGSTRÖMBOND 6

Adhesives

ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

SDS # AB 9092

#### Section 15: Regulatory Information

Symbols: Xi Irritant

R phrases:

R22 Harmful in contact with skin and if swallowed.

R36 Irritating to eyes.

R38 Irritating to skin.

R43 May cause sensitization by skin contact.

S phrases:

S24 Avoid contact with skin.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical attention.

S37 Wear suitable gloves.

Contains: Urethane related adhesives.

US Federal Regulations: Unless otherwise noted, this product is in compliance with the inventory listing of the countries shown below.

Europe (EINECS/ELINCS) - Listed/registered

USA (TSCA) - Listed/registered

Canada (DSL) - Listed/registered

Australia (AICS) - Listed/registered

Japan (MITI) - Listed/registered

Korea (TCCL) - Listed/registered

Philippines (PICCS) - Listed/registered

China - Listed/registered

#### Section 16: Other Information

This information is based on our present knowledge and believed to be correct as of the date of this SDS.

Full text of R phrases indicated by codes in the material safety data sheet are as follows:

R22 Harmful in contact with skin and if swallowed

R36 Irritating to eyes.

R38 Irritating to skin.

R43 May cause sensitization by skin contact.

Custom Situation: Harmonized System (HTS/Schedule B) 3506.91.0000

All components of this product are in compliance with the Toxic Substances Control Act (TSCA) inventory.

SDS Creation Date: 2/29/2016

SDS Revision Date: 7/8/2016

Reason for Revision: Update information for GHS format

For more information: phone: 1-800-473-4237, fax: 1-508-991-8876

Prepared by Fiber Optic Center, Inc.

ÅNGSTRÖMBOND® IS A REGISTERED TRADEMARK OF FIBER OPTIC CENTER, INC., NEW BEDFORD MA, USA

Fiber Optic Center™, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, WITH RESPECT TO ITS PRODUCTS. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes. This warranty is limited to a credit or replacement of the product only, and does not cover direct, indirect, consequential, incidental or any other type of damage resulting from the use of the product. Fiber Optic Center is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

Fiber Optic Center™, Inc., 23 Centre Street, New Bedford, MA, 02740-6322, USA  
Toll Free: (800) IS-FIBER or (800) 473-4237 • Phone: (508) 992-6464 • Fax: (508) 991-8876 • Website: www.focenter.com

E-mail: sales@focenter.com

Issue Date: 2/29/2016

Revision Date: 10/26/2025

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



Data is subject to change without notice. FOC last update 1/14/2026.