SAFETY DATA SHEET (SDS)



Manufacturer:

ÅngströmBond

Product Name:

ÅngströmBond AB9047 General Purpose UV Adhesive (3cc)

Manufacturer Part Number:

AB9047-3CC

Click here for more details on the AngströmBond AB9047 General Purpose UV Adhesive (3cc)

 $\mathsf{str}\ddot{\mathsf{o}}\mathsf{m}\mathsf{Bond}^{ exttt{ iny B}}$

AngstromBond 9047

Adhesives

Advanced Polymers for High Tech Applications

1. MATERIAL IDENTIFICATION

Product Name:

Emergency Phone:

ÄngströmBond 9047

For product emergencies involving spill, leak, fire, exposure, or accident call CHEMTREC at (800) 424-9300. For all other inquiries call Fiber Optic Center**, Inc. at (800) 473-4237.

2. COMPOSITION **Exposure Limits OSHA** OTHER **Hazardous Components** CAS No. Percent TLV-TWA TWA PFI Acrylated Urethane Oligomer Acrylated Monomer Blend Proprietary 13048-33-4 1 – 6 N.E. N.E. N.E. Photoinitiator Blend Proprietary N.E.

Abbreviations: N.E. = Not Established

3. HEALTH HAZARDS IDENTIFICATION

Primary Routes of Exposure: Skin: Yes Inhalation: Yes

Eve Contact: May cause chemical burn in eyes--damage irreversible.

Skin Contact: May cause moderate skin injury (reddening and swelling) and/or sensitization. Prolonged contact may cause blister

formation (burns). Since irritation may not occur immediately, contact can go unnoticed.

Possible inhalation irritant. Inhalation:

Ingestion:

Other: Preexisting skin, eye, and respiratory disorders may be aggravated by exposure to this product. Individuals with preexisting skin or lung allergies may experience increased allergy symptoms upon exposure to this product.

4. FIRST AID MEASURES

Flush eyes thoroughly with water for at least 20-30 minutes while holding eyelids open. Seek medical attention

Skin: Remove contaminated clothing, wipe excess from skin, and wash with soap and water. Wash contaminated clothing thoroughly before reuse. If irritation persists after the affected area is washed, obtain medical attention

Inhalation: In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped.

administer artificial respiration and seek medical attention.

Inaestion: Obtain medical attention.

5. ACCIDENTIAL RELEASE MEASURES

Blanket with firefighting foam. Cover with inert, absorbent material and remove to disposal container.

6. HANDLING AND STORAGE

Store indoors at 20-25°C in original, unopened cont ainers. Do not blanket containers with dry nitrogen or argon. Oxygen/air blanket recommended.

 $\overline{ exttt{A}}$ ngström $\operatorname{\mathsf{Bond}}$ is a registered trademark of Fiber Optic Center, Inc., New Bedford MA, USA

Fiber Optic Center** Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes.

Data is subject to change without notice.

7/2012 Rev. B

Contact the professionals at Fiber Optic Center for a quote or to get more details.



SAFETY DATA SHEET (SDS)



Manufacturer:

ÅngströmBond

Product Name:

ÅngströmBond AB9047 General Purpose UV Adhesive (3cc)

Manufacturer Part Number:

AB9047-3CC

Click here for more details on the AngströmBond AB9047 General Purpose UV Adhesive (3cc)

 ${\sf GSTR\"{O}MBONd}^{@}$

AngstromBond 9047 Page 2 of 3

<u>Adhesives</u>

Advanced Polymers for High Tech Applications

7. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

> 100C, (Tag Closed Cup) Lower: Unknown Upper: Unknown Not determined Auto - Ignition Temperature: Hazardous Decomposition Products: Carbon oxides

EXTINGUISHING MEDIA and FIRE FIGHTING INSTRUCTIONS

When sufficiently large quantities are present, firefighters should be equipped with full bunker gear, including a positive pressure, NIOSH approved, self-contained breathing apparatus. Fire-exposed containers may be cooled with water.

Unusual Fire and Explosion Hazards: High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid using a stream of water to control fires since

Extinguishing Media: Use carbon dioxide, dry chemical, foam, or water spray

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering / Ventilation Controls: General ventilation may be acceptable under most conditions, although local ventilation is

required to control exposure whenever vapors, mists, or dusts are generated. Eye wash stations

should be readily available.

Respiratory Protection: When exposed to aerosols or vapors, use full face organic vapor cartridge respirator with

particulate pre-filter. In emergency situations, or when used in confined spaces, use selfcontained breathing apparatus or other air supplied full-face respirator

Skin Protection: Wear impervious, neoprene, gloves. Safety shower

Eye Protection: Chemical splash goggles or full face shield. Eye wash stations.

9. STABILITY AND REACTIVITY

Vap. Density (air = 1):

Chemical Stability:

Conditions and Materials to Avoid: Polymerization initiators including peroxides, strong exidizing agents, copper, copper alloys

carbon steel, iron, rust and strong bases. Also avoid heat, oxidizing conditions, ultraviolet light and inert gas blanketing.

Hazardous Decomposition Products: Carbon oxides.

Hazardous Polymerization: May occur

10. PHYSICAL AND CHEMICAL PROPERTIES

Not determined

Appearance / State: Clear yellow liquid **Boiling Point:** More than 100℃ mild acrylate odor Freezing Point: Specific Gravity: Not determined pH: Does not apply 1.05 Vap. Pressure (mmHg): Less than 0.01mm @ 25℃ Solubility in Water: Partially Soluble

AngströmBond® is a registered trademark of Fiber Optic Center, Inc., New Bedford MA, USA

Fiber Optic Center**, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee — inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes.

Rev. B 7/2012

Data is subject to change without notice.



SAFETY DATA SHEET (SDS)



Manufacturer:

ÅngströmBond

Product Name:

ÅngströmBond AB9047 General Purpose UV Adhesive (3cc)

Manufacturer Part Number:

AB9047-3CC

Click here for more details on the AngströmBond AB9047 General Purpose UV Adhesive (3cc)

igströmBond®

AngstromBond 9047 Page 3 of 3

Adh<u>esives</u>

Advanced Polymers for High Tech Applications

11. DISPOSAL CONSIDERATIONS

Incinerate following EPA and local regulations. Not a RCRA hazardous material

12. TRANSPORTATION INFORMATION

IATA:

Proper Shipping Name: Not regulated Not regulated None Hazard Class: Marine Pollutant: None

Proper Shipping Name: Hazard Class:

Not regulated Not regulated None

13. REGULATORY INFORMATION

The chemical components of this product are included in the TSCA Chemical Substance Inventory, as required.

SARA TITLE III

NFPA Hazards:

HMIS Hazards:

Section 313 – Toxic Chemicals

Pursuant to Section 313, this product does not contain any chemicals in ant concentration equal to or greater than the *de minimis* level.

Section 311/312 - Hazard Categories

Immediate (Acute) Health Hazard: Reactivity Hazard: Yes Sudden Release of Pressure Hazard: No Delayed (Chronic) Health Hazard:

Health: 1

Health: 1

Flammability: 1 Reactivity: 1 Flammability: 1 Reactivity: 1

STATE REGULATIONS / RIGHT TO KNOW

Fiber Optic Center**, Inc. urges each customer or recipient of this MSDS to study it carefully in order to become aware of and understand the hazards associated with the product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology, and/or fire prevention, as necessary to use and understand the data contained in this MSDS.

To promote safe handling, customers and recipients should: 1 - notify their employees, agents, contractors, and others whom they know or suspect will use this material or the information in this MSDS and any other information regarding hazards or safety; 2 - furnish this same information to each of their customers for the product; and 3 - request their customers to notify their employees, customers and other users of the product of this information.

The information contained herein is based on the data available to Fiber Optic Center**, Inc., and is believed to be correct. However, Fiber Optic CenterTM, Inc. makes no warranty, expressed or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. Fiber Optic CenterTM, Inc. assumes no responsibility for injury from the use of the product described herein.

 ${f A}$ ngström ${f B}$ ond ${f @}$ is a registered trademark of Fiber Optic Center, Inc., New Bedford MA, USA

Fiber Optic Center™, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee — inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes.

Data is subject to change without notice.



