

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond

Product Name:
ÅngströmBond® AB9310 High Temperature Epoxy, Heat Cure (1oz)

Manufacturer Part Number:
AB9310-1OZ

► Click here for more details on the ÅngströmBond® AB9310 High Temperature Epoxy, Heat Cure (1oz)



ÅngströmBond 9310part A
Page 1 of 3

1. MATERIAL IDENTIFICATION

ÅNGSTRÖM BOND 9310 PART A

Product Name:
ÅNGSTRÖM BOND 9310 PART A

Emergency Phone: For product emergencies involving spill, leak, fire, exposure, or accident call CHEMTREC at (800) 424-9300. For all other inquiries call **Fiber Optic Center™, Inc.** at (800) 473-4237.

2. COMPOSITION

Hazardous Components	CAS No.	Exposure Limits	ACGIH TLV-TWA	OSHA PEL
Epoxy Resin	25068-38-9	50 - 75	N.E.	N.E.
Organic metallic Zinc	Proprietary	<100	N.E.	N.E.
Epoxy Resin Modifier	26142-30-3	1-15	N.E.	N.E.

Note: Due to this product's physical composition, the release or generation of dust is not expected to occur under normal conditions and use.
Abbreviations: N.E. = Not Established

3. HEALTH HAZARDS IDENTIFICATION

Primary Routes of Exposure: Eyes: Yes Skin: Yes Inhalation: No

Eye Contact: may cause slight transient (temporary) eye irritation. Corneal injury is unlikely.

Skin Contact: Prolonged exposure is not likely to result in significant skin irritation. Repeated contact may cause skin irritation.

Inhalation: Not likely to be irritating unless heated to high temperatures.

Ingestion: Based on product testing, product is considered to have a low order of acute toxicity

Other: Preexisting skin and eye disorders may be aggravated by exposure to this product. Preexisting skin or lung allergies may increase the chance of developing increased allergy symptoms from exposure to this product.

4. FIRST AID MEASURES

Eyes: Immediately flush eyes with plenty of water for at least 20 minutes. Seek immediate medical attention.

Skin: Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Seek medical attention if symptoms occur. Wash clothing before reuse.

Inhalation: Remove to fresh air, and provide oxygen if breathing is difficult. Give artificial respiration if breathing has stopped. Seek immediate medical attention.

Ingestion: Give large quantities of water or milk, induce vomiting. Keep individual calm and obtain medical attention immediately.

5. ACCIDENTAL RELEASE MEASURES

For small spills: Wipe up, or absorb with vermiculite or other absorbent material. Collect waste in sealed containers. Scrub area with soapy water and rinse. Prevents rinses from entering drains or other waterways. Spilled material and water rinses are classified as chemical waste, and must be disposed of in accordance with current local, state, and federal regulations.

For large spills: Dike area to contain spilled material and to runoff into drains, sewers, and other waterways. Shovel or pump to drum or salvage tank. Absorbed residual material with sand, vermiculite, or other absorbent material. Scrape or shovel absorbed waste and absorbent into containers. Scrub area with soapy water and rinse. Prevents rinse from entering drains or other waterways.

6. HANDLING AND STORAGE

Store in a cool dry place. Keep away from open flames and high temperatures. Avoid all ignition sources and reactive materials. Avoid contact with eyes. Wear safety goggles as appropriate. Avoid contact with skin. Wear chemical-resistant gloves and other protective clothing as required to minimize contact.

Rev.B 8/2025

Fiber Optic Center™, Inc., 23 Centre Street, New Bedford, MA, 02740-6322, USA
Toll Free: (800) IS-FIBER or (800) 473-4237 • Phone: (508) 992-6464 • Fax: (508) 991-8876 • E-mail: sales@focenter.com
Website: www.focenter.com

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 1/1/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond

Product Name:
ÅngströmBond® AB9310 High Temperature Epoxy, Heat Cure (1oz)

Manufacturer Part Number:
AB9310-1OZ

► Click here for more details on the ÅngströmBond® AB9310 High Temperature Epoxy, Heat Cure (1oz)



ÅngströmBond 9310 part A
Page 2 of 3

Adhesives

7. FIRE FIGHTING PROPERTIES

FLAMMABLE PROPERTIES

Flash Point:	485°F
Explosive Limits (% volume in air):	Not applicable.
Auto-Ignition Temperature:	Not applicable.
Hazardous Combustion Products:	Carbon monoxide, aldehydes, acids, and other organic substances may be formed.

EXTINGUISHING MEDIA and FIRE FIGHTING INSTRUCTIONS

Fire Fighters and others who may be exposed to the products of combustion should be equipped with NIOSH approved positive pressure self-contained breathing apparatus and full protective.

Extinguishing Media: Use dry chemical or carbon dioxide.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering / Ventilation Controls: General ventilation maybe acceptable, however, enclosure and local exhaust may be required to Control exposure.

Respiratory Protection: Where exposure exceeds established airborne limits, use a NIOSH approved respirator, or a self-contained breathing apparatus, or a supplied air respirator as necessary to control exposure.

Skin Protection: Wear impervious gloves and protective clothing as necessary to prevent skin contact.

Eye Protection: Wear chemical splash goggles or safety glasses with side shields.

Other: These precautions are for room temperature handling, use at elevated temperatures may require Added precautions.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/State:	viscous liquid	Boiling Point:	Not determined
Odor:	Mild Odor	Freezing Point:	Not determined
pH:	Not applicable	Specific Gravity:	1.12-1.22 mixed
Vap. Pressure (mmHg):	Not determined	Solubility in Water:	Negligible
Vap. Density (air = 1):	Not determined	Evaporation Rate (Ether = 1):	Not determined

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions and use.

Conditions and Materials to Avoid: strong oxidizing agents, amines, amides, strong Lewis or mineral acids, thiosulfates, carboxylic acids, alcohol, Mercaptans, heat.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxides..

Hazardous Polymerization: Will not occur.

11. DISPOSAL CONSIDERATIONS

Disposal must be made in accordance with Local, State, Federal government regulations.

Rev.B 8/2025

Fiber Optic Center™, Inc. 23 Centre Street, New Bedford, MA, 02740-6322, USA
Toll Free: (800) IS-FIBER or (800) 473-4237 • Phone: (508) 992-6464 • Fax: (508) 991-8876 • E-mail: sales@focenter.com
Website: www.focenter.com

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 1/1/2026.

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond

Product Name:
ÅngströmBond® AB9310 High Temperature Epoxy, Heat Cure (1oz)

Manufacturer Part Number:
AB9310-1OZ

► Click here for more details on the ÅngströmBond® AB9310 High Temperature Epoxy, Heat Cure (1oz)



ADVANCED POLYMERS FOR HIGH TECH APPLICATIONS

ÅngströmBond 9310 part A
Page 3 of 3

Adhesives

12. TOXICOLOGICAL INFORMATION

This section provides toxicological information with regard to the pure form of the components indicated. This information can be subject to misinterpretation. It is therefore suggested that persons trained in its evaluation interpret this information.

Epoxy Resin:
LD50 Acute Oral Rat: 11.4 g/kg
LD50 Acute Oral Mouse: 15.6 g/kg
LD50 Acute Dermal Rabbit: > 20 ml/kg

Note: Due to this product's physical composition, the release or generation of dust is not expected to occur under normal conditions of use.

13. TRANSPORTATION INFORMATION

DOT Classification: Not Regulated	UN: None	PG: None	ERG #: None	Hazard Labels: None
Hazard Class: None				
IATA Classification: Not Regulated				
Hazard Class: None	UN: None	PG: None	ERG #: None	Hazard Labels: None

14. REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA: The chemical components of this product are contained on section 8(B) of the chemical substance inventor list (40 CFR 710).

SARA Title III Information

Section 313 – Toxic Chemicals:

Pursuant to section 313 or SARA Title III, this product does not contain a toxic chemical in a concentration in excess of 1 percent of the mixture or 0.1 percent of the listed chemical is a carcinogen.

Section 311/312 – Hazard Categories:

Fire Hazard:	No
Reactivity Hazard:	No
Sudden Release of Pressure Hazard:	No
Immediate (Acute) Health Hazard:	No
Delayed (Chronic) Health Hazard:	No

HMIS Hazards: Health: 1 Flammability: 0 Reactivity: 0

STATE REGULATIONS / RIGHT TO KNOW

California Proposition 65: This product contains a chemical or chemicals known to the State of California to cause cancer, birth defects, or reproductive toxicity.

Pennsylvania: All of the materials in this product requiring identification by the Commonwealth of Pennsylvania are listed in section 2.

INTERNATIONAL

WHMIS: This MSDS is in compliance with the requirements of the Canadian Workplace Hazardous Materials Information System.

Fiber Optic Center™, Inc. urges each customer or recipient of this MSDS to study it carefully in order to become aware of and understand the hazards associated with the product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology, and/or fire prevention, as necessary to use and understand the data contained in this MSDS.

To promote safe handling, customers and recipients should: 1 – notify their employees, agents, contractors, and others whom they know or suspect will use this material or the information in this MSDS and any other information regarding hazards or safety; 2 – furnish this same information to each of their customers for the product; and 3 – request their customers to notify their employees, customers and other users of the product of this information.

The information contained herein is based on the data available to **Fiber Optic Center™, Inc.**, and is believed to be correct. However, **Fiber Optic Center™, Inc.** makes no warranty, expressed or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. **Fiber Optic Center™, Inc.** assumes no responsibility for injury from the use of the product described herein.

ÅngströmBond® is a registered trademark of Fiber Optic Center, Inc., New Bedford MA, USA

Fiber Optic Center™, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes. This warranty is limited to a credit or replacement of the product only, and does not cover direct, indirect, consequential, incidental or any other type of damage resulting from the use of the product. Fiber Optic Center is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

Rev. B 8/2025

Fiber Optic Center™, Inc., 23 Centre Street, New Bedford, MA, 02740-6322, USA
Toll Free: (800) IS-FIBER or (800) 473-4237 • Phone: (508) 992-6464 • Fax: (508) 991-8876

E-mail: sales@focenter.com
Website: www.focenter.com

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice.
FOC last update 1/1/2026.