

### **Manufacturer:**

ÅngströmBond®

### **Product Name:**

ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)

## **Manufacturer Part Number:**

AB202-20ML

Click here for more details on the ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)



AB202 from AngstromBond

Adhesives

#### Safety Data Sheet

#### 1. PRODUCT AND COMPANY IDENTIFICATION

AB 202 Adhesive Product type: Restriction of Use: Cyanoacrylate None identified

For product emergencies involving spill, leak, fire, exposure, or accident call CHEMTREC at (800) 424-9300. For all other inquiries call **Fiber Optic Center<sup>TM</sup>, Inc.** at (800) 473-4237.

#### 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW BONDS SKIN IN SECONDS.

DANGER: COMBUSTIBLE LIQUID.

CAUSES EYE IRRITATION.
MAY CAUSE RESPIRATORY IRRITATION. MAY CAUSE GENETIC DEFECTS.

HAZARD CLASS	HAZARD CATEGORY
FLAMMABLE LIQUID	4
EYE IRRITATION	2B
GERM CELL MUTAGENICITY	1B
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	3

#### PICTOGRAM(S)



ention:

Storage:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames, hot surfaces - no smoking. Avoid breathing vapors, mist, or spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves, eye protection, and face protection. Use personal protective equipment as required.

Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes, Remove contact lenses, if present and easy to remove. Continue rinsing. IF exposed or concerned: Get medical attention. If eye irritation persists: Get medical attention. In case of fire: Use foam, dry chemical or carbon

dioxide to extinguish.

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place

Keep cool. Store locked up. Disposal:

Dispose of contents and/or container according to Federal, State/Provincial and local

#### $\overline{ m A}$ ngströmBond ${ m ext{ iny B}}$ is a registered trademark of Fiber Optic Center, Inc., New Bedford MA, USA

Fiber Optic Center TM, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The propriets given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes. This warranty is limited to a credit or replacement of the product only, and does not cover direct, indirect, consequential, incidental or any other type of damage resulting from the use of the product. Fiber Optic Center is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

E-mail: sales@focenter.com

Fiber Optic Center\*\*\*, Inc., 23 Centre Street, New Bedford, MA, 02740-6322, USA

Toll Free: (800) IS-FIBER or (800) 473-4237

Phone: (508) 992-6464

Fax: (508) 991-8876

Website: www.focenter.com Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.



23 Centre Street • New Bedford, MA 02740 USA • focenter.com 508-992-6464 | (800) 473-4237 • sales@focenter.com



### **Manufacturer:**

ÅngströmBond®

### **Product Name:**

ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)

## **Manufacturer Part Number:**

AB202-20ML

Click here for more details on the ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)



AB202 from AngstromBond

Adhesives

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS			
Hazardous Component(s)	CAS Number	Percentage*	
Ethyl 2-cyanoacrylate	7085-85-0	60 - 100	
Filler	Proprietary	1 - 5	
Carbon black	1333-86-4	1 - 5	
Hydroquinone	123-31-9	0.1 - 1	

<sup>\*</sup> Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate prote

#### 4. FIRST AID MEASURES

Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms develop and persist, get medical attention Inhalation:

Do not pull bonded skin apart. Soak in warm soapy water. Gently peel apart using a blunt instrument. If skin is burned due to the rapid generation of heat by a large drop, seek medical attention. If lips are bonded, apply warm water Skin contact:

to the lips and encourage wetting and pressure from saliva in mouth. Peel or

roll lips apart. Do not pull lips apart with direct opposing force.

Eve contact: Immediately flush with plenty of water for at least 15 minutes. Get medical attention. If eyelids are bonded closed, release eyelashes with warm water by covering with a wet pad. Do not force eye open. Cyanoacrylate will bond to eye protein and will cause a lachrymatory effect which will help to debond the adhesive. Keep eye covered until debonding is complete, usually within 1-3

days. Medical attention should be sought in case solid particles of polymerized cyanoacrylate trapped behind the eyelid caused abrasive damage.

Ingestion: Ensure breathing passages are not obstructed. The product will polymerize rapidly and bond to the mouth making it almost impossible to swallow

Saliva will separate any solidified product in several hours. Prevent the

patient from swallowing any separated mass.

Symptoms: See Section 11.

Surgery is not necessary to separate accidentally bonded tissues. Experience has shown that bonded tissues are best treated by passive, non-surgical first Notes to physician:

aid. If rapid curing has caused thermal burns they should be treated symptomatically after adhesive is removed.

#### 5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear a self-contained breathing apparatus with a full face piece operated in

pressure-demand or other positive pressure mode

Unusual fire or explosion hazards:

 $m ilde{A}$ ngström $m Bond ilde{ ext{@}}$  is a registered trademark of Fiber Optic Center, Inc., New Bedford MA, USA

Fiber Optic Center<sup>TM</sup>, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are regarding the accuracy of the data of the results to be obtained from the use friedor. All recorrient realizations of suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes. This warranty is limited to a credit or replacement of the product only, and does not cover direct, indirect, consequential, incidental or any other type of damage resulting from the use of the product. Fiber Optic Center is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

07/2025 E-mail: sales@focenter.com

 Fiber Optic Center\*\*\*, Inc., 23 Centre Street, New Bedford, MA, 02740-6322, USA
 E-mail: sales@focenter.com

 Toll Free: (800) IS-FIBER or (800) 473-4237
 • Phone: (508) 992-6464
 • Fax: (508) 991-8876
 • Website: www.focenter.com

Data is subject to change without notice.





### **Manufacturer:**

ÅngströmBond®

### **Product Name:**

ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)

## **Manufacturer Part Number:**

AB202-20ML

Click here for more details on the ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)



AB202 from AngstromBond

Adhesives

Hazardous combustion products: Trace amounts of toxic and/or irritating fumes may be released and the use of

breathing apparatus is recommended

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel

Environmental precautions: Ventilate area. Do not allow product to enter sewer or waterways

Do not use cloths for mopping up. Flood with water to complete polymerization and scrape off the floor. Cured material can be disposed of as non-hazardous Clean-up methods:

waste.

#### 7. HANDLING AND STORAGE

Handling: Avoid contact with fabric or paper goods. Contact with these materials may

cause rapid polymerization which can generate smoke and strong irritating vapors, and cause thermal burns. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling

Storage: Keep in a cool, well ventilated area away from heat, sparks and open flame

Keep container tightly closed until ready for use.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Ethyl 2-cyanoacrylate	0.2 ppm TWA	None	None	None
Filler	10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	5 mg/m3 TWA	None	None
Carbon black	3 mg/m3 TWA Inhalable fraction.	3.5 mg/m3 PEL	None	None
Hydroquinone	1 mg/m3 TWA (Dermal sensitization)	2 mg/m3 PEL	None	None

Engineering controls: Use positive down-draft exhaust ventilation if general ventilation is insufficient

to maintain vapor concentration below established exposure limits

Use NIOSH approved respirator if there is potential to exceed Respiratory protection:

Eye/face protection: Safety goggles or safety glasses with side shields. Full face protection should

be used if the potential for splashing or spraying of product exists

Use nitrile gloves and aprons as necessary to prevent contact. Do not use  $\ensuremath{\mathsf{PVC}},$  nylon or cotton. Skin protection:

### f Angströmf Bondf ® is a registered trademark of Fiber Optic Center, Inc., New Bedford MA, USA

Fiber Optic Center™, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, Fiber Optic Center™, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes. This warranty is limited to a credit or replacement of the product only, and does not cover direct, indirect, consequential, incidental or any other type of damage resulting from the use of the product. Fiber Optic Center is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

07/2025 E-mail: sales@focenter.com

Fiber Optic Center\*\*, Inc., 23 Centre Street, New Bedford, MA, 02740-6322, USA

Toll Free: (800) IS-FIBER or (800) 473-4237

Phone: (508) 992-6464

Fax: (508) 991-8876

Website: www.focenter.com

Data is subject to change without notice.





### **Manufacturer:**

ÅngströmBond®

## **Product Name:**

ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)

## **Manufacturer Part Number:**

AB202-20ML

Click here for more details on the ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)



AB202 from AngstromBond

Adhesives

Advanced Polymers for High Tech Applications

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Odor: Sharp, irritating Odor threshold: pH: Vapor pressure:

1 - 2 ppm Not applicable < 0.2 mm hg (77 F (25°C)) > 300 F (> 148.9 °C) Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Not determined

Flash point:

Approximately 80 - 93 °C (176°F - 199.4 °F) Tagliabue closed cup Not determined

Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Not determined 485 ℃ (905年) Evaporation rate: Not available

Polymerizes in presence of water.

Solubility in water:
Partition coefficient (n-octanol/water):
VOC content:

< 2 %; < 20 g/l (California SCAQMD Method 316B) (Estimated)

Viscosity: Decomposition temperature: Not available

#### 10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions

Hazardous reactions: Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and

Hazardous decomposition Incompatible materials:

products:

Water, amines, alkalis and alcohols

Reactivity: Not available

Conditions to avoid: Spontaneous polymerization.

## 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes

#### Potential Health Effects/Symptoms

Skin contact:

Inhalation: May cause respiratory tract irritation. Exposure to vapors above the established exposure limit results in respiratory irritation, which may lead to difficulty in breathing and tightness in

Bonds skin in seconds. May cause skin irritation. Cyanoacrylates have been reported to cause

allergic reaction but due to rapid polymerization at the skin surface, an allergic response is rare Cyanoacrylates generate heat on solidification. In rare circumstances a large drop will burn the skin. Cured adhesive does not present a health hazard even if bonded to the skin.

Irritating to eyes. Causes excessive tearing. Eyelids may bond.

Not expected to be harmful by ingestion. Rapidly polymerizes (solidifies) and bonds in mouth. It

Eye contact: Ingestion:

is almost impossible to swallow

#### $m ilde{A}$ ngström $m ilde{B}$ ond $m ilde{e}$ is a registered trademark of Fiber Optic Center, Inc., New Bedford MA, USA

Fiber Optic Center™, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes. This warranty is limited to a credit or replacement of the product only, and does not cover direct, indirect, consequential, incidental or any other type of damage resulting from the use of the product. Fiber Optic Center is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

Fiber Optic Center", Inc., 23 Centre Street, New Bedford, MA, 02740-6322, USA Toll Free: (800) IS-FIBER or (800) 473-4237 Phone: (508) 992-6464

E-mail: sales@focenter.com

Data is subject to change without notice.

Fax: (508) 991-8876
 Website: www.focenter.com

07/2025





### **Manufacturer:**

ÅngströmBond®

### **Product Name:**

ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)

## **Manufacturer Part Number:**

AB202-20ML

Click here for more details on the ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)



AB202 from AngstromBond

Adhesives

Advanced Polymers for High Tech Applications

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Ethyl 2-cyanoacrylate	None	Irritant, Allergen, Respiratory
Filler	None	Irritant
Carbon black	Oral LD50 (RAT) = > 8,000 mg/kg	Respiratory, Some evidence of carcinogenicity
Hydroquinone	Oral LD50 (RAT) = 320 mg/kg Oral LD50 (RABBIT) = 540 mg/kg Dermal LD50 (RAT) = > 900 mg/kg	Blood, Bone Marrow, Central nervous system, Developmental, Eyes, Immune system, Irritant, Liver, Mutagen, Skin, Thyroid

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Ethyl 2-cyanoacrylate	No	No	No
Filler	No	No	No
Carbon black	No	Group 2B	No
Hydroquinone	No	No	No

#### 12. ECOLOGICAL INFORMATION

Ecological information:

Not known

#### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal

Not a RCRA hazardous waste Hazardous waste number:

#### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Hazard class or division: Combustible liquid, n.o.s. (Cyanoacrylate ester) Combustible Liquid

Identification number: NA 1993 Packing group:

International Air Transportation (ICAO/IATA)

Proper shipping name: Aviation regulated liquid, n.o.s. (Cyanoacrylate ester) Hazard class or division:

Identification number: UN 3334 Packing group:

Water Transportation (IMO/IMDG)
Proper shipping name: Not regulated Hazard class or division:

Identification number: Packing group:

### f AngströmBondf e is a registered trademark of Fiber Optic Center, Inc., New Bedford MA, USA

Fiber Optic Center™, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes. This warranty is limited to a credit or replacement of the product only, and does not cover direct, indirect, consequential, incidental or any other type of damage resulting from the use of the product. Fiber Optic Center is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

07/2025 E-mail: sales@focenter.com

Fiber Optic Center", Inc., 23 Centre Street, New Bedford, MA, 02740-6322, USA Toll Free: (800) IS-FIBER or (800) 473-4237 Phone: (508) 992-6464 Fax: (508) 991-8876 • Website: www.focenter.com Data is subject to change without notice.





### **Manufacturer:**

ÅngströmBond®

### **Product Name:**

ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)

## **Manufacturer Part Number:**

AB202-20ML

Click here for more details on the ÅngströmBond® ÅnaeBond™ AB202 Fast Cure Adhesive, Room Temperature Cure (20ml Adhesive and 1.75oz Primer)



AB202 from AngstromBond

Adhesives

Advanced Polymers for High Tech Applications

#### 15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313:

Hydroquinone (CAS# 123-31-9). Fire, Reactive, Delayed Health, Immediate Health

None above reporting de minimis

California Proposition 65:

This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other

**Canada Regulatory Information** 

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

## 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

AngströmBond® is a registered trademark of Fiber Optic Center, Inc., New Bedford MA, USA

Fiber Optic Center™, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE. with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes. This warranty is limited to a credit or replacement of the product only, and does not cover direct, indirect, consequential, incidental or any other type of damage resulting from the use of the product. Fiber Optic Center is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.

Fiber Optic Center\*\*, Inc., 23 Centre Street, New Bedford, MA, 02740-6322, USA
Toll, Free: (800) IS-FIBER or (800) 473-4237

Phone: (508) 992-6464

Fax: (508) 991-8876

Website: www.focenter.com

E-mail: sales@focenter.com

Toll Free: (800) IS-FIBER or (800) 473-4237 Data is subject to change without notice.

