

SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmBond®

Product Name:

ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Manufacturer Part Number:

509-CLR

▶ [Click here for more details on the ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive](#)

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/14/2021

Reviewed on 10/14/2021

1 Identification

- **Product identifier**
- **Trade name:** Crystalbond 509
- **Article number:** 50400-01, 50400-05, 50400-55, 50400-50
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Electron Microscopy Sciences
1560 Industry Road
USA-Hatfield, PA 19440
Tel: 215-412-8400 Fax: 215-412-8450
email: sgkceck@aol.com
www.emsdiasum.com
- **Information department:** Product safety department
- **Emergency telephone number:**
ChemTrec 1-800-424-9300 Contract CCN7661
1-703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

phthalic anhydride

- **Hazard statements**

Causes skin and eye irritation.

- **Precautionary statements**

Wash thoroughly after handling.

Wear protective gloves.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

US

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.23 Centre Street • New Bedford, MA 02740 USA • focenter.com508-992-6464 | (800) 473-4237 • sales@focenter.com

SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmBond®

Product Name:

ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Manufacturer Part Number:

509-CLR

▶ Click here for more details on the ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Page 2/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/14/2021

Reviewed on 10/14/2021

Trade name: Crystalbond 509

(Contd. of page 1)

- Classification system:
- NFPA ratings (scale 0 - 4)



- HMIS-ratings (scale 0 - 4)



- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

85-44-9	phthalic anhydride	>50-≤100%
107-21-1	ethanediol	>25-≤50%

4 First-aid measures

- Description of first aid measures
- General information:
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Immediately call a doctor.
- Information for doctor:
Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

(Contd. on page 3)

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.23 Centre Street • New Bedford, MA 02740 USA • focenter.com508-992-6464 | (800) 473-4237 • sales@focenter.com

SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmBond®

Product Name:

ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Manufacturer Part Number:

509-CLR

▶ Click here for more details on the ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/14/2021

Reviewed on 10/14/2021

Trade name: Crystalbond 509

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

85-44-9	phthalic anhydride	18 mg/m ³
107-21-1	ethanediol	30 ppm

· **PAC-2:**

85-44-9	phthalic anhydride	56 mg/m ³
107-21-1	ethanediol	150 ppm

· **PAC-3:**

85-44-9	phthalic anhydride	10,000 mg/m ³
107-21-1	ethanediol	900 ppm

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling** No special precautions are necessary if used correctly.
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Keep receptacle tightly sealed.
 - **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**· **Components with limit values that require monitoring at the workplace:**


85-44-9 phthalic anhydride	
PEL	Long-term value: 12 mg/m ³ , 2 ppm
REL	Long-term value: 6 mg/m ³ , 1 ppm
TLV	Short-term value: 0.005* mg/m ³ , 0.0009* ppm Long-term value: 0.002* mg/m ³ , 0.0003* ppm *inhalablevapor; Skin; DSEN, RSEN

(Contd. on page 4)

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.23 Centre Street • New Bedford, MA 02740 USA • focenter.com508-992-6464 | (800) 473-4237 • sales@focenter.com

SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmBond®

Product Name:

ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Manufacturer Part Number:

509-CLR

▶ Click here for more details on the ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Page 4/8

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/14/2021

Reviewed on 10/14/2021

Trade name: Crystalbond 509

(Contd. of page 3)

107-21-1 ethanediol

TLV Short-term value: 10** mg/m³, 50* ppm
Long-term value: 25* ppm
*vapor fraction:**inh. fraction, aerosol only

WEEL 1 (2)

· **Additional information:** The lists that were valid during the creation were used as basis.· **Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Tightly sealed goggles

9 Physical and chemical properties· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**· **Form:** Solid· **Color:** Amber colored· **Odor:** Odorless· **Odor threshold:** Not determined.· **pH-value:** Not applicable.· **Change in condition**· **Melting point/Melting range:** 68.3 °C (154.9 °F)

(Contd. on page 5)

US

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.23 Centre Street • New Bedford, MA 02740 USA • focenter.com508-992-6464 | (800) 473-4237 • sales@focenter.com

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Manufacturer Part Number:
509-CLR

▶ [Click here for more details on the ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive](#)

Page 5/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/14/2021

Reviewed on 10/14/2021

Trade name: Crystalbond 509

(Contd. of page 4)

· Boiling point/Boiling range:	>100 °C (>212 °F)
· Flash point:	>263 °C (>505.4 °F)
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	410 °C (770 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	1.7 Vol %
· Upper:	53 Vol %
· Vapor pressure at 20 °C (68 °F):	0.1 hPa
· Density at 20 °C (68 °F):	1.31 g/cm ³ (10.93195 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
· Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic:	Not applicable.
· Kinematic:	Not applicable.
· Solvent content:	
· VOC content:	0.00 %
· Solids content:	78.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

85-44-9 phthalic anhydride

Oral	LD50	4,200 mg/kg (rat)
------	------	-------------------

(Contd. on page 6)

US

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmBond®

Product Name:

ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Manufacturer Part Number:

509-CLR

▶ [Click here for more details on the ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive](#)

Page 6/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/14/2021

Reviewed on 10/14/2021

Trade name: Crystalbond 509

(Contd. of page 5)

107-21-1 ethanediol

Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	9,530 mg/kg (rabbit)

Primary irritant effect:

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.

Sensitization: No sensitizing effects known.**Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

Carcinogenic categories**IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety Health Administration)

None of the ingredients is listed.

12 Ecological information**Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.

Additional ecological information:**General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

13 Disposal considerations**Waste treatment methods****Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.23 Centre Street • New Bedford, MA 02740 USA • focenter.com508-992-6464 | (800) 473-4237 • sales@focenter.com

SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Manufacturer Part Number:
509-CLR

▶ Click here for more details on the ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Page 7/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/14/2021

Reviewed on 10/14/2021

Trade name: Crystalbond 509

(Contd. of page 6)

14 Transport information

· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture	
· Sara	
· Section 355 (extremely hazardous substances):	None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):	All ingredients are listed.
· TSCA (Toxic Substances Control Act):	All components have the value ACTIVE.
· Hazardous Air Pollutants	All ingredients are listed.
· Proposition 65	
· Chemicals known to cause cancer:	None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:	None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:	None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:	107-21-1 ethanediol
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	None of the ingredients is listed.

(Contd. on page 8)

us

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



SAFETY DATA SHEET (SDS)



Manufacturer:
ÅngströmBond®

Product Name:
ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive

Manufacturer Part Number:
509-CLR

▶ [Click here for more details on the ÅngströmBond® CrystalBond™ 509 Temporary Mounting and Bonding Clear Adhesive](#)

Page 8/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/14/2021

Reviewed on 10/14/2021

Trade name: Crystalbond 509

(Contd. of page 7)

· **TLV (Threshold Limit Value established by ACGIH)**

All components have the value A4.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

phthalic anhydride

· **Hazard statements**

Causes skin and eye irritation.

· **Precautionary statements**

Wash thoroughly after handling.

Wear protective gloves.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 10/14/2021 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

US

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com

