## **SAFETY DATA SHEET (SDS)**



Manufacturer: AngstromLink<sup>™</sup>

Product Name:

AngstromLink<sup>™</sup> AL-1246 Index Matching Gel (1.46) - 0.5cc

Manufacturer Part Number: AL-1246-HALF

Click here for more details on the AngstromLink™ AL-1246 Index Matching Gel (1.46) - 0.5cc

## AngstromLink AL-1246 Page 1 ngströmLink<sup>tm</sup> **1. MATERIAL IDENTIFICATION** AngströmLink AL-1246 Product Name: Emergency Phone: For product emergencies involving spill, leak, fire, exposure, or accident call CHEMTREC at (800) 424-9300. For all other inquiries call **Fiber Optic Center<sup>TM</sup>**, Inc. at (800) 473-4237. 2. COMPOSITION Exposure Limits ACGIH OSHA OTHER Hazardous Components CAS No. Percent TLV-TWA PEL TWA PEL Product formulation is proprietary. No ingredients are known to be hazardous under normal use Abbreviations: N.E. = Not Established 3. HEALTH HAZARDS IDENTIFICATION Primary Routes of Exposure: Eves: Yes Skin: Yes Inhalation: No Eve Contact: Eve contact may cause slight irritation. Skin Contact: Skin contact may cause slight irritation. Inhalation: Health Injuries are not known or expected with normal use. Ingestion: Health Injuries are not known or expected with normal use 4. FIRST AID MEASURES Eves: Immediately flush eyes with water for at least 15 minutes. Obtain medical attention if discomfort persists Skin: Wash skin thoroughly with mild soap and water. Flush with lukewarm water for 15 minutes Inhalation: If symptoms develop remove affected person to fresh air. Get immediate medical attention Ingestion: If ingestion of a large amount occurs, seek medical attention. Do not induce vomiting without medical advice. If vomiting occurs, have the victim lean forward to reduce risk of aspiration. Never give anything by mouth to a victim who is unconscious or is having convulsions. 5. ACCIDENTIAL RELEASE MEASURES Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Prevent entry into waterways, sewers, basements, or confined areas. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Soak up with inert absorbent material Clean contaminated surface thoroughly. Clean up spills immediately, observing precautions in protective equipment section. Sweep up and shovel into suitable containers for disposal. Dispose in accordance with all applicable regulations 6. HANDLING AND STORAGE PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Do not handle or store near an open flame, heat or other sources of ignition. Do not pressurize , cut , heat or weld containers. Empty product containers may contain product residue. Avoid contact with eyes. Avoid prolonged or repeated skin contact with this material. Wash thoroughly after handling. Avoid breathing gas/vapors/mist/fumes. Do not taste or swallow. Keep away from heat and sources of ignition. Store in a cool place. Store in a closed container away from incompatible materials. AngströmLink™ is a trademark of Fiber Optic Center, Inc., New Bedford MA, USA Fiber Optic Center<sup>TM</sup>, Inc. MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee -- inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes.

05/2009

Learn More

Rev. A

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • <u>focenter.com</u> 508-992-6464 | (800) 473-4237 • <u>sales@focenter.com</u>

## **SAFETY DATA SHEET (SDS)**




Manufacturer:

AngstromLink™

**Product Name:** AngstromLink<sup>™</sup> AL-1246 Index Matching Gel (1.46) - 0.5cc

Manufacturer Part Number: AL-1246-HALF

Click here for more details on the AngstromLink™ AL-1246 Index Matching Gel (1.46) - 0.5cc



Learn More

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • <u>focenter.com</u> 508-992-6464 | (800) 473-4237 • <u>sales@focenter.com</u>