

Manufacturer:

PT Technologies

Product Name:

D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack

Manufacturer Part Number:

Click here for more details on the D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack



SAFETY DATA SHEET

1. Identification

Product identifier LPS® D'Gel FO

Other means of identification

Part Number 61200

Recommended use A solvent agent designed for removing grease, oil and other residues from metal, power cable and

fiber optic cable surfaces. (Pre-saturated wipe)

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Manufacturer

Company name

LPS Laboratories, a division of Illinois Tool Works, Inc. Address

4647 Hugh Howell Rd. Tucker, GA 30084

Country (U.S.A.)

Tel: +1 770-243-8800

In Case of Emergency 1-800-424-9300 (inside U.S.) +001 703-527-3887 (outside U.S.)

Website www.lpslabs.com sds@lpslabs.com

2. Hazard(s) identification

Physical hazards Flammable liquids Category 4 Health hazards Sensitization, skin Category 1

Environmental hazards Not classified. OSHA defined hazards Not classified.

Label elements



Warning Signal word

Combustible liquid. May cause an allergic skin reaction. Hazard statement

Precautionary statement

Prevention

Response

Disposal

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Wear protective

gloves/eye protection/face protection. If on skin: Wash with plenty of water. Specific treatment (see this label). If skin irritation or rash

occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire:

Use appropriate media to extinguish. Storage

Store in a well-ventilated place. Keep cool Dispose of contents/container in accordance with local/regional/national/international regulations

Hazard(s) not otherwise None known.

classified (HNOC) Supplemental information Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
d-limonene		5989-27-5	5 - < 10
Other components below reportable levels			90 - 100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Material name: LPS® D'Gel FO

752 Version #: 01 Issue date: 12-10-2013

sps us

Data is subject to change without notice.





Manufacturer:

PT Technologies

Product Name:

D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack

Manufacturer Part Number:

Click here for more details on the D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

None known

Combustible

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists Eye contact Any material that contacts the eye should be washed out immediately with water. If easy to do,

Direct contact with eyes may cause temporary irritation.

remove contact lenses. Continue rinsing. Get medical attention if irritation develops and persists. Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs.

Most important

Ingestion

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Call a POISON CENTER or doctor/physician if you feel unwell.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

face shield, gloves, rubber boots, and in enclosed spaces, SCBA

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Specific hazards arising from

the chemical Special protective equipment

and precautions for firefighters

Fire-fighting

In case of fire and/or explosion do not breathe fumes. Cool containers exposed to heat with water equipment/instructions spray and remove container, if no risk is involved.

Specific methods Move containers from fire area if you can do so without risk Combustible liquid. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Environmental precautions

7. Handling and storage

Precautions for safe handling Conditions for safe storage including any incompatibilities

Occupational exposure limits

Biological limit values

Other

Appropriate engineering controls

8. Exposure controls/personal protection

disposal, see section 13 of the SDS

No exposure limits noted for ingredient(s). No biological exposure limits noted for the ingredient(s).

Avoid discharge into drains, water courses or onto the ground.

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Firefighters must use standard protective equipment including flame retardant coat, helmet with

Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless

wearing appropriate protective clothing. Use personal protection recommended in Section 8 of the

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). For waste

Avoid contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure.

Store in original tightly closed container. Store away from incompatible materials (see Section 10

Individual protection measures, such as personal protective equipment

of the SDS)

Eye/face protection

Not normally needed. Avoid contact with eyes

Skin protection Hand protection

For prolonged or repeated skin contact use suitable protective gloves. Chemical resistant gloves are recommended.

Avoid contact with the skin. Wear suitable protective clothing and gloves. Chemical resistant

Respiratory protection No personal respiratory protective equipment normally required. Do not breathe

dust/fume/gas/mist/vapors/spray.

Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective General hygiene considerations equipment to remove contaminants

Material name: LPS® D'Gel FO 752 Version #: 01 Issue date: 12-10-2013

Data is subject to change without notice.



SDS US 2/6



Manufacturer:

PT Technologies

Product Name:

D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack

Manufacturer Part Number:

Click here for more details on the D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack

9. Physical and chemical properties

Appearance

Physical state Liquid. Form Color Clear water-white Odor Orange Odor threshold Not available Not applicable Melting point/freezing point Not available.

Initial boiling point and boiling $\,$ 365 °F (185 °C) @760 mm Hg

range

Flash point > 141.8 °F (> 61.0 °C) Tag Closed Cup

< 0.1 BuAc = 1 Evaporation rate Flammability (solid, gas) Not available Upper/lower flammability or explosive limits Flammability limit - lower

(%)

Flammability limit - upper

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure 0.48 mm Hg @ 20°C Vapor density > 1 (air = 1) Relative density Not available

Solubility(ies)

Solubility (water) Negligible Partition coefficient Not Determined (n-octanol/water) Auto-ignition temperature 635 °F (335 °C) Decomposition temperature Not available 1.5 cSt @ 25°C Viscosity

Other information

Percent volatile

0.74 - 0.78 @20°C Specific gravity

VOC (Weight %) 100 % per US State and Federal Consumer Product Regulations

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents Hazardous decomposition Carbon oxides

11. Toxicological information

Information on likely routes of exposure

May cause discomfort if swallowed. May be harmful if swallowed. However, ingestion is not likely Ingestion

to be a primary route of occupational exposure.

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Direct contact with eyes may cause temporary irritation. Eye contact

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Symptoms related to the physical, chemical and

toxicological characteristics

Material name: LPS® D'Gel FO

SDS US 3/6 752 Version #: 01 Issue date: 12-10-2013

Data is subject to change without notice.





Manufacturer:

PT Technologies

Product Name:

D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack

Manufacturer Part Number:

1011

Click here for more details on the D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack

Acute toxicity	iviay cause	an allergic skin reaction.		
Components	Species	т	est Results	
d-limonene (CAS 5989-27-5)				
Acute				
Dermal				
LD50	Rabbit	>	5000 mg/kg	
Oral		_		
LD50	Mouse		600 - 6600 mg/kg	
	Rat	>	2000 mg/kg	
Other				
LD50	Mouse		.3 g/kg	
	Rat	0	.11 g/kg	
Skin corrosion/irritation	Based on a	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.			
Respiratory or skin sensitizatio	n			
Respiratory sensitization	Based on available data, the classification criteria are not met.			
Skin sensitization	May cause	May cause an allergic skin reaction.		
Germ cell mutagenicity		ailable to indicate product or any components or genotoxic.	s present at greater than 0.1% are	
Carcinogenicity	This produ	ct is not considered to be a carcinogen by IAF	RC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation o	f Carcinogenicity		
d-limonene (CAS 5989-2	27-5)	3 Not classifiable as to c	arcinogenicity to humans.	
Reproductive toxicity	This produ	ct is not expected to cause reproductive or de	evelopmental effects.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.			
Specific target organ toxicity - repeated exposure	Based on a	available data, the classification criteria are no	ot met.	
Aspiration hazard	Based on available data, the classification criteria are not met.			
Chronic effects	Prolonged or repeated contact may cause drying, cracking, or irritation. Prolonged inhalation mabe harmful.			
12. Ecological information	n			
Ecotoxicity		uatic life with long lasting effects.		
Components		Species	Test Results	
d-limonene (CAS 5989-27-5)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 ma/l. 96 hours	
Persistence and degradability	Expected to	o biodegrade.	3,	
Bioaccumulative potential	No data av	•		
Partition coefficient n-octar d-limonene				
Mobility in soil	No data av			
Other adverse effects			lation photochomical azono creation	
Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideratio	ns			
Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	Dispose in	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations.			
Contaminated packaging	Since emptied.	tied containers may retain product residue, fo	llow label warnings even after container	



SDS US

Material name: LPS® D'Gel FO

Data is subject to change without notice.

752 Version #: 01 Issue date: 12-10-2013



Manufacturer:

PT Technologies

Product Name:

D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack

Manufacturer Part Number:

Click here for more details on the D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack

14. Transport information

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting) Not regulated

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated. US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated. US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Material name: LPS® D'Gel FO SDS US 752 Version #: 01 Issue date: 12-10-2013 5/6

Data is subject to change without notice.







Manufacturer:

PT Technologies

Product Name:

D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack

Manufacturer Part Number:

1011

Click here for more details on the D'Gel FO Fiber Optic Cable Gel Remover - 12 Pack

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by the govi components of the product are not listed or exempt from listing on the inventory adm	

16. Other information, including date of preparation or last revision

 Issue date
 12-10-2013

 Version #
 01

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: LPS® D'Gel FO 752 Version #: 01 Issue date: 12-10-2013 SDS US



