


# DRAWING



**Manufacturer:**  
Dymax®


**Product Name:**  
Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 365nm

**Manufacturer Part Number:**  
88848




▶ [Click here for more details on the Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 365nm](#)


Click the thumbnail below to navigate to the drawing.



[FX1250 Controller 1CH OVER SIZE](#)



[FX1250 Emitter OVER SIZE  
\(RediCure, PrimeCure, VisiCure\)](#)




[Cable, FX1250, 2M  
Type I to L](#)

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com) • 508-992-6464 • (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

*Product specifications and data are subject to change without notice.*

# DRAWING



**Manufacturer:**  
Dymax®

**Product Name:**  
Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 365nm

**Manufacturer Part Number:**  
88848



▶ Click here for more details on the Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 365nm

version	description	issued by	date
1	initial	Kyo Zhao	

Technical drawings showing front, side, and isometric views of the Dymax BlueWave FX-1250 controller. Dimensions are provided in inches: 380.0 (width), 148.0 (height), 166.0 (total height), 320.0 (depth), and 337.3 (depth).

**NOTES:**

- THE PARTS ARE NOT ALLOWED TO BUMP, SCRATCH OR RUST DURING ASSEMBLY.
- THE FASTENERS SHOULD BE TIGHTENED ACCORDING TO THE SPECIFIED TORQUE.
- INSPECT AND REMOVE SHARP ANGLES, BURRS AND FOREIGN MATTER FROM PARTS BEFORE ASSEMBLY

**PROPRIETARY AND CONFIDENTIAL**

INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY TO DYNAMAX CORPORATION. COPYING, REPRODUCING OR THE USE OF THIS INFORMATION FOR ANY PURPOSE OTHER THAN TO PERFORM WORK FOR DYNAMAX CORPORATION WITHOUT THE EXPRESSED WRITTEN PERMISSION OF DYNAMAX CORPORATION IS PROHIBITED AND UNLAWFUL.

ITEM	PN	NAME	QTY	UNIT	NOTE
1					

TOLERANCES UNLESS OTHERWISE SPECIFIED	DRAWN	DATE	<b>DYNAMAX</b>
	Kyo	2021/12/6	
DIMENSIONS ARE IN INCHES	CHECKED	DATE	TITLE: FX1250 Controller 1GH OVER SIZE
FRACTIONAL: # 1/32			
ONE PLACE DECIMAL: X 0.03	MANUFACTURING	DATE	SIZE DWG. NO. 88805
TWO PLACE DECIMAL: XX 0.01			REV 1
THREE PLACE DECIMAL: XXX 0.005	Q.A.	DATE	
ANGULAR: # 1°			
REMOVE ALL BURRS & BREAK SHARP EDGES. 1 - 3 R OR CHAMFER	SCALE: 1:4	SHEET 1 OF 1	


>> Return to Page 1

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com) • 508-992-6464 • (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

Product specifications and data are subject to change without notice.

# DRAWING



**Manufacturer:**  
Dymax®

**Product Name:**  
Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 365nm

**Manufacturer Part Number:**  
88848



▶ Click here for more details on the Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 365nm

version	description	issued by	date
1	initial	Kyo Zhao	

**NOTES:**

1. THE PARTS ARE NOT ALLOWED TO BUMP, SCRATCH OR RUST DURING ASSEMBLY.
2. THE FASTENERS SHOULD BE TIGHTENED ACCORDING TO THE SPECIFIED TORQUE.
3. INSPECT AND REMOVE SHARP ANGLES, BURRS AND FOREIGN MATTERAL FROM PARTS BEFORE ASSEMBLY

**PROPRIETARY AND CONFIDENTIAL**  
INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY TO DYMAX CORPORATION. COPYING, REPRODUCING OR THE USE OF THIS INFORMATION FOR ANY PURPOSE OTHER THAN TO PERFORM WORK FOR DYMAX CORPORATION WITHOUT THE EXPRESSED WRITTEN PERMISSION OF DYMAX CORPORATION, IS PROHIBITED AND UNLAWFUL.

ITEM	PN	NAME	QTY	UNIT	NOTE
1					

TOLERANCES UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
FRACTIONAL:  $\frac{1}{16}$   
ONE PLACE DECIMAL:  $\pm 0.03$   
TWO PLACE DECIMAL:  $\pm 0.01$   
THREE PLACE DECIMAL:  $\pm 0.005$   
ANGULAR:  $\pm 1^\circ$

REMOVE ALL BURRS & BREAK SHARP EDGES  
1 - 3/8" OR CHAMFER

DRAWN: Kyo DATE: 2021/12/6  
CHECKED: DATE:  
MANUFACTURING: DATE:  
Q.A.: DATE:  
SCALE: 1:2 SHEET 1 OF 1

**DYMAX**  
TITLE: FX1250 Emitter OVER SIZE (RediCure, PrimeCure, VisiCure)  
SIZE: A3 DWG. NO.: 88801/88802/88803 REV: 1


>> Return to Page 1

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com) • 508-992-6464 • (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

Product specifications and data are subject to change without notice.

# DRAWING



**Manufacturer:**  
Dymax®


**Product Name:**  
Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 365nm

**Manufacturer Part Number:**  
88848



▶ Click here for more details on the Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 365nm

version	description	issued by	date
A	INITAIL RELEASE	Kyo	2021/11/23

ITEM NO	NAME	DESCRIPTION	QTY	UNIT
5	Cord Grip	Angle 90°, Amphenol	1	PCS
4	Cord Grip	Angle 180°, Amphenol	1	PCS
3	Contact	Contact,Female,	30	PCS
2	Plug	Socket,19P	2	PCS
1	Cable	15-Core Cable	2	M

NOTE:  
WORKMANSHIP SHALL BE IN ACCORDANCE WITH IPC-A-610, "ACCEPTABILITY OF ELECTRONIC ASSEMBLIES" (CLASS 2) AND IPC/WHMA-A-620, "REQUIREMENTS AND ACCEPTANCE FOR CABLE AND WIRE HARNESS" (CLASS 2) AS APPLICABLE AND UNLESS OTHERWISE NOTED

PROPRIETARY AND CONFIDENTIAL  
INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY TO DYNAMAX CORPORATION. COPYING, REPRODUCING OR THE USE OF THIS INFORMATION FOR ANY PURPOSE OTHER THAN TO PERFORM WORK FOR DYNAMAX CORPORATION WITHOUT THE EXPRESS WRITTEN PERMISSION OF DYNAMAX CORPORATION, IS PROHIBITED AND UNLAWFUL.

TOLERANCES UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
FRACTIONAL: ± 1/32  
ONE PLACE DECIMAL: ± 0.03  
TWO PLACE DECIMAL: ± 0.01  
THREE PLACE DECIMAL: ± 0.005  
ANGULAR: ± 1°

MINUS SIGN  
INDICATE ALL DIMS & BREAK SHARP EDGES 1-3 & DR DIMMER

<small>DRAWN</small>	<small>DATE</small>		<small>TITLE:</small> CABLE,FX1250,2M, TYPE I to L
Kyo	2021/11/23		
<small>CHECKED</small>	<small>DATE</small>	<small>SIZE</small>	<small>DWG. NO.</small>
LBHJ	2021/11/23	A3	84026
<small>MANUFACTURING</small>	<small>DATE</small>	<small>REV</small>	<small>A</small>
<small>SCALE: 1:2</small>	<small>SHEET 1 OF 1</small>		

>> Return to Page 1

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com) • 508-992-6464 • (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

Product specifications and data are subject to change without notice.