


DRAWING



Manufacturer:
Dymax®


Product Name:
Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 385nm

Manufacturer Part Number:
88849




▶ [Click here for more details on the Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 385nm](#)


Click the thumbnail below to navigate to the drawing.



[FX1250 Controller 1CH OVER SIZE](#)



[FX1250 Emitter OVER SIZE
\(RediCure, PrimeCure, VisiCure\)](#)




[Cable, FX1250, 2M
Type I to L](#)

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com • 508-992-6464 • (800) 473-4237 • sales@focenter.com

Product specifications and data are subject to change without notice.

DRAWING



Manufacturer:
Dymax®

Product Name:
Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 385nm

Manufacturer Part Number:
88849



▶ Click here for more details on the Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 385nm

version	description	issued by	date
1	initial	Kyo Zhao	

NOTES:

1. THE PARTS ARE NOT ALLOWED TO BUMP, SCRATCH OR RUST DURING ASSEMBLY.
2. THE FASTENERS SHOULD BE TIGHTENED ACCORDING TO THE SPECIFIED TORQUE.
3. INSPECT AND REMOVE SHARP ANGLES, BURRS AND FOREIGN MATTER FROM PARTS BEFORE ASSEMBLY

PROPRIETARY AND CONFIDENTIAL

INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY TO DYNAMAX CORPORATION. COPYING, REPRODUCING OR THE USE OF THIS INFORMATION FOR ANY PURPOSE OTHER THAN TO PERFORM WORK FOR DYNAMAX CORPORATION WITHOUT THE EXPRESSED WRITTEN PERMISSION OF DYNAMAX CORPORATION IS PROHIBITED AND UNLAWFUL.

ITEM	PN	NAME	QTY	UNIT	NOTE
		DRAWN	DATE		
		CHECKED	DATE		
		MANUFACTURING	DATE		TITLE: FX1250 Controller 1GH OVER SIZE
		Q.A.	DATE		REV 1
		SCALE: 1:4 SHEET 1 OF 1			SIZE DWG. NO. 88805 A3


>> Return to Page 1

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com • 508-992-6464 • (800) 473-4237 • sales@focenter.com

Product specifications and data are subject to change without notice.

DRAWING



Manufacturer:
Dymax®

Product Name:
Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 385nm

Manufacturer Part Number:
88849



▶ Click here for more details on the Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 385nm

version	description	issued by	date
1	initial	Kyo Zhao	

NOTES:

1. THE PARTS ARE NOT ALLOWED TO BUMP, SCRATCH OR RUST DURING ASSEMBLY.
2. THE FASTENERS SHOULD BE TIGHTENED ACCORDING TO THE SPECIFIED TORQUE.
3. INSPECT AND REMOVE SHARP ANGLES, BURRS AND FOREIGN MATERIAL FROM PARTS BEFORE ASSEMBLY

PROPRIETARY AND CONFIDENTIAL
INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY TO DYMAX CORPORATION. COPYING, REPRODUCING OR THE USE OF THIS INFORMATION FOR ANY PURPOSE OTHER THAN TO PERFORM WORK FOR DYMAX CORPORATION WITHOUT THE EXPRESSED WRITTEN PERMISSION OF DYMAX CORPORATION, IS PROHIBITED AND UNLAWFUL.

ITEM	PN	NAME	QTY	UNIT	NOTE
1					
TOLERANCES UNLESS OTHERWISE SPECIFIED		DRAWN	DATE		
DIMENSIONS ARE IN INCHES		Kyo	2021/12/6		
FRACTIONAL: #1/32		CHECKED	DATE	TITLE: FX1250 Emitter OVER SIZE (RediCure, PrimeCure, VisiCure)	
ONE PLACE DECIMAL: #X.03		MANUFACTURING	DATE		
TWO PLACE DECIMAL: .00X.01		Q.A.	DATE	SIZE DWG. NO. REV	
THREE PLACE DECIMAL: .XXX.005		SCALE: 1:2 SHEET 1 OF 1			
ANGULAR: #1°					1
REMOVE ALL BURRS & BREAK SHARP EDGES					
.1-.3 R OR CHAMFER					


>> Return to Page 1

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com • 508-992-6464 • (800) 473-4237 • sales@focenter.com

Product specifications and data are subject to change without notice.

DRAWING



Manufacturer:
Dymax®


Product Name:
Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 385nm

Manufacturer Part Number:
88849



▶ Click here for more details on the Dymax BlueWave® FX-1250 High Intensity UV Flood Curing System - 385nm

version	description	issued by	date
A	INITAIL RELEASE	Kyo	2021/11/23



5	Cord Grip	Angle 90°, Amphenol	1	PCS
4	Cord Grip	Angle 180°, Amphenol	1	PCS
3	Contact	Contact,Female,	30	PCS
2	Plug	Socket,19P	2	PCS
1	Cable	15-Core Cable	2	M

ITEM NO	NAME	DESCRIPTION	QTY	UNIT
<p>NOTE: WORKMANSHIP SHALL BE IN ACCORDANCE WITH IPC-A-610, "ACCEPTABILITY OFELECTRONIC ASSEMBLIES" (CLASS 2) AND IPC/WHMA-A-620, "REQUIREMENTS AND ACCEPTANCE FOR CABLE AND WIRE HARNESS" (CLASS 2) AS APPLICABLE AND UNLESS OTHERWISE NOTED</p>				
<p>PROPRIETARY AND CONFIDENTIAL. INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY TO DYNAMAX CORPORATION. COPYING, REPRODUCING OR THE USE OF THIS INFORMATION FOR ANY PURPOSE OTHER THAN TO PERFORM WORK FOR DYNAMAX CORPORATION WITHOUT THE EXPRESS WRITTEN PERMISSION OF DYNAMAX CORPORATION, IS PROHIBITED AND UNLAWFUL.</p>				
<p>TOLERANCES UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONAL: ± 1/32 ONE PLACE DECIMAL: ± 0.03 TWO PLACE DECIMAL: ± 0.01 THREE PLACE DECIMAL: ± 0.005 ANGULAR: ± 1°</p>		<p>DRAWN DATE Kyo 2021/11/23</p>		<p>DYNAMAX TITLE: CABLE,FX1250,2M, TYPE I to L</p>
<p>MINIMUM ALL BURNS & BREAK SHARP EDGES 1-3 & DR CHAMFER</p>		<p>CHECKED DATE LHWJ 2021/11/23</p>		
<p>SCALE: 1:2</p>		<p>MANUFACTURING DATE</p>		<p>SIZE DWG. NO. REV A3 84026 A</p>
<p>SHEET 1 OF 1</p>		<p>SCALE: 1:2 SHEET 1 OF 1</p>		

>> Return to Page 1

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com • 508-992-6464 • (800) 473-4237 • sales@focenter.com

Product specifications and data are subject to change without notice.