

Manufacturer:

Dymax®

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

Manufacturer Part Number: OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1272/2008 and Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878

		OP-21G	
Issuing Date 06-Jul-2023		Revision date 06-Jul-20	Revision Number 33
SECTION 1: Identification	of t	he substance/mixture and o	f the company/undertaking
<u>1.1. Product identifier</u> Product Name	OF	2-21G	
Unique Formula Identifier (UFI) Pure substance/mixture		91-2075-P009-R626 ture	
1.2. Relevant identified uses of the	subs	tance or mixture and uses advised a	gainst
Recommended use	Ad	nesives and/or sealants.	
Uses advised against	Co	nsumer use.	
1.3. Details of the supplier of the s	afety	data sheet	
Manufacturer Dymax Corporation 318 Industrial Lane Torrington, CT 06790 Tel: 860-482-1010 Fax: 860-496-0608	Dyr Blo Ang #05 Sin Tel	nufacturing sites max Asia Pacific Pte Ltd. ck 5008 (East Wing) J Mo Kio Ave. 5 -3 TECHplace II gapore 569874 + 456-8752-2887 :: +65-6752-2813	Supplier Dymax Asia Pacific Pte Ltd. Block 5008 (East Wing) Ang Mo Kio Ave. 5 #05-3 TECHplace II Singapore 569874 Tel: +65-6752-2887 Fax: +65-6752-2813
For further information, please co	ntact	-	
E-mail address	Pro	duct_Regulatory_Europe@dymax.com	
1.4. Emergency telephone number Emergency Telephone	_	emtrec @ 001-703-741-5970 (24hrs)	
Austria +(43)-13649237		Belgium +(32)-28083237	Bulgaria +(359)-32570104
Croatia +(385)-17776920 Estonia +(372)-6681294		Czech Republic +(420)-228880039 Finland +(358)-942419014	Denmark +(45)-69918573 France +(33)-975181407
Germany 0800-181-7059		Greece +(30)-2111768478	Hungary +(36)-18088425
Ireland +(353)-19014670		Italy 800-789-767	Latvia +(371)-66165504
Lithuania +(370)-52140238		Luxembourg +(352)-20202416	Netherlands +(31)-858880596
Norway +(47)-21930678		Poland +(48)-223988029	Portugal +(351)-308801773
Romania (+40)-37-6300026		Slovakia +(423)-233057972	Slovenia +(386)-18888016
Spain 900-868538		Sweden +(46)-852503403	United Kingdom +(44)-870-8200418
Israel +(972)-37630639		Russia 8-800-100-6346	Saudi Arabia +(966)-8111095861

 Spain
 900-56533
 Sweden
 +(4)-55203403
 United kingdom
 +(4)-57203

 Israel
 +(92)-23630639
 Russia
 8-800-100-6346
 Saudi Arabia
 +(96)-8111095861

 Switzerland
 +(41)-435082011
 Turkey
 +(90)-212-7055340
 Ukraine
 +(380)-947101374

Page 1/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

Manufacturer Part Number: OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G

Revision date 06-Jul-2023

### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4 - (H302)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 - Respiratory irritation	

2.2. Label elements



#### Signal word - Danger

Contains Isobornyl Acrylate, N,N-Dimethylacrylamide, 1-Propanone, 2-hydroxy-2-methyl-1-phenyl-

#### Hazard statements

- H302 Harmful if swallowed
- H315 Causes skin irritation H317 - May cause an allergic skin reaction
- H317 May cause an allergic skin reaction H318 - Causes serious eye damage
- H335 May cause respiratory irritation
- EUH208 Contains 2-Hydroxyethyl methacrylate, Bisphenol-A epoxy resin May produce an allergic reaction.

### Precautionary Statements - EU (§28, 1272/2008)

- P264 Wash face, hands and any exposed skin thoroughly after handling P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
- do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Additional information

This product requires tactile warnings if supplied to the general public.

### 2.3. Other hazards

### No information available

#### Product Information Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

Page 2/15

#### PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Data is subject to change without notice.

### Contact the professionals at Fiber Optic Center for a quote or to get more details.





**Manufacturer:** 

Dymax<sup>®</sup>

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

**Manufacturer Part Number:** OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G

Revision date 06-Jul-2023

**Endocrine Disruptor Information** 

### SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS	EC No (EU Index No)	REACH registration number	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isobornyl Acrylate	5888-33-5	(607-756-00-6) 227-561-6	01-2119957862-25 -0011	25-39	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
N,N-Dimethylacrylamide	2680-03-7	220-237-5	01-2119971262-39 -0007	10-24	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Eye Dam. 1 (H318)
1-Propanone, 2-hydroxy-2-methyl-1-phenyl-	7473-98-5	231-272-0	-	1-<3	Acute Tox. 4 (H302) Aquatic Chronic 3 (H412)
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	75980-60-8	(015-203-00-X) 278-355-8	-	<1	Repr. 2 (H361f)
2-Hydroxyethyl methacrylate	868-77-9	(607-124-00-X) 212-782-2	01-2119490169-29 -0022	<1	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317)
Bisphenol-A epoxy resin	25068-38-6	(603-074-00-8)	-	<1	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)

Chemical name	CAS	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Bisphenol-A epoxy resin	25068-38-6	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5%		

Acute Toxicity Estimate If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	 Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Isobornyl Acrylate	4890	3000		
N,N-Dimethylacrylamide	316			
1-Propanone, 2-hydroxy-2-methyl-1-phen	1694	6929		

Page 3/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

Manufacturer Part Number: OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

### OP-21G - OP-21G

Revision date 06-Jul-2023

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	
yl-					
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide		2000			
2-Hydroxyethyl methacrylate	5050	3000			
Bisphenol-A epoxy resin	11400				

### Full text of H- and EUH-phrases: see section 16

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS	SVHC candidates	
Diphenyl (2,4,6-trimethylbenzoyl)	75980-60-8	Х	
phosphine oxide			

### SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.
Eye contact	Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	Burning sensation. Itching. Rashes. Hives.
4.3. Indication of any immediate me	dical attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.

### SECTION 5: Firefighting measures

5.1. Extinguishing media

Page 4 / 15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

Manufacturer Part Number: OP-21G-3ML

### Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G	Revision date 06-Jul-2023
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from th	e substance or mixture
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear Use personal protection equipment.
SECTION 6: Accidental rel	ease measures
6.1. Personal precautions, protectiv	re equipment and emergency procedures
Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
	Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	
	and upwind of spill/leak.
For emergency responders	and upwind of spill/leak. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	and upwind of spill/leak. Refer to protective measures listed in Sections 7 and 8.
For emergency responders 6.2. Environmental precautions Environmental precautions	and upwind of spill/leak. Refer to protective measures listed in Sections 7 and 8. Use personal protection recommended in Section 8. Prevent further leakage or spillage if safe to do so.
For emergency responders 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for conta	and upwind of spill/leak. Refer to protective measures listed in Sections 7 and 8. Use personal protection recommended in Section 8. Prevent further leakage or spillage if safe to do so.
For emergency responders 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for conta Methods for containment	and upwind of spill/leak. Refer to protective measures listed in Sections 7 and 8. Use personal protection recommended in Section 8. Prevent further leakage or spillage if safe to do so.
For emergency responders 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for conta Methods for containment Methods for cleaning up	and upwind of spill/leak. Refer to protective measures listed in Sections 7 and 8. Use personal protection recommended in Section 8. Prevent further leakage or spillage if safe to do so. inment and cleaning up_ Prevent further leakage or spillage if safe to do so.
Other information For emergency responders 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for conta Methods for containment Methods for cleaning up Prevention of secondary hazards 6.4. Reference to other sections	and upwind of spill/leak. Refer to protective measures listed in Sections 7 and 8. Use personal protection recommended in Section 8. Prevent further leakage or spillage if safe to do so. <b>inment and cleaning up</b> Prevent further leakage or spillage if safe to do so. Take up mechanically, placing in appropriate containers for disposal.
For emergency responders 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for conta Methods for containment Methods for cleaning up Prevention of secondary hazards	and upwind of spill/leak. Refer to protective measures listed in Sections 7 and 8. Use personal protection recommended in Section 8. Prevent further leakage or spillage if safe to do so. <b>inment and cleaning up</b> Prevent further leakage or spillage if safe to do so. Take up mechanically, placing in appropriate containers for disposal.

Page 5 / 15

7.1. Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Protect from light.

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax<sup>®</sup>

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

**Manufacturer Part Number:** OP-21G-3ML

### Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G	Revision date 06-Jul-2023
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up. Keep container tightly closed in a dry and well-ventilated place. Protect from light.
Storage class (TRGS 510)	Storage class 10.
7.3. Specific end use(s)	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Bisphenol-A epoxy resin 25068-38-6	-	-	-	TWA: 1.0 mg/m <sup>3</sup>	-
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Isobornyl Acrylate 5888-33-5	-	-	skin sensitizer	-	-
2-Hydroxyethyl methacrylate 868-77-9	-	-	skin sensitizer	-	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
2-Hydroxyethyl methacrylate 868-77-9	-	-	-	-	Sensitizer TWA: 20 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
2-Hydroxyethyl methacrylate 868-77-9	-	-	-	TWA: 2 ppm TWA: 11 mg/m <sup>3</sup> STEL: 4 ppm STEL: 16.5 mg/m <sup>3</sup>	-

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Page 6/15

Derived No Effect Level (DNEL) - Workers No information available

Derived No Effect Level (DNEL) - General Public No information available.

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer: Dymax<sup>®</sup>

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

Manufacturer Part Number: OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

		Revision date 06-Jul-202
Predicted No Effect Concentration No information available.	(PNEC)	
8.2. Exposure controls		
Engineering controls	No information available.	
Personal protective equipment		
Eye/face protection	Tight sealing safety goggles.	
Hand protection	Wear suitable gloves. Nitrile r	ubber, Butyl rubber.
Skin and body protection	Wear suitable protective cloth	ing. Long sleeved clothing.
Respiratory protection		eded under normal use conditions. If exposure limits are ienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes not eat, drink or smoke when	or clothing. Wear suitable gloves and eye/face protection. Do using this product.
Environmental exposure controls	No information available.	
9.1. Information on basic physical a Physical state Appearance		
9.1. Information on basic physical a Physical state Appearance Color Odor	and chemical properties Liquid translucent colorless Characteristic.	
SECTION 9: Physical and 9.1. Information on basic physical a Physical state Appearance Color Odor Odor Odor threshold	and chemical properties Liquid translucent colorless Characteristic. No information available	
9.1. Information on basic physical a Physical state Appearance Color Odor Odor threshold Property_	and chemical properties Liquid translucent colorless Characteristic. No information available Values	Remarks • Method
9.1. Information on basic physical a Physical state Appearance Color Odor Odor Odor threshold <u>Property</u> Melting point / freezing point	and chemical properties Liquid translucent colorless Characteristic. No information available <u>Values</u> No data available	None known
9.1. Information on basic physical a Physical state Appearance Color Odor Odor threshold <u>Property</u> Melting point / freezing point Boiling point / boiling range	and chemical properties Liquid translucent colorless Characteristic. No information available Values No data available No data available	None known None known
9.1. Information on basic physical 3 Physical state Appearance Color Odor threshold <u>Property</u> Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive	and chemical properties Liquid translucent colorless Characteristic. No information available <u>Values</u> No data available	None known
9.1. Information on basic physical 3 Physical state Appearance Color Odor Odor threshold <u>Property</u> Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability Limit in Air	and chemical properties Liquid translucent colorless Characteristic. No information available Values No data available No data available No data available	None known None known None known
9.1. Information on basic physical 3 Physical state Appearance Color Odor threshold Property Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability (solid, gas) Flammability (solid, gas) Flammability core splosive limits Lower flammability or explosive limits Flash point	And chemical properties Liquid translucent colorless Characteristic. No information available Values No data available No data available No data available No data available No data available No data available	None known None known None known None known Pensky-Martens Closed Cup (PMCC)
9.1. Information on basic physical 3 Physical state Appearance Color Odor Market State Boiling point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability (solid, gas) Flambability (solid, gas)	And chemical properties Liquid translucent colorless Characteristic. No information available <b>Values</b> No data available No data available No data available No data available No data available	None known None known None known None known Pensky-Martens Closed Cup (PMCC) None known
9.1. Information on basic physical 3 Physical state Appearance Color Odor Odor threshold Property Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Flash point Autoignition temperature Decomposition temperature	And chemical properties Liquid translucent colorless Characteristic. No information available Values No data available No data available No data available No data available No data available No data available	None known None known None known None known Pensky-Martens Closed Cup (PMCC) None known None known
9.1. Information on basic physical 3 Physical state Appearance Color Odor threshold Property Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Flash point Autoignition temperature Decomposition temperature pH	And chemical properties Liquid translucent colorless Characteristic. No information available No data available No data available No data available No data available No data available No data available 101 - °C 470 °C	None known None known None known None known Pensky-Martens Closed Cup (PMCC) None known None known None known
9.1. Information on basic physical 3 Physical state Appearance Color Odor threshold Property Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability or explosive limits Lower flammability or explosive limits Flash point Autoignition temperature Decomposition temperature pH pH (as aqueous solution)	And chemical properties Liquid translucent colorless Characteristic. No information available Values No data available No data available No data available No data available 101 - °C 470 °C No data available No data available	None known None known None known None known Pensky-Martens Closed Cup (PMCC) None known None known None known None known
9.1. Information on basic physical 3 Physical state Appearance Color Odor Odor threshold Property Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Flash point Autoignition temperature Decomposition temperature pH (as aqueous solution) Kinematic viscosity	And chemical properties Liquid translucent colorless Characteristic. No information available No data available No data available No data available No data available No data available No data available 101 - °C 470 °C	None known None known None known None known Pensky-Martens Closed Cup (PMCC) None known None known None known
9.1. Information on basic physical 3 Physical state Appearance Color Odor threshold Property Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Flash point Autoignition temperature Decomposition temperature pH pH (as aqueous solution) Kinematic viscosity	Liquid translucent colorless Characteristic. No information available <b>Values</b> No data available No data available No data available No data available No data available 101 - °C 470 °C No data available No data available No data available No data available No data available No data available	None known None known None known None known Pensky-Martens Closed Cup (PMCC) None known None known None known None known None known
9.1. Information on basic physical 3 Physical state Appearance Color Odor Odor threshold Property Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Flash point Autoignition temperature Decomposition temperature pH ght (as aqueous solution) Kinematic viscosity Dynamic viscosity Water solubility Solubility(ies)	Liquid translucent colorless Characteristic. No information available Values No data available No data available No data available No data available No data available 101 - °C 470 °C No data available No data available	None known None known
9.1. Information on basic physical 3 Physical state Appearance Color Odor threshold Property Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Flash point Autoignition temperature Decomposition temperature pH pH (as aqueous solution) Kinematic viscosity Dynamic viscosity Water solubility Solubility(ies) Partition coefficient	and chemical properties         Liquid         translucent         colorless         Characteristic.         No information available         Values         No data available         101       - °C         470       °C         No data available         No	None known None known
9.1. Information on basic physical : Physical state Appearance Color Odor Odor threshold Property Melting point / freezing point Boiling point / boiling range Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Flash point Autoignition temperature Decomposition temperature pH pH (as aqueous solution) Kinematic viscosity	Liquid translucent colorless Characteristic. No information available Values No data available No data available No data available No data available No data available 101 - °C 470 °C No data available No data available	None known None known

Page 7 / 15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

Manufacturer Part Number: OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G	6			Revision date	06-Jul-2023
Liquid Density Relative vapor dens Particle characterist		No data available No data available	None known		
Particle Size Particle Size Distr		No information available No information available			
9.2. Other information	on				
9.2.1. Information w Not applicable	ith regard to ph	ysical hazard classes			
9.2.2. Other safety c No information availa					
SECTION 10: S	tability and	reactivity			
10.1. Reactivity					
Reactivity		No information available.			
10.2. Chemical stab	<u>ility</u>				
Stability		Stable under normal conditions.			
Explosion data Sensitivity to me Sensitivity to sta		t None. None.			
10.3. Possibility of h	nazardous react	ions			
Possibility of hazard	dous reactions	None under normal processing.			
10.4. Conditions to a	avoid				
Conditions to avoid		None known based on information su	pplied.		
10.5. Incompatible n	naterials				
Incompatible materi	als	Strong acids. Strong bases. Strong or	kidizing agents.		
10.6. Hazardous dec	composition pro	oducts			
Hazardous decomp	osition product	<b>s</b> None known based on information su	pplied.		
SECTION 11: T	oxicologica	l information			
11.1. Information o	n hazard classe	es as defined in Regulation (EC) No 1	272/2008		
Information on likely	y routes of expo	osure			
Product Information	ı				
Inhalation		Specific test data for the substance of respiratory tract.	r mixture is not availal	ole. May cause irrit	ation of
Eye contact		Specific test data for the substance of May cause irreversible damage to ever		ble. Causes serious	s eye damage.

Page 8 / 15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

Manufacturer Part Number: OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G Revision date 06-Jul-2023 Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation. Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components). Symptoms related to the physical, chemical and toxicological characteristics Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and Symptoms tearing of the eyes Acute toxicity Numerical measures of toxicity The following values are calculated based on chapter 3.1 of the GHS document 1,468.30 mg/kg 3,624.80 mg/kg ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) 99,999.00 ppm 99,999.00 mg/l ATEmix (inhalation-vapor) ATEmix (inhalation-dust/mist) 99,999.00 mg/l Component Information Chemical name Oral LD50 Dermal LD50 Inhalation LC50 Isobornyl Acrylate = 4890 mg/kg (Rat) > 3000 mg/kg (Rabbit) N,N-Dimethylacrylamide = 316 mg/kg (Rat) 907mg/kg (Rabbit) > 776 ppm (Rat) 1 h 1-Propanone, = 1694 mg/kg (Rat) = 6929 mg/kg ( Rat ) 2-hydroxy-2-methyl-1-phenyl-> 2000 mg/kg ( Rat ) Diphenvl -(2,4,6-trimethylbenzoyl) phosphine oxide 2-Hydroxyethyl methacrylate = 5050 mg/kg (Rat) > 3000 mg/kg (Rabbit) = 11400 mg/kg (Rat) Bisphenol-A epoxy resin -Delayed and immediate effects as well as chronic effects from short and long-term exposure May cause skin irritation. Classification based on data available for ingredients. Causes skin Skin corrosion/irritation irritation. Classification based on data available for ingredients. Causes burns. Causes serious eye Serious eye damage/eye irritation damage. Respiratory or skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity No information available. No information available. Carcinogenicity

Page 9/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

Manufacturer Part Number: OP-21G-3ML

### Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G				Revision date	06-Jul-2023
Reproductive toxicity	No informatic	n available.			
The table below indicates	ingredients above the cut-	off threshold conside	ered as relevant which are	listed as reproduc	tive toxins.
C	Chemical name		Europea	an Union	
Diphenyl (2,4,6-trir	methylbenzoyl) phosphine	oxide	Repr. 2		
STOT - single exposure STOT - repeated exposu	,	espiratory irritation.			
Aspiration hazard	No informatio	n available.			
11.2. Information on oth	ier hazards				
11.2.1. Endocrine disru Endocrine disrupting pro					
11.2.2. Other informatio	'n				
Other adverse effects No information available.		n available.			
SECTION 12: Ecol	ogical information				
12.1. Toxicity					
Ecotoxicity	The environm	nental impact of this	product has not been fully	investigated.	
Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganism		stacea
Isobornyl Acrylate	ErC 50 = 2.7 mg/L 96h (Pseudokirchneriella subcapitata)	LC50: =0.704mg/l (Danio rerio)			.1 mg/L 48 h ia magna)
N,N-Dimethylacrylamide	-	LC50: >100mg/L (Oncorhynchus my			20 mg/l 48 h ia magna)

		(Oncorhynchus mykiss)		(Daphnia magna)
Diphenyl	-	LC50 10 mg/l 48 h	-	-
(2,4,6-trimethylbenzoyl)		(Oryzias latipes)		
phosphine oxide				
2-Hydroxyethyl	-	LC50: 213 - 242mg/L	-	EC50 > 380 mg/l 48 h
methacrylate		(96h, Pimephales		(Daphnia magna)
-		promelas)		
		LC50: =227mg/L (96h,		
		Pimephales promelas)		

12.2. Persistence and degradability

Persistence and degradability

radability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information
Chemical name

Page 10 / 15

Partition coefficient

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

Manufacturer Part Number: OP-21G-3ML

### Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

### OP-21G - OP-21G

Revision date 06-Jul-2023

Isobornyl Acrylate	4.52
N,N-Dimethylacrylamide	-0.3
1-Propanone, 2-hydroxy-2-methyl-1-phenyl-	1.62
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	3.1
2-Hydroxyethyl methacrylate	0.42

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Isobornyl Acrylate	The substance is not PBT / vPvB
N,N-Dimethylacrylamide	The substance is not PBT / vPvB
1-Propanone, 2-hydroxy-2-methyl-1-phenyl-	The substance is not PBT / vPvB
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	The substance is not PBT / vPvB
2-Hydroxyethyl methacrylate	The substance is not PBT / vPvB
Bisphenol-A epoxy resin	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects No information available.

### SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

### SECTION 14: Transport information

IATA 14.1 UN number or ID number 14.2 Extended Proper Shipping Name	Not regulated Not regulated
<ul> <li>14.3 Transport hazard class(es)</li> <li>14.4 Packing group</li> <li>14.5 Environmental hazards</li> <li>14.6 Special precautions for user</li> </ul>	Not regulated Not regulated Not applicable
Special Provisions	None
IMDG 14.1 UN number or ID number	Not regulated

Page 11/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

Manufacturer Part Number: OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G

Revision date 06-Jul-2023

14.2 Extended Proper Shipping	Not regulated
Name	
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk	No information available
according to IMO instruments	
U U	
RID	
14.1 UN number or ID number	Not regulated
14.2 Extended Proper Shipping	Not regulated
Name	
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	Not applicable
Special Provisions	None
Special Flovisions	None
ADR	
14.1 UN number or ID number	Not regulated
14.2 Extended Proper Shipping Name	Not regulated
- tunito	Net as substant
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
2-Hydroxyethyl methacrylate - 868-77-9	RG 65

Germany

Water hazard class (WGK)

obviously hazardous to water (WGK 2) Classification according to AwSV.

Netherlands

Chemical name	Netherlands - List of	Netherlands - List of	Netherlands - List of
	Carcinogens	Mutagens	Reproductive Toxins
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	-	-	Fertility Category 2

European Union

Page 12/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





**Manufacturer:** 

Dymax<sup>®</sup>

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

**Manufacturer Part Number:** 

OP-21G-3ML

### Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### OP-21G - OP-21G

Revision date 06-Jul-2023

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide - 75980-60-8	75.	-
2-Hydroxyethyl methacrylate - 868-77-9	75.	-
Bisphenol-A epoxy resin - 25068-38-6	75.	-

Persistent Organic Pollutants Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories	
TSCA	Complies
DSL/NDSL	Listed on NDSL
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Record Notification
KECL	Complies
PICCS	Complies
AIIC	Low Volume Exemption (LVE)
NZIoC	Complies
Legend:	

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

 KECL
 - Korean Existing and Evaluated Chemical Substances

 PICCS
 - Philippines Inventory of Chemicals and Chemical Substances

 AIICS
 - Australian Industrial Chemicals Introduction Scheme

NZIOC - New Zealand Inventory of Chemicals

#### 15.2. Chemical safety assessment

```
Chemical Safety Report
```

No information available

Page 13/15

### **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3 H301 - Toxic if swallowed H302 - Harmful if swallowed

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





**Manufacturer:** 

Dymax<sup>®</sup>

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

**Manufacturer Part Number:** OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

### OP-21G - OP-21G

Revision date 06-Jul-2023

- H311 Toxic in contact with skin
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H361f Suspected of damaging fertility
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects
- H412 Harmful to aquatic life with long lasting effects

#### Legend

- SVHC: Substances of Very High Concern for Authorization:
- PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION	
TWA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	*
+	Sensitizers	

STEL (Short Term Exposure Limit) Skin designation

Method Used
Calculation method
On basis of test data
On basis of test data
Calculation method
Calculation method

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

- European Chemicals Agency (ECHA) (ECHA\_API) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

- U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals
- Food Research Journal
- Hazardous Substance Database
- International Uniform Chemical Information Database (IUCLID)
- National Institute of Technology and Evaluation (NITE)

Page 14/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

**Product Name:** Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

Manufacturer Part Number: OP-21G-3ML

### Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G

Revision date 06-Jul-2023

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 06-Jul-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 15/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

