


Manufacturer:

Dymax®

Product Name: Dymax OP-29 UV Optical Adhesive (30ml)

Manufacturer Part Number: OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)



Page 1/12

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

Product Name: Dymax OP-29 UV Optical Adhesive (30ml)

Manufacturer Part Number: OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)

# **OP-29** Issuing Date 06-Oct-2023 Revision date 06-Oct-2023 Revision Number 32 Skin sensitization Category 1 Specific target organ toxicity (single exposure) Category 3 B. GHS Label elements, including precautionary statements Hazard symbols Signal word Warning Hazard statements H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H335 - May cause respiratory irritation Precautionary Statements - Prevention P264 - Wash face, hands and any exposed skin thoroughly after handling P261 - Avid breathing dust/functional participation and a protection of the protection of the protective gloves/protective clothing/eye protection/face protection P271 - Use only outdoors or in a well-ventilated area Precautionary Statements - Response P314 - Get medical advice/attention if you feel unwell P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P362 - Take off contaminated clothing and wash before reuse P304 + P340 - IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing Precautionary Statements - Storage P403 + P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up Precautionary Statements - Disposal P501 - Dispose of contents/ container to an approved waste disposal plant C. Other hazards which do not result in classification No information available. Product Information Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilization Test 3. Composition/information on ingredients Mixture Chemical name CAS No Weight-% Other identifier Common name Approval Expiration

Page 2 / 12

Learn More

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.



Manufacturer:

Dymax®

Product Name: Dymax OP-29 UV Optical Adhesive (30ml)

Manufacturer Part Number: OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)

# OP-29

Issuing Date 06-Oct-2023

Revision date 06-Oct-2023

Revision Number 32

|                            |         |          | number   | and synonyms | number | date |
|----------------------------|---------|----------|----------|--------------|--------|------|
| Acrylate Ester             | -       | 20 - 30% | Listed   |              | -      | -    |
| Methacrylate Ester Monomer | -       | 10 - 20% | Listed   |              | -      | -    |
| Acrylate monomer           | -       | 0 - 10%  | Listed   |              | -      | -    |
| Acrylic Acid               | 79-10-7 | 2.686    | KE-29442 |              | -      | -    |
| Silane Coupling Agent      | -       | 0 - 10%  | Listed   |              | -      | -    |

## 4. First-aid measures

### A. In case of eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

### B. In case of skin contact

May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

### C. In case of inhalation

Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.

### D. In case of ingestion

Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.

### E. Indication of immediate medical attention and special treatment needed, if necessary

General advice Show this safety data sheet to the doctor in attendance.

### Note to physicians

May cause sensitization in susceptible persons. Treat symptomatically.

### Symptoms

Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Effects of Exposure No information available.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

## 5. Fire-fighting measures

### A. Suitable (and unsuitable) extinguishing media

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire

CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

## B. Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Page 3/12

Data is subject to change without notice.

## Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

Product Name: Dymax OP-29 UV Optical Adhesive (30ml)

Manufacturer Part Number: OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)

# **OP-29** Issuing Date 06-Oct-2023 Revision date 06-Oct-2023 Revision Number 32 Special Protective Equipment for Firefighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. 6. Accidental release measures A. Personal precautions, protective equipment and emergency procedures Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Other information Refer to protective measures listed in Sections 7 and 8. For emergency responders Use personal protection recommended in Section 8. B. Environmental precautions Prevent further leakage or spillage if safe to do so. C. Methods and material for containment and cleaning up Methods for containment Prevent further leakage or spillage if safe to do so. Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations. 7. Handling and storage A. Precautions for safe handling Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid contact with skin, eyes or clothing, Ensure adequate ventilation, In case of insufficient ventilation, wear suitable respiratory equipment, Do not eat, drink or smoke when using this product, Take off contaminated clothing and wash before reuse, Avoid breathing vapors or mists, Protect from light. B. Conditions for safe storage, including any incompatibilities Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place, Protect from light. General hygiene considerations Wear suitable gloves and eye/face protection, Do not eat, drink or smoke when using this product, Avoid contact with skin, eyes or clothing.

8. Exposure controls/personal protection

A. Control Parameters

Occupational exposure limits

Page 4/12

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

Product Name: Dymax OP-29 UV Optical Adhesive (30ml)

Manufacturer Part Number: OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)

# OP-29

Issuing Date 06-Oct-2023

Revision date 06-Oct-2023

Revision Number 32

| Chemical name | OEL        | PEL     | ACGIH TLV  |
|---------------|------------|---------|------------|
| Acrylic Acid  | TWA: 2 ppm | No data | TWA: 2 ppm |
|               | Skin*      |         | S*         |

B. Appropriate engineering controls

## Engineering controls

Showers Eyewash stations Ventilation systems.

Environmental exposure controls No information available.

C. Personal protective equipment

### **Respiratory protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Eye protection Wear safety glasses with side shields (or goggles).

Hand protection

Wear suitable gloves. Nitrile rubber, Butyl rubber.

Body protection Wear suitable protective clothing. Long sleeved clothing.

## 9. Physical and chemical properties

Information on basic physical and chemical properties

| <ul> <li>A. Appearance<br/>Physical State<br/>color</li> <li>B. Odor</li> <li>C. Odor threshold</li> </ul> | transparent<br>Liquid<br>colorless light yellow to<br>Characteristic<br>No information available |                                  |
|--|--|----------------------------------|
| Property   | Values_  | Remarks • Method                 |
| D. pH  | No information available   | None known                       |
| E. Melting point / freezing point  | No information available   | None known                       |
| F. Initial boiling point and boiling   | No information available   |                                  |
| range  |  |                                  |
| G. Flash point   | 101 °C / 213.8 °F  | Pensky-Martens Closed Cup (PMCC) |
| H. Evaporation rate  | No information available   | None known                       |
| I. Flammability (solid, gas)   | No information available   | None known                       |
| J. Upper/lower flammability or exp   | losive limits  |                                  |
| Upper flammability or explosive<br>limits  | No information available   |                                  |
| Lower flammability or explosive<br>limits  | No information available   |                                  |
| K. Vapor pressure  | No information available   | None known                       |
|  |  |                                  |

Page 5 / 12

Learn More

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.



**Manufacturer:** 

Dymax<sup>®</sup>

**Product Name:** Dymax OP-29 UV Optical Adhesive (30ml)

**Manufacturer Part Number:** OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)

#### Issuing Date 06-Oct-2023 Revision date 06-Oct-2023 Revision Number 32 L. Solubility(ies) Insoluble in water None known Water solubility No information available Solubility in other solvents None known M. Relative vapor density No information available None known N. Specific Gravity No information available None known O. Partition coefficient: No information available None known n-octanol/water P. Autoignition Point 438 °C / 820.4 °F None known Q. Decomposition temperature R. Viscosity None known Kinematic viscosity No information available None known Dynamic viscosity 2,500 cP None known No information available S. Molecular weight Other information Explosive properties No information available **Oxidizing properties** No information available Softening point No information available VOC content No information available Liquid Density No information available

## 10. Stability and reactivity

A. Chemical stability and possibility of hazardous reactions

Stability Stable under normal conditions

Possibility of hazardous reactions None under normal processing.

Explosion data Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

- B. Conditions to avoid None known based on information supplied.
- C. Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

D. Hazardous decomposition products None known based on information supplied

## 11. Toxicological information

### A. Information on the likely routes of exposure

### **Product Information**

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Indestion

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting

Page 6/12

Data is subject to change without notice.

## Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com 508-992-6464 | (800) 473-4237 • sales@focenter.com

# **OP-29**

Learn More



Manufacturer:

Dymax®

Product Name: Dymax OP-29 UV Optical Adhesive (30ml)

Manufacturer Part Number: OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)

### **OP-29** Issuing Date 06-Oct-2023 Revision date 06-Oct-2023 Revision Number 32 and diarrhea Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain. Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation. Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes. B. Health hazards information Acute toxicity Numerical measures of toxicity The following values are calculated based on chapter 3.1 of the GHS document 5,775.30 mg/kg 5,549.70 mg/kg ppm ATEmix (oral) ATEmix (dermal) 409.50 mg/l ATEmix (inhalation-vapor) ATEmix (inhalation-dust/mist) 103.30 mg/l 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity Component Information Oral LD50 Dermal LD50 Inhalation LC50 Chemical name > 3000 mg/kg (Rabbit) Acrylate Ester = 4890 mg/kg (Rat) Methacrylate Ester Monomer > 3000 mg/kg (Rabbit) = 5050 mg/kg (Rat) Acrylate monomer > 2000 mg/kg (Rabbit) 1000 - 2000 mg/kg (Rabbit Acrylic Acid = 193 mg/kg (Rat) > 2000 mg/kg (Rabbit) = 11.1 mg/L ( Rat ) 1 h = 3.6 mg/L (Rat) 4 h Silane Coupling Agent = 23.5 g/kg (Rat) > 2000 mg/kg (Rat) > 2.28 mg/L (Rat) 6 h Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/irritation

Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization May cause an allergic skin reaction.

Carcinogenicity

| The table below indicates whether each agency has listed any ingredient as a carcinogen. |  |  |  |
|--|--|--|--|
| Chemical name IARC   |  |  |  |
| Acrylic Acid Group 3   |  |  |  |
| egend  |  |  |  |

Page 7 / 12

Learn More

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.



Manufacturer:

Dymax®

Product Name: Dymax OP-29 UV Optical Adhesive (30ml)

Manufacturer Part Number: OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)

# OP-29

Issuing Date 06-Oct-2023

Revision date 06-Oct-2023

Revision Number 32

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Germ cell mutagenicity No information available.

Reproductive toxicity No information available.

Specific target organ toxicity (STOT) – single exposure May cause respiratory irritation.

Specific target organ toxicity (STOT) – repeated exposure Not classified. Based on available data, the classification criteria are not met.

Target organ effects Respiratory system. Eyes. Skin.

Aspiration hazard

Not classified. Based on available data, the classification criteria are not met.

## 12. Ecological information

### A. Ecotoxicity

The environmental impact of this product has not been fully investigated.

### **Product Information**

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

| Chemical name              | Algae/aquatic plants      | Fish                        | Crustacea                  |
|----------------------------|---------------------------|-----------------------------|----------------------------|
| Acrylate Ester             | ErC 50 = 2.7 mg/L 96h     | LC50: =0.704mg/L 96h        | EC 50 = 1.1 mg/L 48 h      |
| -                          | (Pseudokirchneriella      | (Danio rerio)               | (Daphnia magna)            |
|                            | subcapitata)              |                             |                            |
| Methacrylate Ester Monomer | -                         | LC50: 213 - 242mg/L (96h,   | EC50 > 380 mg/l 48 h       |
|                            |                           | Pimephales promelas)        | (Daphnia magna)            |
|                            |                           | LC50: =227mg/L (96h,        |                            |
|                            |                           | Pimephales promelas)        |                            |
| Acrylic Acid               | EC50: =0.04mg/L           | LC50: =222mg/L (96h,        | EC50:=95mg/L (48h, Daphnia |
|                            | (72h, Desmodesmus         | Brachydanio rerio) NOEC: >= | magna)                     |
|                            | subspicatus)              | 10.1mg/L (45d, Oryzias      | NOEC: =3.8mg/L (21d,       |
|                            | EC50: =0.17mg/L           | latipes, OECD 210)          | Daphnia magna)             |
|                            | (96h, Pseudokirchneriella |                             |                            |
|                            | subcapitata)              |                             |                            |
| Silane Coupling Agent      | EC50 > 536,00 mg/l 72 h   | LC50: >100mg/L              | EC50 > 876,00 mg/l 48 h    |
|                            | (Scenedesmus subspicatus) | (96h Danio rerio)           | (Daphnia magna)            |

B. Persistence and degradability No information available.

Page 8 / 12

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

Product Name: Dymax OP-29 UV Optical Adhesive (30ml)

Manufacturer Part Number: OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)

# OP-29

Issuing Date 06-Oct-2023

Revision date 06-Oct-2023

Revision Number 32

## C. Bioaccumulative potential

| Component Information      |                       |  |  |
|----------------------------|-----------------------|--|--|
| Chemical name              | Partition coefficient |  |  |
| Acrylate Ester             | 4.52                  |  |  |
| Methacrylate Ester Monomer | 0.42                  |  |  |
| Acrylate monomer           | 1.2                   |  |  |
| Acrylic Acid               | 0.46                  |  |  |
| Silane Coupling Agent      | 21                    |  |  |

D. Mobility in soil

No information available.

E. Other adverse effects No information available.

## 13. Disposal considerations

A. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

B. Disposal considerations

**Contaminated packaging** Do not reuse empty containers.

## 14. Transport information

| Α.  | UN number                        | Not regulated  |
|-----|----------------------------------|----------------|
| В.  | UN proper shipping name          | Not regulated  |
| C.  | Transport hazard class(es)       | Not regulated  |
| D.  | Packing group                    | Not regulated  |
| Ε.  | Marine pollutant                 | Not applicable |
| F.  | Special precautions for user     | Not regulated  |
| 15  | . Regulatory information         |                |
| Α.  | Industrial Safety and Health Law |                |
| Pro | hibited substance                |                |

Not applicable

Substances Requiring Permission Not applicable

Harmful substances subject to control

| Chemical name | Harmful substances subject to control |
|---------------|---------------------------------------|
| Acrylic Acid  | Applicable                            |
|               |                                       |

Data is subject to change without notice.

Page 9 / 12

Learn More

# Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

Product Name: Dymax OP-29 UV Optical Adhesive (30ml)

Manufacturer Part Number:

OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)

## **OP-29**

Issuing Date 06-Oct-2023

Revision date 06-Oct-2023

Revision Number 32

Harmful agents subject to work environment monitoring (Measurement cycle: 6 months)

Harmful agents subject to workers requiring health examination Not applicable

Harmful or dangerous substances subject to submission of process safety reports Not applicable.

Control parameters

See section 8 for national exposure control parameters

| Chemical name | OEL        | PEL     |
|---------------|------------|---------|
| Acrylic Acid  | TWA: 2 ppm | No data |
|               | Skin*      |         |

B. Chemicals Control Act

| Chemical name                                       | Toxic substance   | Authorization<br>substance | Prohibited substance | Restricted substance |
|---|-------------------|----------------------------|----------------------|----------------------|
| Acrylic Acid  | 2020-1-983, 5 % * | Not applicable             | Not applicable       | Not applicable       |
| * Mixtures containing this % or more are designated |                   |                            |                      |                      |

**Chemicals Control Act (CCA) - Accident Precaution Chemicals** 

| Applicable    |   |
|---------------|---|
| Chemical name | Chemicals Control Act (CCA) - Accident Precaution |
|               | Chemicals   |
| Acrylic Acid  | Applicable  |

Act on Registration, Evaluation, etc. of Chemicals (K-REACH)

Refer to the Act on Registration and Evaluation of Chemical Substances, Articles 8-4, 9 and 10-2

| Chemical name | Existing substances subject<br>to registration | Existing substances not<br>likely to be subject to<br>registration | Existing substances known<br>to be of very low risk |
|---------------|--|--|---|
| Acrylic Acid  | Applicable                                     | Not applicable   | Not applicable                                      |

C. Safety Control of Dangerous Substances Act

Dangerous Goods Class Class 4 - flammable liquids - Group 3 petroleum chemicals, water insoluble, 2,000

D. Wastes Management

Dispose of waste in accordance with environmental legislation.

E. Other Regulations No information available

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

Page 10 / 12

Learn More

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.



Manufacturer:

Dymax®

**Product Name:** Dymax OP-29 UV Optical Adhesive (30ml)

Manufacturer Part Number: OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)


| OP-29   |  |                     |    |  |
|---|--|---------------------|----|--|
| ssuing Date 06-Oc   | Revision date         06-Oct-2023  | Revision Number     | 32 |  |
| The Rotterdam Conv<br>Not applicable  | vention  |                     |    |  |
| nternational Invento  |  |                     |    |  |
| ISCA<br>DSL/NDSL  | Complies.<br>Complies.   |                     |    |  |
|   | Complies.  |                     |    |  |
| NCS   | Complies.  |                     |    |  |
| ECSC  | Complies.  |                     |    |  |
| (ECL  | Complies.  |                     |    |  |
|   | Not Listed.<br>Complies.   |                     |    |  |
|   | Complies.  |                     |    |  |
| CSI   | Complies   |                     |    |  |
| KECL - Korean Exi<br>PICCS - Philippines  | entory of Existing Chemical Substances<br>isting and Evaluated Chemical Substances<br>is Inventory of Chemicals and Chemical Substances<br>Industrial Chemicals Introduction Scheme  |                     |    |  |
| KECL - Korean Exi<br>PICCS - Philippines<br>AIICS - Australian I<br>NZIOC - New Zeala   | isting and Evaluated Chemical Substances<br>is Inventory of Chemicals and Chemical Substances<br>Industrial Chemicals Introduction Scheme<br>and Inventory of Chemicals<br>emical Substance Inventory  |                     |    |  |
| KECL - Korean Exit<br>PICCS - Philippine:<br>AIICS - Australian<br>NZIOC - New Zeala<br>TCSI - Taiwan Che<br>16. Other information sour   | visting and Evaluated Chemical Substances<br>Is Inventory of Chemicals and Chemical Substances<br>Industrial Chemicals Introduction Scheme<br>and Inventory of Chemicals<br>emical Substance Inventory<br>mation<br>urces and references   |                     |    |  |
| KECL - Korean Exit<br>PICCS - Philippine:<br>AIICS - Australian<br>NZIOC - New Zeala<br>TCSI - Taiwan Che<br>16. Other inform<br>A. Information sour<br>Prepared By   | kisting and Evaluated Chemical Substances<br>is Inventory of Chemicals and Chemical Substances<br>Industrial Chemicals Introduction Scheme<br>and Inventory of Chemicals<br>emical Substance Inventory<br>mation<br>Inces and references<br>No information available.  |                     |    |  |
| KECL - Korean Exit<br>PICCS - Philippine:<br>AIICS - Australian<br>NZIOC - New Zeala<br>TCSI - Taiwan Che<br>16. Other inform<br>A. Information sour<br>Prepared By<br>Key or legend to abl   | visting and Evaluated Chemical Substances<br>Is Inventory of Chemicals and Chemical Substances<br>Industrial Chemicals Introduction Scheme<br>and Inventory of Chemicals<br>emical Substance Inventory<br>mation<br>Inces and references<br>No information available.<br>Interviations and acronyms used in the safety data sheet  | gienists)           |    |  |
| KECL - Korean Exit<br>PICCS - Philippine:<br>AIICS - Australian<br>NZIOC - New Zeala<br>TCSI - Taiwan Che<br>16. Other inform<br>A. Information sour<br>Prepared By   | kisting and Evaluated Chemical Substances<br>is Inventory of Chemicals and Chemical Substances<br>Industrial Chemicals Introduction Scheme<br>and Inventory of Chemicals<br>emical Substance Inventory<br>mation<br>Inces and references<br>No information available.  | gienists)           |    |  |
| KECL - Korean Exi<br>PICCS - Philippine:<br>AIICS - Australian<br>NZIOC - New Zeala<br>TCSI - Taiwan Che<br>16. Other information sour<br>Prepared By<br>Key or legend to abl<br>CGIH<br>MDG  | isisting and Evaluated Chemical Substances<br>Is Inventory of Chemicals and Chemical Substances<br>Industrial Chemicals Introduction Scheme<br>and Inventory of Chemicals<br>emical Substance Inventory<br>mation<br>Inces and references<br>No information available.<br>Interviations and acronyms used in the safety data sheet<br>ACGIH (American Conference of Governmental Industrial Hy-<br>International Maritime Dangerous Goods (IMDG)                                     | gienists)           |    |  |
| KECL - Korean Exi<br>PICCS - Philippine:<br>AIICS - Australian<br>NZIOC - New Zeala<br>TCSI - Taiwan Che<br>16. Other information sour<br>Prepared By<br>Key or legend to abl<br>CGIH<br>MDG  | risting and Evaluated Chemical Substances<br>Inventory of Chemicals and Chemical Substances<br>Industrial Chemicals Introduction Scheme<br>and Inventory of Chemicals<br>emical Substance Inventory<br>mation<br>Inces and references<br>No information available.<br>Previations and acronyms used in the safety data sheet<br>ACGIH (American Conference of Governmental Industrial Hyg<br>International Maritime Dangerous Goods (IMDG)<br>EXPOSURE CONTROLS/PERSONAL PROTECTION_ |                     |    |  |
| KECL - Korean Exil<br>PICCS - Philippine:<br>AIICS - Australian I<br>NZIOC - New Zeala<br>TCSI - Taiwan Che<br>16. Other inform<br>A. Information sour<br>Prepared By<br>Key or legend to abl<br>CGIH<br>MDG<br>Legend Section 8: E | risting and Evaluated Chemical Substances<br>Inventory of Chemicals and Chemical Substances<br>Industrial Chemicals Introduction Scheme<br>and Inventory of Chemicals<br>emical Substance Inventory<br>mation<br>Inces and references<br>No information available.<br>Previations and acronyms used in the safety data sheet<br>ACGIH (American Conference of Governmental Industrial Hyg<br>International Maritime Dangerous Goods (IMDG)<br>EXPOSURE CONTROLS/PERSONAL PROTECTION_ | erm Exposure Limit) |    |  |

Data is subject to change without notice.

Page 11/12

Learn More

# Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

Product Name: Dymax OP-29 UV Optical Adhesive (30ml)

Manufacturer Part Number: OP-29-30ML

Click here for more details on the Dymax OP-29 UV Optical Adhesive (30ml)

| OP-29  |  |  |  |  |
|--|--|--|--|--|
| Issuing Date 06-Oct-   | 2023 Revision date 06-Oct-2023   | Revision Number                                      |  |  |
| National Toxicology Pr<br>New Zealand's Chemic<br>Organization for Econo<br>Organization for Econo | cal Classification and Information Database (CCID)<br>omic Co-operation and Development Environment, Health, and Safety Publication<br>omic Co-operation and Development High Production Volume Chemicals Progran<br>omic Co-operation and Development Screening Information Data Set  |  |  |  |
| C. Revision number   | and date   |  |  |  |
| Revision Number<br>Revision date   | - 32<br>06-Oct-2023  |  |  |  |
| D. Other   |  |  |  |  |
| publication. The inform disposal, and release a  | ed in this Safety Data Sheet is correct to the best of our knowledge, information,<br>nation given is designed only as a guidance for safe handling, use, processing, st<br>and is not to be considered a warranty or quality specification. The information rel<br>d may not be valid for such material used in combination with any other material | orage, transportation,<br>lates only to the specific |  |  |

specified in the text.

End of Safety Data Sheet

Page 12 / 12

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

