

Manufacturer: Dymax<sup>®</sup>

Product Name: Dymax OP-30 UV Optical Adhesive (3ml)

Manufacturer Part Number: OP-30-3ML

Click here for more details on the Dymax OP-30 UV Optical Adhesive (3ml)



### SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: MoL Notice 2012-14

	OP-30					
Issuing Date	30-Mar-2023	Rev	ision date	30-Mar-2023	Revision Number 32	
1. Identific	cation					
A. Product id	lentifier					
Product Name	e	OP-30				
B. Relevant i	identified uses of the	e substance or	mixture and	l uses advised against		
Recommende	ed use	Adhesives a	nd/or sealant	ts.		
Uses advised	against	Consumer u	se.			
C. Supplier's	details					
Manufacturer Dymax Corpor 318 Industrial I Torrington, CT Tel: 860-482-1 Fax: 860-496-0	ration Lane 06790 1010	No Fer Sha Tel	narey Chemi .111, Muhua ngxian Distric anghai China I: +86 21 375 2: 201507	st i	Dymax Asia Pacific Pte Ltd. Block 5008 (East Wing) Ang Mo Kio Ave. 5 #05-3 TECHplace II Singapore 569874 Tel: +65-6752-2887 Fax: +65-6752-2813	
Importer Dymax Korea #506, U'space 670, Daewang Bundang-gu, S Gyeonggi-do, I Phone: +82.31 Fax: +82.31.60	2 A-dong gpangyo-ro Seongnam-si Korea I.608.3434					
<u>Responsibilit</u>	y Statement					
E-mail addres	s	Product_Reg	gulatory_Asia	a@dymax.com		
Emergency te	elephone number					
Emergency T	elephone	Chemtrec @	001-703-74	1-5970 (24hrs)		
Local in Cour Toll Free in C		00-308-13-2 +(82) 070-76				
2. Hazard(	(s) identification	า				
A. Classificat	tion of the substance	e or mixture				

 Skin corrosion/irritation
 Category 2

 Serious eye damage/eye irritation
 Category 1

Page 1/11

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • <u>focenter.com</u> 508-992-6464 | (800) 473-4237 • <u>sales@focenter.com</u>

# > Learn More



**Manufacturer:** 

Dymax<sup>®</sup>

**Product Name:** Dymax OP-30 UV Optical Adhesive (3ml)

**Manufacturer Part Number: OP-30-3ML** 

# Click here for more details on the Dymax OP-30 UV Optical Adhesive (3ml)

# Issuing Date 30-Mar-2023 Revision date 30-Mar-2023 Skin sensitization Category 1 Specific target organ toxicity (single exposure) Category 3 Chronic aquatic toxicity Category 3 B. GHS Label elements, including precautionary statements Hazard symbols Signal word Danger Hazard statements H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H335 - May cause respiratory irritation. H412 - Harmful to aquatic life with long lasting effects. Precautionary Statements - Prevention P264 - Wash face, hands and any exposed skin thoroughly after handling. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection. Precautionary Statements - Response P314 - Get medical advice/attention if you feel unwell. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302 + P352 - IF ON SKIN: Wash with plenty of soap and water. P362 - Take off contaminated clothing and wash before reuse. P304 + P340 - IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. Precautionary Statements - Storage P403 + P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. Precautionary Statements - Disposal P501 - Dispose of contents/ container to an approved waste disposal plant. C. Other hazards which do not result in classification Environmental product testing for acute and chronic aquatic effects determined classification to be Category 3. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

3. Composition/information on ingredients

Page 2 / 11

Learn More

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com 508-992-6464 | (800) 473-4237 • sales@focenter.com

# **OP-30**

Revision Number 32



Manufacturer:

Dymax®

Product Name: Dymax OP-30 UV Optical Adhesive (3ml)

Manufacturer Part Number: OP-30-3ML

Click here for more details on the Dymax OP-30 UV Optical Adhesive (3ml)

# **OP-30**

Issuing Date 30-Mar-2023

Revision date 30-Mar-2023

Revision Number 32

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Other identifier number
Acrylate Ester	Proprietary	25-39	Listed
Acrylic oligomer	Proprietary	10-24	Listed
Methacrylate Ester Monomer	Proprietary	10-24	Listed
Acrylate monomer	Proprietary	10-24	Listed
Acrylic Acid	79-10-7	3-<5	KE-29442
Silane Coupling Agent	Proprietary	1-<3	Listed
Peroxide	Proprietary	<1	Listed
Visible Photoinitiator	Proprietary	<1	Listed

#### 4. First-aid measures

#### A. In case of eye contact

Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

#### B. In case of skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

### C. In case of inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.

#### D. In case of ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

#### E. Indication of immediate medical attention and special treatment needed, if necessary

#### General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

#### Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

#### Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

Symptoms Burning sensation. Itching. Rashes. Hives.

# 5. Fire-fighting measures

#### A. Suitable (and unsuitable) extinguishing media

#### Suitable Extinguishing Media

Dry chemical or CO2. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

B. Specific hazards arising from the chemical

Page 3/11

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.





**Manufacturer:** 

Dymax<sup>®</sup>

**Product Name:** Dymax OP-30 UV Optical Adhesive (3ml)

**Manufacturer Part Number: OP-30-3ML** 

# Click here for more details on the Dymax OP-30 UV Optical Adhesive (3ml)

### **OP-30**

Issuing Date 30-Mar-2023

# Revision date 30-Mar-2023

Revision Number 32

Product is or contains a sensitizer. May cause sensitization by skin contact.

#### Hazardous combustion products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons. Nitrogen oxides (NOx).

#### C. Special Protective Equipment for Firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### 6. Accidental release measures

#### A. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak

#### Other information

Refer to protective measures listed in Sections 7 and 8.

**B.** Environmental precautions Prevent further leakage or spillage if safe to do so.

### C. Methods and material for containment and cleaning up.

#### Methods for containment

Prevent further leakage or spillage if safe to do so.

#### Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal

#### Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

#### Reference to other sections

See section 8 for more information. See section 13 for more information.

#### Section 7: Handling and storage, including how the chemical may be safely used

#### A. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Protect from light.

#### B. Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Protect from light.

#### General hygiene considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

#### 8. Exposure controls/personal protection

#### A. Control Parameters

Page 4/11

Data is subject to change without notice.

## Contact the professionals at Fiber Optic Center for a quote or to get more details.





**Manufacturer:** 

Dymax<sup>®</sup>

**Product Name:** Dymax OP-30 UV Optical Adhesive (3ml)

**Manufacturer Part Number: OP-30-3ML** 

# Click here for more details on the Dymax OP-30 UV Optical Adhesive (3ml)

### **OP-30**

Issuing Date 30-Mar-2023

Revision date 30-Mar-2023

Revision Number 32

#### **Occupational exposure limits**

Chemical name	OEL	PEL
Acrylic Acid	TWA: 2 ppm	-
	Skin*	

#### B. Appropriate engineering controls

### Engineering controls

Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Prevent product from entering drains.

#### C. Personal protective equipment

Hand protection Wear suitable gloves. Nitrile rubber, Butyl rubber.

Eye protection Tight sealing safety goggles.

Body protection Wear suitable protective clothing. Long sleeved clothing.

#### **Respiratory protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

<ul> <li>A. Appearance: Physical State: color:</li> <li>B. Odor:</li> <li>C. Odor threshold:</li> </ul>	transparent Liquid colorless Characteristic No information available	
Property	Values	Remarks • Method
D. pH:	No data available	No information available
E. Melting point / freezing point:	No data available	No information available
F. Initial boiling point and boiling	No data available	No information available
range:		
G. Flash point:	101 °C / 213.8 °F	Pensky-Martens Closed Cup (PMCC)
H. Evaporation rate:	No data available	No information available
I. Flammability (solid, gas):	No data available	Not applicable
J. Upper/lower flammability or expl	losive limits	
Upper flammability or explosive limits:	No data available	No information available
Lower flammability or explosive limits:	No data available	No information available
K. Vapor pressure: L. Solubility(ies)	No data available	No information available
Water solubility:	partially soluble	No information available
Solubility in other solvents:	No data available	No information available

Page 5/11

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

Product Name: Dymax OP-30 UV Optical Adhesive (3ml)

Manufacturer Part Number: OP-30-3ML

# Click here for more details on the Dymax OP-30 UV Optical Adhesive (3ml)

	OP-30			
Issuing Date 30-Mar-2023	Revision date 30-Mar-2	023	Revision Number	32
M. Relative vapor density:	No data available	No information available		
N. Specific Gravity:	No data available	No information available		
O. Partition coefficient:	No data available	No information available		
n-octanol/water:				
P. Autoignition Point:	238 °C / 460.4 °F	No information available		
Q. Decomposition temperature:	No data available	No information available		
R. Viscosity				
Kinematic viscosity:	No data available	No information available		
Dynamic viscosity:	400 cP			
S. Molecular weight:	No data available			
Other information				
Explosive properties:	No information available			
Oxidizing properties:	No information available			
Softening point:	No information available			
VOC Content (%):	No information available			
Liquid Density:	No information available			
10 Stability and reactivity				
10. Stability and reactivity				
A. Chemical stability and possibil	ity of hazardous reactions			
Stability Stable under normal conditions.				

Reactivity No information available.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization None under normal processing.

#### Explosion data

Sensitivity to mechanical impact: None. Sensitivity to static discharge: None.

**B. Conditions to avoid** Heat, flames and sparks. Protect from light.

C. Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

**D. Hazardous decomposition products** None under normal use conditions.

### 11. Toxicological information

#### A. Information on the likely routes of exposure

### Product Information

Inhalation: Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. Ingestion: Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

Page 6/11

Learn More

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • <u>focenter.com</u> 508-992-6464 | (800) 473-4237 • <u>sales@focenter.com</u>

# OP-30



**Manufacturer:** 

Dymax<sup>®</sup>

**Product Name:** Dymax OP-30 UV Optical Adhesive (3ml)

**Manufacturer Part Number: OP-30-3ML** 

Click here for more details on the Dymax OP-30 UV Optical Adhesive (3ml)

# **OP-30**

Issuing Date 30-Mar-2023

Revision date 30-Mar-2023

Revision Number 32

diarrhea. May be harmful if swallowed.

Eye contact: Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to

eyes. Skin contact:

Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.

Symptoms

Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

B. Health hazards information

#### Acute toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document: ATEmix (oral) 4,593.50 mg/kg 4,479.90 mg/kg ATEmix (dermal): ATEmix (inhalation-dust/mist): 68.10 mg/l ATEmix (inhalation-vapor): 270.10 mg/l

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

#### **Component Information:**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acrylate Ester	= 4890 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Methacrylate Ester Monomer	= 5050 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Acrylate monomer	-	> 2000 mg/kg (Rabbit) 1000 - 2000 mg/kg (Rabbit )	-
Acrylic Acid	= 193 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 11.1 mg/L ( Rat ) 1 h = 3.6 mg/L ( Rat ) 4 h
Silane Coupling Agent	= 23.5 g/kg (Rat)	> 2000 mg/kg (Rat)	> 2.28 mg/L (Rat)6 h
Peroxide	= 1012 mg/kg (Rat)	= 3817 mg/kg (Rabbit)	1.01 - 4.9 mg/L (Rat)4 h
Visible Photoinitiator	-	> 2000 mg/kg ( Rat )	-

#### Skin corrosion/irritation:

Classification based on data available for ingredients. Irritating to skin.

#### Serious eye damage/irritation:

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Respiratory or skin sensitization: May cause sensitization by skin contact.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

indicates whether		

Chemical name	IARC
Acrylic Acid	Group 3

#### Legend IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

Page 7/11

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

Product Name: Dymax OP-30 UV Optical Adhesive (3ml)

Manufacturer Part Number: OP-30-3ML

# Click here for more details on the Dymax OP-30 UV Optical Adhesive (3ml)

# **OP-30**

Issuing Date 30-Mar-2023

Revision date 30-Mar-2023

Revision Number 32

Germ cell mutagenicity:

Based on available data, the classification criteria are not met. Not classified.

Reproductive toxicity: Based on available data, the classification criteria are not met. Not classified.

Specific target organ toxicity (STOT) – single exposure: May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity (STOT) – repeated exposure: Based on available data, the classification criteria are not met. Not classified.

Target organ effects Respiratory system. Eyes. Skin.

Aspiration hazard: Not classified. Based on available data, the classification criteria are not met.

### 12. Ecological information

A. Ecotoxicity

### Ecotoxicity

Harmful to aquatic life with long lasting effects.

#### **Product Information**

Environmental product testing for acute and chronic aquatic effects determined classification to be Category 3. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

Chemical name	Fish	Crustacea	Algae/aquatic plants
Acrylate Ester	LC50: =0.704mg/L 96h	EC 50 = 1.1 mg/L 48 h	ErC 50 = 2.7 mg/L 96h
	(Danio rerio)	(Daphnia magna)	(Pseudokirchneriella subcapitata)
Methacrylate Ester Monomer	LC50: 213 - 242mg/L (96h,	EC50 > 380 mg/l 48 h (Daphnia	-
	Pimephales promelas)	magna)	
	LC50: =227mg/L (96h,	-	
	Pimephales promelas)		
Acrylic Acid	LC50: =222mg/L (96h,	EC50:=95mg/L (48h, Daphnia	EC50: =0.04mg/L
	Brachydanio rerio) NOEC: >=		(72h, Desmodesmus subspicatus)
	10.1mg/L (45d, Oryzias latipes,	NOEC: =3.8mg/L (21d, Daphnia	EC50: =0.17mg/L
	OECD 210)	magna)	(96h, Pseudokirchneriella
		-	subcapitata)
Silane Coupling Agent	LC50: >100mg/L	EC50 > 876,00 mg/l 48 h	EC50 > 536,00 mg/l 72 h
	(96h Danio rerio)	(Daphnia magna)	(Scenedesmus subspicatus)
Peroxide	LC50: =1.6mg/L 96h	EC50 = 11 mg/l 48h	ErC50 = 0.8 mg/l 72h } par (Green
	(Danio rerio)	(Daphnia magna)	Algae)
Visible Photoinitiator	LC50 10 mg/l 48 h	-	-
	(Oryzias latipes)		

#### B. Persistence and degradability

No information available.

C. Bioaccumulative potential

There is no data for this product.

#### **Component Information**

Chemical name	Partition coefficient
Acrylate Ester	4.52
Acrylic oligomer	2.03
Methacrylate Ester Monomer	0.42
-	•

Page 8 / 11

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax®

Product Name: Dymax OP-30 UV Optical Adhesive (3ml)

Manufacturer Part Number: OP-30-3ML

# Click here for more details on the Dymax OP-30 UV Optical Adhesive (3ml)

# **OP-30**

Revision date 30-Mar-2023

Issuing Date 30-Mar-2023

Revision Number 32

Acrylate monomer	1.2
Acrylic Acid	0.46
Silane Coupling Agent	2.1
Peroxide	3
Visible Photoinitiator	3.1

D. Mobility in soil

No information available

E. Other adverse effects

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors.

#### 13. Disposal considerations

#### A. Waste treatment methods

#### Waste from residues/unused products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

#### B. Disposal considerations

#### Contaminated packaging

Dispose of contents/containers in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

- A. UN number or ID number:
- B. UN proper shipping name: Not regulated C. Transport hazard class(es): Not regulated
- C. Transport hazard class(es): Not regulated D. Packing group: Not regulated
- E. Marine pollutant:
- Not applicable

Not regulated

F. Special precautions for user: None

#### 15. Regulatory information

#### A. Industrial Safety and Health Law

Chemical name	Prohibited substance	Substances Requiring Permission			ISHA - Substances to be controlled - Acids
		-			and bases
Acrylic Acid	Not applicable	Not applicable	>=1 %	Not applicable	>=1%

#### B. Chemicals Control Act

Chemical name	Toxic substance	Prohibited substance	Restricted substance	
Acrylic Acid	2020-1-0983, 5 % *	Not applicable	Not applicable	
* Mixtures co				

Chemicals Control Act (CCA) - Accident Precaution Chemicals Applicable.

Page 9/11

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer: Dymax<sup>®</sup>

**Product Name:** Dymax OP-30 UV Optical Adhesive (3ml)

Manufacturer Part Number: OP-30-3ML

# Click here for more details on the Dymax OP-30 UV Optical Adhesive (3ml)

ssuing Date 30-Mar-2023	Revision date	Revision date 30-Mar-2023	
Chemical name	Threshold Values (%)	Quantity limit for manufacture/us	se Quantity limit for custody/storage
Acrylic Acid		1500000 kg/yr	20000 kg/yr
C. <u>Safety Control of Dange</u> Not applicable. D. <u>Wastes Management</u>	erous Substances Act		
E. Other Regulations			
Pollutant Release and Tran	sfer Register (PRTR)		
International Inventories			
DSL/NDSL - Canadian Dor EINECS/ELINCS - Europe: ENCS - Japan Existing and IECSC - China Inventory of KECL - Korean Existing and PICCS - Philippines Inventor	Existing Chemical Substances d Evaluated Chemical Substances ory of Chemicals and Chemical Su al Chemicals Introduction Scheme	stic Substances List Substances/European List of Not	ified Chemical Substances
A. Information sources and			
Prepared By	No information available		
Key or legend to abbreviate	ons and acronyms used in the s	afety data sheet	
	Conference of Governmental Indus		
	JRE CONTROLS/PERSONAL PR		
TWA (time-weighted average		STEL (Short Term Exposure L	imit)
Ceiling: Maximum limit value	•	*: Skin designation	
	nd sources for data used to com and Disease Registry (ATSDR)	pile the SDS	

Data is subject to change without notice.

Page 10 / 11

Learn More

# Contact the professionals at Fiber Optic Center for a quote or to get more details.



Manufacturer:

Dymax®

Product Name: Dymax OP-30 UV Optical Adhesive (3ml)

Manufacturer Part Number: OP-30-3ML

# Click here for more details on the Dymax OP-30 UV Optical Adhesive (3ml)

OP-30					
Issuing Date	30-Mar-2023	Revision date	30-Mar-2023	Revision Number	32
U.S. Environm Food Researc Hazardous Su International L Japan GHS C Australia Natiti NIOSH (Natio National Libra National Libra National Libra National Libra National Libra Organization f Organization f	nental Protection Ager ch Journal Justance Database Jufform Chemical Infor lassification onal Institute for Occup ry of Medicine's Chem ry of Medicine's Chem ry of Medicine's Publy sology Program (NTP) s Chemical Classifical for Economic Co-oper for Economic Co-oper for Economic Co-oper	ncý High Production Volume rmation Database (IUCLID) als Notification and Assess ational Safety and Health) IID Plus (NLM CIP) led database (NLM PUBME ion and Information Databa ation and Development Env ation and Development Higl	nent Scheme (NICNAS) D)		_
B. Issuing D	ate	30-Mar-2023			
C. Revision	number and date				
Revision Nur	nber	32			
Revision date	e	30-Mar-2023			
D. Other		No information available	9		
Disclaimer					

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Dymax Corporation and its subsidiaries and affiliates (DYMAX). The information in this SDS relates only to the specific material designated herein. DYMAX assumes no legal responsibility for use of or reliance upon the information in this SDS.

End of Safety Data Sheet

Page 11/11

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

