

Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1272/2008 and Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878

	OP-56					
Issuing Date 27-Apr-2023	Revision date 27-Ap	Revision Number 32				
SECTION 1: Identification of the substance/mixture and of the company/undertaking						
1.1. Product identifier Product Name	OP-56					
Pure substance/mixture	Mixture					
1.2. Relevant identified uses of	the substance or mixture and uses advise	d against				
Recommended use	Adhesives and/or sealants.					
Uses advised against	Consumer use.					
1.3. Details of the supplier of the	e safety data sheet					
Manufacturer Dymax Corporation 318 Industrial Lane Torrington, CT 06790 Tel: 860-482-1010 Fax: 860-496-0608	Manufacturing sites Dymax Asia Pacific Pte Ltd. Block 5008 (East Wing) Ang Mo Kio Ave. 5 #05-3 TEC-Hplace II Singapore 569874 Tel: +65-6752-2887 Fax: +65-6752-2813	Supplier Dymax Asia Pacific Pte Ltd. Block 5008 (East Wing) Ang Mo Kio Ave. 5 #05-3 TECHplace II Singapore 569874 Tel: +65-6752-2887 Fax: +65-6752-2813				
For further information, please	<u>contact</u>					
E-mail address	Product_Regulatory_Europe@dymax.cd	m				
1.4. Emergency telephone numl	ber					
Emergency Telephone	Chemtrec @ 001-703-741-5970 (24hrs)					
Austria +(43)-13649237	Belgium +(32)-28083237	Bulgaria +(359)-32570104				
Croatia +(385)-17776920	Czech Republic +(420)-228880039	Denmark +(45)-69918573				
stonia +(372)-6681294	Finland +(358)-942419014	France +(33)-975181407				
Germany 0800-181-7059	Greece +(30)-2111768478	Hungary +(36)-18088425				
reland +(353)-19014670	Italy 800-789-767	Latvia +(371)-66165504				
ithuania +(370)-52140238	Luxembourg +(352)-20202416	Netherlands +(31)-858880596				
lorway +(47)-21930678	Poland +(48)-223988029	Portugal +(351)-308801773				
Romania (+40)-37-6300026	Slovakia +(423)-233057972	Slovenia +(386)-18888016				
Spain 900-868538	Sweden +(46)-852503403	United Kingdom +(44)-870-8200418				
srael +(972)-37630639	Russia 8-800-100-6346	Saudi Arabia +(966)-8111095861				
Switzerland +(41)-435082011	Turkey +(90)-212-7055340	Ukraine +(380)-947101374				

SECTION 2: Hazards identification

Page 1/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56

Revision date 27-Apr-2023

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

	0.1
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1A - (H317)
Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 - Respiratory irritation	
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements



Signal word - Danger

Contains 1-vinyl-2-pyrrolidone, 4,4"-(1-Methylethylidene) bisphenol polymer with (chloromethyl)oxirane, 2-propenoate, Bisphenol-A epoxy resin, Tripropylene Glycol Diacrylate Esters

Hazard statements

- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H351 Suspected of causing cancer
- H373 May cause damage to organs through prolonged or repeated exposure H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

- P260 Do not breathe dust/fume/gas/mist/vapors/spray P280 Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 IF IN EYES: Rinse
- cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P362 + P364 Take off contaminated clothing and wash it before reuse

Additional information

This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Causes mild skin irritation

Product Information Environmental product testing for acute and chronic aquatic effects determined classification to be Category 3. OECD Test No. 202: Daphnia sp., Acute Immobilization Test,

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Endocrine Disruptor Information

Page 2 / 15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56

Revision date 27-Apr-2023

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2	Mixtures

Chemical name	CAS No 88-12-0	EC No (EU Index No)	REACH registration number	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-vinyl-2-pyrrolidone		(613-168-00-0) 201-800-4	-		Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H312) Eye Dam. 1 (H318) Carc. 2 (H351) STOT SE 3 (H335) STOT RE 2 (H373)
4,4"-(1-Methylethylidene) bisphenol polymer with (chloromethyl)oxirane, 2-propenoate	55818-57-0	-	-	10-24	Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)
Polyethylene Glycol 600 Diacrylate	26570-48-9	-	-	5-9	Skin Sens. 1A (H317) Eye Dam. 1 (H318)
Bisphenol-A epoxy resin	25068-38-6	(603-074-00-8)	-	3-<5	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)
Tripropylene Glycol Diacrylate Esters	42978-66-5	(607-249-00-X) 256-032-2	-	3-<5	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335) Aquatic Chronic 2 (H411)
Benzene, (1-methylethenyl)-, homopolymer, ar-(2-hydroxy-2-met hyl-1-oxopropyl) derivs.	163702-01-0	402-990-3	-	1-<3	Repr. 2 (H361f)
1,4-Benzenediol	123-31-9	(604-005-00-4) 204-617-8	-	<0.1	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 2 (H351) Aquatic Acute 1 (H400)

Chemical name	CAS No	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Bisphenol-A epoxy resin	25068-38-6	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5%		
Tripropylene Glycol Diacrylate Esters	42978-66-5	STOT SE 3 :: C>=10%		

Page 3 / 15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number:

OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56

Revision date 27-Apr-2023

Chemical name	CAS No	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
1,4-Benzenediol	123-31-9		10	

Acute Toxicity Estimate If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
1-vinyl-2-pyrrolidone	830	560		
Bisphenol-A epoxy resin	11400			
Tripropylene Glycol Diacrylate Esters	6200	2000		
Benzene, (1-methylethenyl)-, homopolymer, ar-(2-hydroxy-2-met hyl-1-oxopropyl) derivs.		2000		
1,4-Benzenediol	298	74800		

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid	·
4.1. Description of first aid	measures
General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention. If symptoms persist, call a physician. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye contact	Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get medical attention.
Self-protection of the first	aider Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing vapors or mists. Use personal protective equipment as required. See section 8 for more information.

Page 4/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56	Revision date 27-Apr-2023
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	Burning sensation. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation. Coughing and/ or wheezing. Difficulty in breathing.
4.3. Indication of any immediate me	edical attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
SECTION 5: Firefighting m	neasures
5.1. Extinguishing media	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from the	ne substance or mixture
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
SECTION 6: Accidental re	lease measures
6.1. Personal precautions, protection	ve equipment and emergency procedures
Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

Page 5/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56

Revision date 27-Apr-2023

SECTION 7: Handling and storage				
7.1. Precautions for safe handling	-			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Avoid breathing vapors or mists. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Protect from light.			
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.			
7.2. Conditions for safe storage, in	cluding any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep container tightly closed in a dry and well-ventilated place. Protect from light.			
Storage class (TRGS 510)	Storage class 10.			
7.3. Specific end use(s)				
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.			

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
1-vinyl-2-pyrrolidone	-	H*	TWA: 0.05 ppm	-	-
88-12-0			TWA: 0.23 mg/m ³		
Bisphenol-A epoxy resin	-	-	-	TWA: 1.0 mg/m ³	-
25068-38-6				Ū	
1,4-Benzenediol	-	TWA: 2 mg/m ³	TWA: 1 mg/m ³	TWA: 2.0 mg/m ³	TWA: 0.5 mg/m ³
123-31-9		STEL 4 mg/m ³	-	-	Skin Sensitisation
		Sensitizer			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
1-vinyl-2-pyrrolidone	-	-	-	-	TWA: 0.1 ppm
88-12-0					TWA: 0.5 mg/m ³
1,4-Benzenediol	-	TWA: 2 mg/m ³	Ceiling: 2 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³
123-31-9		Ceiling: 4 mg/m ³		STEL: 1.5 mg/m ³	STEL: 2 mg/m ³
		* *		0	Ű
		Sensitizer			
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
1-vinyl-2-pyrrolidone	TWA: 0.1 ppm	TWA: 0.005 ppm	TWA: 0.01 ppm	-	-
88-12-0		TWA: 0.025 mg/m ³	TWA: 0.047 mg/m ³		
		H*	Peak: 0.02 ppm		
			Peak: 0.094 mg/m ³		
			*		

Page 6/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56

Revision date 27-Apr-2023

	1	1	Г		
Tripropylene Glycol	-	-	skin sensitizer	-	-
Diacrylate Esters					
42978-66-5					
1,4-Benzenediol	TWA: 2 mg/m ³	-	*	TWA: 2 mg/m ³	-
123-31-9			skin sensitizer	STEL: 4 mg/m ³	
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
1-vinyl-2-pyrrolidone	TWA: 0.05 ppm	-	TWA: 0.05 ppm	TWA: 1 mg/m ³	-
88-12-0	STEL: 0.15 ppm		TWA: 0.23 mg/m ³		
1,4-Benzenediol	TWA: 0.5 mg/m ³	-	TWA: 1 mg/m ³	-	Sensitizer
123-31-9	STEL: 1.5 mg/m ³		U U		TWA: 0.5 mg/m ³
	Sensitizer				STEL: 1.5 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
1.4-Benzenediol	-	-	-	TWA: 0.5 mg/m ³	STEL: 2 mg/m ³
123-31-9				STEL: 1.5 mg/m ³	TWA: 1 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
1-vinyl-2-pyrrolidone	TWA: 0.05 ppm	-	-	TWA: 0.05 mg/m ³	-
88-12-0				TWA: 0.01 ppm	
				STEL: 0.02 ppm	
				STEL: 0.1 mg/m ³	
				*	
1.4-Benzenediol	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 2 mg/m ³	-	TWA: 2 mg/m ³
123-31-9	Sensitizer dermal	STEL: 2 mg/m ³	*		sensitizer
Chemical name	Sweden	Switzerland	United Kingdom		
1-vinyl-2-pyrrolidone	-	TWA: 0.02 ppm	-		
88-12-0		TWA: 0.09 mg/m ³			
		STEL: 0.04 ppm			
		STEL: 0.18 mg/m ³			
		H*			
1.4-Benzenediol	NGV: 0.5 mg/m ³	TWA: 2 mg/m ³	TWA: 0.5 mg/m ³		
123-31-9	Vägledande KGV:	STEL: 2 mg/m ³	STEL: 1.5 mg/m ³		
.20 01 0	1.5 mg/m ³	H*	0.22		
1	Sensitizer	''			
	Jenallizei				

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers No information available

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls

No information available.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection

Page 7/15

Wear suitable gloves. Nitrile rubber, Butyl rubber.

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.







Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number:

OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56	Revision date 27-Apr-2023
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

Physical state	Liquid	
Appearance	transparent	
Color	colorless	
Odor	Characteristic.	
Odor threshold	No information available	
Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	101 - °C	Pensky-Martens Closed Cup (PMCC)
Autoignition temperature	240 °C	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	1,800 cP	
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapor pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

Page 8/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56		Revision date	27-Apr-2023
10.1. Reactivity_			
Reactivity	No information available.		
10.2. Chemical stability			
Stability	Stable under normal conditions.		
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.		
10.3. Possibility of hazardous react	ions		
Possibility of hazardous reactions	None under normal processing.		
10.4. Conditions to avoid			
Conditions to avoid	Excessive heat.		
10.5. Incompatible materials			
ncompatible materials	Strong acids. Strong bases. Strong oxidizing agents.		
10.6. Hazardous decomposition pro	ducts		
Hazardous decomposition products	None known based on information supplied.		

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. Harmful by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes mild skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Redness. Burning. May cause blindness. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation. Coughing and/ or wheezing.
Acute toxicity	
Numerical measures of toxicity	

Page 9/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56			Revision date 27-Apr-2023
The following values are calcul ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust/mi	2,248.50 mg/kg 2,874.80 mg/kg	the GHS document	
Component Information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 = 3070 mg/m ³ (Rat) 4 h
1-vinyl-2-pyrrolidone	= 830 mg/kg (Rat)	= 560 mg/kg (Rabbit)	= 3070 mg/m ³ (Rat) 4 h
Bisphenol-A epoxy resin	= 11400 mg/kg (Rat)	-	-
Tripropylene Glycol Diacrylate Esters	= 6200 mg/kg (Rat)	> 2 g/kg (Rabbit)	-
Benzene, (1-methylethenyl)-, homopolymer, ar-(2-hydroxy-2-methyl- 1-oxopropyl) derivs.	-	= 2000 mg/kg (Rat)	-
1,4-Benzenediol	= 298 mg/kg (Rat)	= 74800 mg/kg (Rabbit)	-
Delayed and immediate effects	as well as chronic effects fro	m short and long-term exposu	re
Skin corrosion/irritation	May cause skin irritation. skin irritation.	Classification based on data ava	ilable for ingredients. Causes mild
Serious eye damage/eye irritati	 Classification based on d damage. 	ata available for ingredients. Cau	ises burns. Causes serious eye
Respiratory or skin sensitizatio	n May cause an allergic ski	in reaction.	
Germ cell mutagenicity The table below indicates ingredie	No information available. ents above the cut-off threshold	considered as relevant which an	e listed as mutagenic.

Chemical name 1,4-Benzenediol Contains a known or suspected carcinogen. Classification based on data available for

Carcinogenicity

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical na 1-vinyl-2-pyrro		European Union Carc. 2
1,4-Benzene		Carc. 2
Reproductive toxicity	Contains a known or susp for ingredients.	ected reproductive toxin. Classification based on data available
STOT - single exposure	May cause respiratory irrit	ation.
STOT - repeated exposure	May cause damage to org	ans through prolonged or repeated exposure.

Page 10 / 15

European Union

Muta. 2

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com 508-992-6464 | (800) 473-4237 • sales@focenter.com

Learn More



Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56

Aspiration hazard No information available.

Revision date 27-Apr-2023

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties Endocrine disrupting properties

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1-vinyl-2-pyrrolidone	EC50: =780mg/L (72h, Desmodesmus subspicatus)	LC50 976 mg/L 96 h (Oncorhynchus mykiss)	-	EC50: =45mg/L (48h, Daphnia species)
Tripropylene Glycol Diacrylate Esters	EC50: >28mg/L (72h, Desmodesmus subspicatus)	-	-	EC50: =88.7mg/L (48h, Daphnia magna)
1,4-Benzenediol	EC50: =0.335mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =0.044mg/L (96h, Oncorhynchus mykiss) LC50: =0.044mg/L (96h, Pimephales promelas) LC50: 0.1 - 0.18mg/L (96h, Pimephales promelas) LC50: =0.17mg/L (96h, Brachydanio rerio)	-	EC50: =0.29mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
1-vinyl-2-pyrrolidone	0.4
4,4"-(1-Methylethylidene) bisphenol polymer with	3.8
(chloromethyl)oxirane, 2-propenoate	
Tripropylene Glycol Diacrylate Esters	2
Benzene, (1-methylethenyl)-, homopolymer,	4.53
ar-(2-hydroxy-2-methyl-1-oxopropyl) derivs.	
1,4-Benzenediol	0.59

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

Page 11 / 15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56

PBT and vPvB assessment

Revision date 27-Apr-2023

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
1-vinyl-2-pyrrolidone	The substance is not PBT / vPvB
4,4"-(1-Methylethylidene) bisphenol polymer with (chloromethyl)oxirane,	The substance is not PBT / vPvB
2-propenoate	
Bisphenol-A epoxy resin	The substance is not PBT / vPvB
Tripropylene Glycol Diacrylate Esters	The substance is not PBT / vPvB
Benzene, (1-methylethenyl)-, homopolymer,	The substance is not PBT / vPvB
ar-(2-hydroxy-2-methyl-1-oxopropyl) derivs.	
1,4-Benzenediol	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.

SECTION 14: Transport information

IATA 14.1 UN number or ID number 14.2 Extended Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards	Not regulated Not regulated Not regulated Not regulated Not applicable
14.6 Special precautions for user Special Provisions	None
IMDG 14.1 UN number or ID number 14.2 Extended Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	Not regulated Not regulated Not regulated Not regulated Not applicable
Special Provisions 14.7 Maritime transport in bulk according to IMO instruments	None No information available
<u>RID</u> 14.1 UN number or ID number	Not regulated

Page 12/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56

Revision date 27-Apr-2023

14.2 Extended Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards 14.6 Special precautions for user	Not applicable
Special Provisions	None
ADR	
14.1 UN number or ID number	Not regulated
14.2 Extended Proper Shipping	Not regulated
Name	N
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name		French RG number	
	1-vinyl-2-pyrrolidone - 88-12-0	RG 84	
	1,4-Benzenediol - 123-31-9	RG 65	

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1) Classification according to AwSV.

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
1-vinyl-2-pyrrolidone - 88-12-0	75.	-
Bisphenol-A epoxy resin - 25068-38-6	75.	-
Tripropylene Glycol Diacrylate Esters - 42978-66-5	75.	-
1 4-Benzenediol - 123-31-9	75	_

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Page 13 / 15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number: OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56

Revision date 27-Apr-2023

International Inventories						
TSCA	Complies					
DSL/NDSL	Complies					
EINECS/ELINCS	Complies					
ENCS	Complies					
IECSC	Complies					
KECL	Complies					
PICCS	Not Listed					
AIIC	Complies					
NZIoC	Complies					
Legend:	Legend:					
TSCA - United States Toxic Substan	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory					
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List						
EINECS/ELINCS - European Inven	EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances					
ENCS - Japan Existing and New Chemical Substances						
IECSC - China Inventory of Existing Chemical Substances						
KECL - Korean Existing and Evaluated Chemical Substances						
	0					
AIICS - Australian Industrial Chemi						
NZIOC - New Zealand Investigation of Chemicals						
NEIGO - New Zealand Inventory of Orienicais						

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H302 Harmful if swallowed H312 Harmful in contact with skin
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H341 Suspected of causing genetic defects H351 Suspected of causing cancer
- H361f Suspected of damaging fertility
- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H411 Toxic to aquatic life with long lasting effects

Sensitizers

Legend

- SVHC: Substances of Very High Concern for Authorization:
- PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
- vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend	Section 8: EXPOSURE CONTROLS/PERSONA	L PROTECTION
TWA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	*

STEL (Short Term Exposure Limit) Skin designation

Learn More

Classification procedure

Page 14/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Dymax

Product Name: Dymax OP-56 Optical Positioning UV Adhesive (3ml)

Manufacturer Part Number:

OP-56-3ML

Click here for more details on the Dymax OP-56 Optical Positioning UV Adhesive (3ml)

OP-56 - OP-56

Revision date 27-Apr-2023

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	On basis of test data
Chronic aquatic toxicity	On basis of test data
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC) European Chemicals Agency (ECHA) (ECHA_API) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization Revision date 27-Apr-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 15/15

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

