

Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:

ET302-2.5G

Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Revision date: 8/1/2017 Revision: 3 Supersedes date: 4/21/2016



SAFETY DATA SHEET EPO-TEK® 302 Part A

1. Identification

Product identifier

Product name EPO-TEK® 302 Part A

Product number 302/A

Recommended use of the chemical and restrictions on use

Application Adhesive.

Details of the supplier of the safety data sheet

Supplier Epoxy Technology, Inc. 14 Fortune Drive

Billerica, MA 01821 USA

(978) 667-3805 (978) 663-9782

www.epotek.com, SDS@epotek.com

Emergency telephone number

Emergency telephone +1 (800) 255-3924, +1 (813) 248-0585

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classifie

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 2 - H411

Label elements

Pictogram





Signal word Warning

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with national regulations.







Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:

ET302-2.5G

Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Revision date: 8/1/2017	Revision: 3	Supersedes date: 4/21/2016
	EPO-TEK® 302 Part A	
Contains	Epoxy Phenol Novolac	
3. Composition/information on	ingredients	
Mixtures		
Epoxy Phenol Novolac		60-100%
CAS number: 9003-36-5		
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411		
The full text for all hazard state	ements is displayed in Section 16.	
4. First-aid measures		
Description of first aid measure	PS	
General information	Move affected person to fresh air at once. Get medical attention if any discomfort continues.	
Inhalation	Move affected person to fresh air at once. Keep affected person warm and at rest. Get medical attention immediately.	
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately.	
Skin Contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to minutes. Continue to rinse for at least 15 minutes. Get medical attent continues.	
Most important symptoms and	effects, both acute and delayed	
Inhalation	Vapors may cause headache, fatigue, dizziness and nausea.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	Skin irritation. Allergic rash.	
Eye contact	Severe irritation, burning and tearing.	
Indication of immediate medic	al attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Dry chemicals. Foam. Water spr	ay.
Special hazards arising from t	ne substance or mixture	
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides ar vapors.	nd other toxic gases or
Advice for firefighters		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	







Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:

ET302-2.5G

Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Revision date: 8/1/2017 Revision: 3 Supersedes date: 4/21/2016

EPO-TEK® 302 Part A

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Avoid release to the

environment.

Methods and material for containment and cleaning up

Methods for cleaning up Provide adequate ventilation. Wear suitable protective equipment, including gloves,

goggles/face shield, respirator, boots, clothing or apron, as appropriate. Absorb in vermiculite,

dry sand or earth and place into containers.

Reference to other sections For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and

contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety

Do not eat, drink or smoke when using this product. Wash promptly with soap and water if

data sheet

Advice on general

occupational hygiene skin becomes contaminated. Wash after use and before eating, smoking and using the toilet. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of

skin.

Conditions for safe storage, including any incompatibilities

Storage precautions Store at room temperature. Keep container tightly sealed when not in use. Protect from

freezing and direct sunlight.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure Controls/personal protection

Ingredient comments No exposure limits known for ingredient(s).

Exposure controls

Protective equipment





Appropriate engineering controls Provide adequate general and local exhaust ventilation.

Eye/face protection

The following protection should be worn: Chemical splash goggles.

Hand protection

It is recommended that chemical-resistant, impervious gloves are worn.

Other skin and body

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or

protection prolonged vapor conta







Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:

ET302-2.5G

Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

EPO-TEK® 302 Part A

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or

smoke.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Clear liquid.

Odor Mild.

Flash point > 93°C

Evaporation rate <BuAc

Solubility(ies) Insoluble in water.

Other information None.

10. Stability and reactivity

Reactivity The following materials may react violently with the product: Strong oxidizing agents.

Stability Stable at normal ambient temperatures.

Possibility of hazardous

reactions

Will not polymerize.

Conditions to avoid Avoid heat, flames and other sources of ignition. Avoid contact with strong oxidizing agents.

Materials to avoid Strong oxidizing agents.

Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Toxic gases/vapors/fumes of: Carbon dioxide (CO2). Carbon monoxide (CO).

11. Toxicological information

Information on toxicological effects

Inhalation Gas or vapor in high concentrations may irritate the respiratory system.

 Ingestion
 May cause irritation.

 Skin Contact
 Causes skin irritation.

 Eye contact
 May cause severe eye irritation.

12. Ecological Information

EcotoxicityToxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Acute toxicity - fish Not available.

Persistence and degradability

Persistence and degradability The product is biodegradable.

Bioaccumulative potential

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:

ET302-2.5G

Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Revision date: 8/1/2017	Revision: 3	Supersedes date: 4/21/2016
	EPO-TEK® 302 Part A	
Bio-Accumulative Potential	Bioaccumulation is unlikely to be significant because of the I	low water-solubility of this product
Mobility in soil		
Mobility	Mobile.	
Other adverse effects		
Other adverse effects	Not known.	
13. Disposal considerations		
Waste treatment methods		
Disposal methods	Dispose of waste to licensed waste disposal site in accordar local Waste Disposal Authority.	nce with the requirements of the
14. Transport information		
UN Number		
UN No. (TDG)	3082	
UN No. (IMDG)	3082	
UN No. (ICAO)	3082	
UN No. (DOT)	UN3082	
UN proper shipping name		
Proper shipping name (TDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID Phenol Novolac)), N.O.S. (CONTAINS Epoxy
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID Phenol Novolac)), N.O.S. (CONTAINS Epoxy
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID Phenol Novolac)), N.O.S. (CONTAINS Epoxy
Proper shipping name (DOT)	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUI Phenol Novolac)	ID, N.O.S. (CONTAINS Epoxy
Transport hazard class(es)		
DOT hazard class	9	
DOT hazard label	9	
TDG class	9	
TDG label(s)	9	
MDG Class	9	
CAO class/division	9	
Transport labels		
Ф .		
DOT transport labels		
AL.		







Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:

ET302-2.5G

Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Revision date: 8/1/2017 Revision: 3 Supersedes date: 4/21/2016 EPO-TEK® 302 Part A Packing group TDG Packing Group Ш IMDG packing group Ш ICAO packing group Ш DOT packing group Ш Environmental hazards **Environmentally Hazardous Substance** Special precautions for user F-A, S-F Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code 15. Regulatory information Regulatory References Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39. US Federal Regulations SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None of the ingredients are listed. CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) None of the ingredients are listed. SARA Extremely Hazardous Substances EPCRA Reportable Quantities None of the ingredients are listed. SARA 313 Emission Reporting None of the ingredients are listed. CAA Accidental Release Prevention None of the ingredients are listed. OSHA Highly Hazardous Chemicals None of the ingredients are listed. **US State Regulations** California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are listed. California Air Toxics "Hot Spots" (A-I) None of the ingredients are listed. California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed.

Data is subject to change without notice.



Contact the professionals at Fiber Optic Center for a quote or to get more details.



Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Supersedes date: 4/21/2016

Manufacturer Part Number:

ET302-2.5G

Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

EPO-TEK® 302 Part A

Revision: 3

Massachusetts "Right To Know" List

None of the ingredients are listed.

Revision date: 8/1/2017

Rhode Island "Right To Know" List

None of the ingredients are listed.

Minnesota "Right To Know" List None of the ingredients are listed.

New Jersey "Right To Know" List

None of the ingredients are listed.

Pennsylvania "Right To Know" List

None of the ingredients are listed.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed.

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All the ingredients are listed or exempt.

Japan - MITI

All the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines - PICCS

All the ingredients are listed or exempt.

16. Other information

 Revision date
 8/1/2017

 Revision
 3

 Supersedes date
 4/21/2016

Hazard statements in full H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.





Manufacturer: Epoxy Technology

Product Name:

EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Manufacturer Part Number:

ET302-2.5G

Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (2.5g)

Revision date: 8/1/2017 Supersedes date: 4/21/2016 EPO-TEK® 302 Part A Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in glood faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Data is subject to change without notice.



Contact the professionals at Fiber Optic Center for a quote or to get more details.