

SAFETY DATA SHEET (SDS)



Manufacturer:
Epoxy Technology

Product Name:
EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Manufacturer Part Number:
ET302-80Z

▶ Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Revision date: 8/1/2017

Revision: 3

Supersedes date: 4/21/2016



SAFETY DATA SHEET EPO-TEK® 302 Part B

1. Identification

Product identifier

Product name EPO-TEK® 302 Part B
Product number 302/B

Recommended use of the chemical and restrictions on use

Application Adhesive.

Details of the supplier of the safety data sheet

Supplier Epoxy Technology, Inc.
14 Fortune Drive
Billerica, MA 01821
USA
(978) 667-3805
(978) 663-9782
www.epotek.com, SDS@epotek.com

Emergency telephone number

Emergency telephone +1 (800) 255-3924, +1 (813) 248-0585

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified
Health hazards Acute Tox. 4 - H302 Skin Corr. 1B - H314 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Muta. 1B - H340 Repr. 1B - H360 STOT SE 3 - H335 STOT RE 2 - H373
Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Label elements

Pictogram



Signal word

Danger

Hazard statements

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H340 May cause genetic defects.
H360 May damage fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Data is subject to change without notice.


Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



SAFETY DATA SHEET (SDS)



Manufacturer:
Epoxy Technology

Product Name:
EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Manufacturer Part Number:
ET302-8OZ

▶ Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Revision date: 8/1/2017

Revision: 3

Supersedes date: 4/21/2016

EPO-TEK® 302 Part B

Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 [In case of inadequate ventilation] wear respiratory protection.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a poison center/ doctor.
P501 Dispose of contents/ container in accordance with national regulations.

Contains

4-Nonyl phenol, Amine Compound

3. Composition/information on ingredients

Mixtures

4-Nonyl phenol CAS number: 84852-15-3	60-100%
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Repr. 2 - H361fd Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
Amine Compound CAS number: Proprietary	10-30%
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1C - H314 Skin Sens. 1B - H317 Aquatic Chronic 3 - H412	

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately.
Skin Contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.

Data is subject to change without notice.


Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



SAFETY DATA SHEET (SDS)



Manufacturer:
Epoxy Technology

Product Name:
EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Manufacturer Part Number:
ET302-8OZ

▶ [Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure \(8oz\)](#)

Revision date: 8/1/2017

Revision: 3

Supersedes date: 4/21/2016

EPO-TEK® 302 Part B

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

Most important symptoms and effects, both acute and delayed

General information Contains a substance which may cause genetic defects. Contains a substance/a group of substances which may damage fertility and the unborn child.

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

Ingestion Harmful if swallowed. May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

Skin contact Causes severe burns. May cause sensitisation by skin contact.

Eye contact Causes serious eye damage.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Extinguish with the following media: Dry chemicals. Foam. Water spray.

Special hazards arising from the substance or mixture

Specific hazards Fire creates: Toxic gases/vapors/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).

Hazardous combustion products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Avoid or minimize the creation of any environmental contamination.

Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate.

Reference to other sections For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

Data is subject to change without notice.


Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



SAFETY DATA SHEET (SDS)



Manufacturer:
Epoxy Technology

Product Name:
EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Manufacturer Part Number:
ET302-8OZ

▶ Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Revision date: 8/1/2017

Revision: 3

Supersedes date: 4/21/2016

EPO-TEK® 302 Part B

Advice on general occupational hygiene

Provide eyewash station and safety shower. Pregnant or breastfeeding women should not work with this product if there is any risk of exposure. Wash promptly with soap and water if skin becomes contaminated. Wash after use and before eating, smoking and using the toilet. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.

Conditions for safe storage, including any incompatibilities

Storage precautions Store at room temperature. Keep container tightly sealed when not in use.

Storage class Corrosive storage.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure Controls/personal protection

Ingredient comments No exposure limits known for ingredient(s).

Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield.

Hand protection

It is recommended that chemical-resistant, impervious gloves are worn.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Provide eyewash station and safety shower. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Liquid.

Color Clear liquid.

Odor Mild.

Flash point >95°C

Vapor density >1

Other information None.

10. Stability and reactivity

Data is subject to change without notice.


Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



SAFETY DATA SHEET (SDS)



Manufacturer:
Epoxy Technology

Product Name:
EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Manufacturer Part Number:
ET302-80Z

▶ Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Revision date: 8/1/2017

Revision: 3

Supersedes date: 4/21/2016

EPO-TEK® 302 Part B

Reactivity	The following materials may react violently with the product: Acids. Strong oxidizing agents. Strong reducing agents. Strong alkalis.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	Will not polymerize.
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
Materials to avoid	Strong acids. Strong alkalis. Strong oxidizing agents. Strong reducing agents.
Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Information on toxicological effects

General information	Contains a substance which may cause genetic defects. Contains a substance/a group of substances which may damage fertility and the unborn child.
Inhalation	May cause respiratory system irritation.
Ingestion	Harmful if swallowed. May cause burns in mucous membranes, throat, esophagus and stomach.
Skin Contact	Causes burns. Harmful in contact with skin.
Eye contact	Causes burns. Risk of serious damage to eyes. A single exposure may cause the following adverse effects: Corneal damage.

12. Ecological Information

Ecotoxicity	The product contains a substance which is very toxic to aquatic organisms.
Acute toxicity - fish	Not available.
<u>Persistence and degradability</u>	
Persistence and degradability	The product is moderately biodegradable.
<u>Bioaccumulative potential</u>	
Bio-Accumulative Potential	The product is not bioaccumulating.
<u>Mobility in soil</u>	
Mobility	Mobile.
<u>Other adverse effects</u>	
Other adverse effects	Not known.

13. Disposal considerations

Data is subject to change without notice.


Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



SAFETY DATA SHEET (SDS)



Manufacturer:
Epoxy Technology

Product Name:
EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Manufacturer Part Number:
ET302-8OZ

▶ Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Revision date: 8/1/2017

Revision: 3

Supersedes date: 4/21/2016

EPO-TEK® 302 Part B

Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

14. Transport information

UN Number

UN No. (TDG)	3267
UN No. (IMDG)	3267
UN No. (ICAO)	3267
UN No. (DOT)	UN3267

UN proper shipping name

Proper shipping name (TDG) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (4-Nonyl phenol)
Proper shipping name (IMDG) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (4-Nonyl phenol)
Proper shipping name (ICAO) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (4-Nonyl phenol)
Proper shipping name (DOT) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (4-Nonyl phenol)

Transport hazard class(es)

DOT hazard class	8
DOT hazard label	8
TDG class	8
TDG label(s)	8
IMDG Class	8
ICAO class/division	8

Transport labels



DOT transport labels



Packing group

TDG Packing Group	III
IMDG packing group	III
ICAO packing group	III
DOT packing group	III

Environmental hazards

Data is subject to change without notice.


Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



SAFETY DATA SHEET (SDS)



Manufacturer:
Epoxy Technology

Product Name:
EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Manufacturer Part Number:
ET302-8OZ

▶ Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Revision date: 8/1/2017

Revision: 3

Supersedes date: 4/21/2016

EPO-TEK® 302 Part B

Environmentally Hazardous Substance



Special precautions for user

EmS F-A, S-B

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

Regulatory References Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

US Federal Regulations

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)
None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities
None of the ingredients are listed.

SARA 313 Emission Reporting
None of the ingredients are listed.

CAA Accidental Release Prevention
None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins
None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)
None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-II)
None of the ingredients are listed.

Massachusetts "Right To Know" List
The following ingredients are listed:
4-Nonyl phenol

Rhode Island "Right To Know" List
None of the ingredients are listed.
4-Nonyl phenol

Minnesota "Right To Know" List
None of the ingredients are listed.

New Jersey "Right To Know" List
None of the ingredients are listed.

Data is subject to change without notice.


Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



SAFETY DATA SHEET (SDS)



Manufacturer:
Epoxy Technology

Product Name:
EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Manufacturer Part Number:
ET302-8OZ

▶ Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Revision date: 8/1/2017

Revision: 3

Supersedes date: 4/21/2016

EPO-TEK® 302 Part B

Pennsylvania "Right To Know" List
The following ingredients are listed:
4-Nonyl phenol

Inventories

EU - EINECS/ELINCS

Some of the ingredients are listed or exempt.

Canada - DSL/NDL

Some of the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

Some of the ingredients are listed or exempt.

Australia - AICS

Some of the ingredients are listed or exempt.

Japan - MITI

Some of the ingredients are listed or exempt.

Korea - KECI

Some of the ingredients are listed or exempt.

China - IECSC

Some of the ingredients are listed or exempt.

Philippines - PICCS

Some of the ingredients are listed or exempt.

16. Other information

Revision date 8/1/2017

Revision 3

Supersedes date 4/21/2016

Hazard statements in full
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H340 May cause genetic defects.
H360 May damage fertility or the unborn child.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



SAFETY DATA SHEET (SDS)



Manufacturer:
Epoxy Technology

Product Name:
EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure (8oz)

Manufacturer Part Number:
ET302-8OZ

▶ [Click here for more details on the EPO-TEK® 302 Fast Setting Epoxy, Room Temperature Cure \(8oz\)](#)

Revision date: 8/1/2017

Revision: 3

Supersedes date: 4/21/2016

EPO-TEK® 302 Part B

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com

