

Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Manufacturer Part Number:

OD2002-80Z

Click here for more details on the EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Revision date: 7/20/2021

Supersedes date: 10/30/2020



SAFETY DATA SHEET EPO-TEK® OD2002 Part A

1. Identification

Product identifier

Product name EPO-TEK® OD2002 Part A

Product number OD2002/A

Recommended use of the chemical and restrictions on use

Application Adhesive.

Details of the supplier of the safety data sheet

Supplier Epoxy Technology, Inc. 14 Fortune Drive

> Billerica, MA 01821 USA (978) 667-3805

(978) 663-9782 www.epotek.com, SDS@epotek.com

Emergency telephone number

Emergency telephone ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 2 - H411

Label elements

Hazard symbols





Signal word Warning

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.

1/9







Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Manufacturer Part Number:

OD2002-80Z

Click here for more details on the EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Revision date: 7/20/2021 Supersedes date: 10/30/2020

EPO-TEK® OD2002 Part A

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 If on skin: Wash with plenty of water

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations

Bisphenol A Diglycidyl Ether Resin, Epoxy Phenol Novolac

Other hazards

Hazards not otherwise

Contains epoxy constituents. May produce an allergic reaction.

classified (HNOC)

3. Composition/information on ingredients

Bisphenol A Diglycidyl Ether Resin

60-100%

CAS number: 1675-54-3

Classification

Skin Irrit. 2 - H315 Eve Irrit. 2 - H319 Skin Sens. 1 - H317

Aquatic Chronic 2 - H411

30-60%

Epoxy Phenol Novolac CAS number: 28064-14-4

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Remove affected person from source of contamination. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing. Keep affected person under observation. Get medical attention. Show this Safety Data Sheet to the medical personnel. When breathing is difficult, properly trained personnel may assist affected person by

administering oxygen.

Ingestion Get medical attention immediately. Promptly get affected person to drink large volumes of

water to dilute the swallowed chemical. Do not induce vomiting.

Skin Contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention if irritation persists after washing

Eve contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Get medical attention. Show this Safety Data Sheet to the medical personnel.

Most important symptoms and effects, both acute and delayed





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Manufacturer Part Number:

OD2002-80Z

Revision date: 7/20/2021 Supersedes date: 10/30/2020

Click here for more details on the EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

EPO-TEK® OD2002 Part A

Inhalation Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust

during cutting, grinding or sanding operations involving this product may cause irritation of the

respiratory tract.

Ingestion May cause discomfort if swallowed.

Skin contact Causes skin irritation. May cause an allergic skin reaction. May cause sensitisation by skin

contact.

Eye contact Causes serious eye irritation.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Extinguish with the following media: Dry chemicals. Foam. Carbon dioxide (CO2).

Special hazards arising from the substance or mixture

Hazardous combustion

When heated, vapors/gases hazardous to health may be formed.

products

Advice for firefighters

Special protective equipment for firefighters

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Avoid release to the environment.

Methods and material for containment and cleaning up

Methods for cleaning up No smoking, sparks, flames or other sources of ignition near spillage. Absorb spillage with

sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal

securely.

Reference to other sections For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and

contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety

data sheet.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash promptly if skin becomes contaminated. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage precautions Store at room temperature. Keep container tightly sealed when not in use

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

3/9





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Manufacturer Part Number:

OD2002-80Z

Click here for more details on the EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Revision date: 7/20/2021 Supersedes date: 10/30/2020

EPO-TEK® OD2002 Part A

8. Exposure controls/Personal protection

Ingredient comments No exposure limits known for ingredient(s).

Exposure controls





Appropriate engineering

Provide adequate general and local exhaust ventilation.

Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield.

Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. Nitrile rubber.

Neoprene. Butyl rubber.

Other skin and body

Wear appropriate clothing to prevent any possibility of skin contact.

protection Hygiene measures

Provide evewash station.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Liquid. Color Yellowish. Odor Slight.

Odor threshold No specific test data are available pН No specific test data are available Melting point No specific test data are available Initial boiling point and range No specific test data are available.

Flash point > 93°C < BuAc Evaporation rate

Evaporation factor No specific test data are available. Flammability (solid, gas) No specific test data are available Upper/lower flammability or No specific test data are available

explosive limits Vapor pressure

No specific test data are available

Vapor density

Relative density No specific test data are available. Solubility(ies) No specific test data are available. Partition coefficient No specific test data are available. Auto-ignition temperature No specific test data are available Decomposition Temperature No specific test data are available

4/9





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Manufacturer Part Number:

OD2002-80Z

Revision date: 7/20/2021 Supersedes date: 10/30/2020

Click here for more details on the EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

EPO-TEK® OD2002 Part A

No specific test data are available. Viscosity

Other information None

10. Stability and reactivity

Reactivity The following materials may react with the product: Strong oxidizing agents.

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

Will not polymerize

Conditions to avoid Avoid heat, flames and other sources of ignition.

Materials to avoid Strong oxidizing agents.

Thermal decomposition or combustion products may include the following substances: Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2).

11. Toxicological information

Information on toxicological effects

Inhalation Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust

during cutting, grinding or sanding operations involving this product may cause irritation of the

respiratory tract.

Ingestion May cause discomfort if swallowed.

Causes skin irritation. May cause an allergic skin reaction. May cause sensitisation by skin Skin Contact

contact.

Eye contact Causes serious eye irritation

Toxicological information on ingredients.

Bisphenol A Diglycidyl Ether Resin

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP carcinogenicity Reasonably anticipated to be a human carcinogen.

OSHA Carcinogenicity Not listed

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects

Acute aquatic toxicity

Acute toxicity - fish Not available

Persistence and degradability

Persistence and degradability The product is potentially degradable.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

5/9





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Manufacturer Part Number:

OD2002-80Z

Revision date: 7/20/2021 Supersedes date: 10/30/2020

Click here for more details on the EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

EPO-TEK® OD2002 Part A

Partition coefficient No specific test data are available.

Mobility in soil

Mobility Semi-mobile.

Other adverse effects

Other adverse effects Not known

13. Disposal considerations

Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

14. Transport information

UN Number

UN No. (TDG) 3082
UN No. (IMDG) 3082
UN No. (ICAO) 3082
UN No. (DOT) UN3082

UN proper shipping name

Proper shipping name (TDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Bisphenol A

Diglycidyl Ether Resin, Epoxy Phenol Novolac)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Bisphenol A

Diglycidyl Ether Resin, Epoxy Phenol Novolac)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Bisphenol A

Diglycidyl Ether Resin, Epoxy Phenol Novolac)

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Bisphenol A

Diglycidyl Ether Resin, Epoxy Phenol Novolac)

Transport hazard class(es)

DOT hazard class

 DOT hazard label
 9

 TDG class
 9

 TDG label(s)
 9

 IMDG Class
 9

ICAO class/division

Transport labels



DOT transport labels



6/9





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Supersedes date: 10/30/2020

Manufacturer Part Number:

OD2002-80Z

Click fiele for filore

Click here for more details on the EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

EPO-TEK® OD2002 Part A

Packing group

Revision date: 7/20/2021

TDG Packing Group III
IMDG packing group III
ICAO packing group III
DOT packing group III

Environmental hazards

Environmentally Hazardous Substance



Special precautions for user

EmS F-A, S-F

Transport in bulk according to Not applicable

Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Regulatory References

Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of

Intellectual Property Rights (TRIPS), Section 7, Art. 39.

Additional Regulatory References Proprietäre Informationen gemäß den WTO-Übereinkommen über handelsbezogene Aspekte

des geistigen Eigentum Rechte (TRIPS), Abschnitt 7, Art geschützt. 39

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting None of the ingredients are listed.

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

7/9





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Supersedes date: 10/30/2020

Manufacturer Part Number:

OD2002-80Z

energicie for more dec

Click here for more details on the EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (80z)

EPO-TEK® OD2002 Part A

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Revision date: 7/20/2021

Massachusetts "Right To Know" List None of the ingredients are listed.

Rhode Island "Right To Know" List None of the ingredients are listed.

Minnesota "Right To Know" List None of the ingredients are listed.

New Jersey "Right To Know" List None of the ingredients are listed.

Pennsylvania "Right To Know" List None of the ingredients are listed.

Inventories

EU - EINECS/ELINCS

Some of the ingredients are listed or exempt.

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification None of the ingredients are listed.

Australia - AICS

All the ingredients are listed or exempt.

Japan - ENCS

Some of the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines - PICCS

All the ingredients are listed or exempt.

16. Other information

 Revision date
 7/20/2021

 Supersedes date
 10/30/2020

Hazard statements in full H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

8/9





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (8oz)

Manufacturer Part Number:

OD2002-8OZ

Click here for more details on the EPO-TEK® OD2002 Thermally and Electrically Insulating High Tg Epoxy, Heat Cure (80z)

Revision date: 7/20/2021

Supersedes date: 10/30/2020

EPO-TEK® OD2002 Part A

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

9/9

