

Manufacturer:

Hernon®

**Product Name:** Hernon Tuffbond<sup>®</sup> 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

Manufacturer Part Number: TB302-50ML

Click here for more details on the Hernon Tuffbond<sup>®</sup> 302 Fast Cure Epoxy, Room Temperature Cure (50ml)



# SAFETY DATA SHEET

Issue Date	08-Jun-2015	Revision Date	13-Sep-2023	Version 5
1. IDENTIFICATION				
Product ide	entifier			
Product Na		Tuffbond 302A		
	a of identification			
Other mean Product Co	ns of identification	MS-302A		
Synonyms	ue	None		
		al and restrictions on use	_	
Recommen		Adhesives. None known		
Uses advis	eu against	NOTIC KHOWH		
Details of th	ne supplier of the safet	y data sheet		
Manufactur	er Address			
	ufacturing Inc.			
121 Tech Di				
Sanford, FL				
800-527-000	J4			
Emergency	telephone number			
	hone Number	407-322-4000		
Emergency	Telephone	Chemtel 800-255-3924		
		2 HAZARDS		
		2. HALANDO		
Classificati	on_			
	ulatory Status			
I his chemic	al is considered hazardo	us by the 2012 OSHA Haz	ard Communication Standard (29 CFR 1910.1	200)
Skin corrosi	on/irritation		Category 2	
Serious eye	damage/eye irritation		Category 2	
Skin sensitiz			Category 1	
Label eleme	ents_			
		Emerger	cy Overview	
Warning		Entrigor		
5				
Hazard stat				
Causes skin	irritation			

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hernon®

Product Name:

Hernon Tuffbond® 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

Manufacturer Part Number:

TB302-50ML

Click here for more details on the Hernon Tuffbond<sup>®</sup> 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

Physical state Liquid

# MS-302AB / Tuffbond 302AB

Revision Date 13-Sep-2023

Odor Mild

Appearance opaque

## \_\_\_\_\_

Precautionary Statements - Prevention Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

### Other Information

Toxic to aquatic life with long lasting effects.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
BISPHENOL A EPOXY RESIN	25068-38-6	60 - 100	*
*The exact percentage (concentration) of composition has been withheld as a trade secret.			

# 4. FIRST AID MEASURES

## Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.		
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.		
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.		
Most important symptoms and effects, both acute and delayed			
Symptoms	None known.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hernon®

**Product Name:** Hernon Tuffbond<sup>®</sup> 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

Manufacturer Part Number:

TB302-50ML

Click here for more details on the Hernon Tuffbond® 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

# MS-302AB / Tuffbond 302AB

Revision Date 13-Sep-2023

Learn More

5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media Use CO2, dry chemical, or foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

# Specific hazards arising from the chemical

None in particular.

Hazardous combustion products Irritating organic vapors.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective	equipment and emergency procedures	
Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. Collect spillage. See section 12 for additional ecological information. Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant.	
Methods and material for contain	ment and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material. Store in a closed container until ready for disposal.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.	
Conditions for safe storage, inclu	iding any incompatibilities	
Storage Conditions	Keep at temperatures between 46°F and 82°F (8°C and 28°C).	
Incompatible materials	Acids. Bases. Amines. Oxidizing agents.	
8. E	XPOSURE CONTROLS/PERSONAL PROTECTION	

## Control parameters

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.



Manufacturer:

Hernon®

Product Name:

Hernon Tuffbond® 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

Manufacturer Part Number:

TB302-50ML

Click here for more details on the Hernon Tuffbond<sup>®</sup> 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

MS-302AB / Tuffbond 302AB		Re	vision Date 13-Sep-2023
Exposure Guidelines	This product, as supplied, does		
Appropriate engineering controls	exposure limits established by the region specific regulatory bodies.		
Engineering Controls	Showers Eyewash stations Ventilation systems.		
Individual protection measures, su	ch as personal protective equip	oment	
Eye/face protection	Wear safety glasses with side s	hields (or goggles).	
Skin and body protection	Wear protective gloves and pro	tective clothing. Use rubber or	plastic gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.		
	9. PHYSICAL AND CHEMI	CAL PROPERTIES	
Information on basic physical and	chemical properties		
Physical state	Liquid		
Appearance Color	opaque White	Odor Odor threshold	Mild Not applicable
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	Values         Does not apply         No Information Available         > 260 °C / 500 °F         > 252 °C / 486 °F         No Information Available         0.3 hPa @ 77 °C         No Information Available         1.18         Insoluble in water         No Information Available         Non known         Not applicable	<u>Remarks • Method</u>	_
Other Information			
Softening point Molecular weight VOC Content (%) Density Bulk density	No Information Available No Information Available Not applicable No Information Available No Information Available		

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





**Manufacturer:** 

Hernon<sup>®</sup>

**Product Name:** Hernon Tuffbond® 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

**Manufacturer Part Number:** TB302-50ML

Click here for more details on the Hernon Tuffbond® 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

# MS-302AB / Tuffbond 302AB

Revision Date 13-Sep-2023

Learn More

# **10. STABILITY AND REACTIVITY**

Reactivity Not applicable

Chemical stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid Incompatible materials.

Incompatible materials Acids. Bases. Amines. Oxidizing agents.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2).

## **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

**Product Information** 

Inhalation	No known effect based on information supplied.
Eye contact	No known effect based on information supplied.
Skin contact	No known effect based on information supplied.
Ingestion	No known effect based on information supplied.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
BISPHENOL A EPOXY RESIN	= 11400 mg/kg (Rat)	-	-
25068-38-6			

### Information on toxicological effects

Symptoms

See Section 11: TOXICOLOGICAL INFORMATION.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard

None known. None known. None known. No known effects under normal use conditions. None under normal use conditions. Not applicable.


Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 11,844.20 mg/kg

**12. ECOLOGICAL INFORMATION** 

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hernon®

**Product Name:** Hernon Tuffbond<sup>®</sup> 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

Manufacturer Part Number: TB302-50ML

TDS02 SOME

Click here for more details on the Hernon Tuffbond® 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

# MS-302AB / Tuffbond 302AB

Revision Date 13-Sep-2023

# Ecotoxicity

Toxic to aquatic life with long lasting effects.

Persistence and degradability None known.

Bioaccumulation None known.

## Other adverse effects

## **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

 Disposal of wastes
 Disposal should be in accordance with applicable regional, national and local laws and regulations.

 Contaminated packaging
 Do not reuse container.

# **14. TRANSPORT INFORMATION**

DOT	Not regulated
IATA_ UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions Description	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A Epoxy Resin) 9 III A97, A158, A197 Limited Quantities: 5L, 30 kg per package
IMDG UN/ID no. Proper shipping name Hazard Class Packing Group EmS-No. Special Provisions Marine pollutant Description	UN 3082 3082 - Environmentally hazardous substances, liquid, n.o.s. 9 III F-A, S-F 274, 335, 969 Yes Limited Quantities: 5L, 30 kg per package
ADR UN/ID no. Proper shipping name Hazard Class Packing Group Tunnel restriction code Special Provisions	UN 3082 Environmentally hazardous substance, liquid, n.o.s. 9 III E Limited Quantities: 5L

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hernon®

**Product Name:** Hernon Tuffbond<sup>®</sup> 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

Manufacturer Part Number: TB302-50ML

Click here for more details on the Hernon Tuffbond<sup>®</sup> 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

# MS-302AB / Tuffbond 302AB

Revision Date 13-Sep-2023

#### **15. REGULATORY INFORMATION** International Inventories TSCA Complies DSL/NDSL Complies EINECS/ELINCS Complies ENCS Complies IECSC Complies Complies KECL PICCS Complies AICS Complies

All ingredients are on the inventory or are exempt from listing.

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

# California Proposition 65

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hernon®

Product Name:

Hernon Tuffbond® 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

Manufacturer Part Number:

TB302-50ML

Click here for more details on the Hernon Tuffbond<sup>®</sup> 302 Fast Cure Epoxy, Room Temperature Cure (50ml)

#### MS-302AB / Tuffbond 302AB Revision Date 13-Sep-2023 Health hazards 2 Flammability 1 Instability 0 Physical and Chemical NFPA Properties Not applicable HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection B Prepared By SDS coordinator Issue Date 08-Jun-2015 **Revision Date** 13-Sep-2023 **Revision Note** Not applicable Disclaimer The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

