

Manufacturer:

Hernon®

**Product Name:** Hernon<sup>®</sup> Tuffbond<sup>®</sup> 302 General Room Temp Cure Epoxy (50ml)

Manufacturer Part Number: TB302-50ML

Click here for more details on the Hernon<sup>®</sup> Tuffbond<sup>®</sup> 302 General Room Temp Cure Epoxy (50ml)

MS-302AB / Tuffbond 302AB

Revision Date 13-Sep-2023



# SAFETY DATA SHEET

Issue Date	30-Jun-2015	Revision Date	12-Sep-2023		Version	2
		1. IDEN	TIFICATION			
<u>Product ide</u> Product Na		Tuffbond 302B				
Other mean Product Co UN/ID no. Synonyms	s of identification_ de	MS-302B UN 3082 None				
<u>Recommen</u> Recommen Uses advise	ded Use	and restrictions on use Hardener. None known	-			
Manufactur	ufacturing Inc. ive 32771	<u>data sheet</u>				
	<u>telephone number</u> hone Number Telephone	407-322-4000 Chemtel 800-255-3924				
		2. HAZARDS	IDENTIFICATION			
Classificati	<u>on</u>					
	Ilatory Status al is considered hazardou	s by the 2012 OSHA Haz	ard Communication Standa	rd (29 CFR 1910.1200)		
Acute toxicit	y - Oral			Category 4		
Acute toxicit	y - Dermal			Category 4		
Skin sensitiz	ation			Category 1B		
Label eleme	ents					
		Emerger	ncy Overview			
Warning						

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hernon®

Product Name: Hernon<sup>®</sup> Tuffbond<sup>®</sup> 302 General Room Temp Cure Epoxy (50ml)

Manufacturer Part Number:


TB302-50ML

Click here for more details on the Hernon® Tuffbond® 302 General Room Temp Cure Epoxy (50ml)



Revision Date 13-Sep-2023

Learn More



## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace

IF ON SKIN: Wash with plenty of soap and water Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

# Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

## Other Information

Causes mild skin irritation

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
MERCAPTAN TERMINATED POLYMER	72244-98-5	60 - 100	*
SUBSTITUTED AMINOPHENOL	90-72-2	5 - 10	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES				
Description of first aid n	neasures			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Skin contact	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.			
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.			
hanaa without notico				

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.



**Manufacturer:** 

Hernon<sup>®</sup>

**Product Name:** 

Hernon® Tuffbond® 302 General Room Temp Cure Epoxy (50ml)

**Manufacturer Part Number:** 

TB302-50ML

Click here for more details on the Hernon<sup>®</sup> Tuffbond<sup>®</sup> 302 General Room Temp Cure Epoxy (50ml)

No Information Available.

# MS-302AB / Tuffbond 302AB

Revision Date 13-Sep-2023

Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

# Most important symptoms and effects, both acute and delayed

Symptoms

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

<u>Suitable extinguishing media</u> Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media Water jet.

## Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.				
For emergency responders	Use personal protection recommended in Section 8.				
Environmental precautions					
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. See section 12 for additional ecological information.				
Methods and material for containm	Methods and material for containment and cleaning up				
Methods for containment	Prevent further leakage or spillage if safe to do so.				
Methods for cleaning up	Soak up with inert absorbent material. Store in a closed container until ready for disposal.				
	7. HANDLING AND STORAGE				
Precautions for safe handling					

Advice on safe handling

Avoid contact with skin and eyes. Avoid breathing fumes from hot material. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas

# Conditions for safe storage, including any incompatibilities

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hernon®

Product Name: Hernon<sup>®</sup> Tuffbond<sup>®</sup> 302 General Room Temp Cure Epoxy (50ml)

Manufacturer Part Number:

TB302-50ML

Click here for more details on the Hernon® Tuffbond® 302 General Room Temp Cure Epoxy (50ml)

#### MS-302AB / Tuffbond 302AB Revision Date 13-Sep-2023 Storage Conditions Keep at temperatures between 7 and 29 °C Incompatible materials Acids. Amines. Oxidizing agents. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters **Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. Appropriate engineering controls **Engineering Controls** Showers Eyewash stations Ventilation systems. Individual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). Skin and body protection Wear protective gloves and protective clothing If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. **General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. 9. PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties Physical state Liauid No Information Available Appearance Color Mercaptan-like Odor Light amber Odor threshold No Information Available Remarks • Method Property Values No Information Available pН . Melting point / freezing point No Information Available Boiling point / boiling range 149 °C / 300 °F 149 °C / 300 °F > Flash point > Evaporation rate No Information Available Flammability (solid, gas) Flammability Limit in Air No Information Available Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No Information Available Vapor density No Information Available Relative density 1.14 Water solubility Slightly soluble Solubility in other solvents No Information Available Partition coefficient No Information Available Autoignition temperature No Information Available Decomposition temperature No Information Available Kinematic viscosity No Information Available Dynamic viscosity No Information Available **Explosive properties** No Information Available

Data is subject to change without notice.

Oxidizing properties

# Contact the professionals at Fiber Optic Center for a quote or to get more details.

No Information Available





**Manufacturer:** 

Hernon<sup>®</sup>

**Product Name:** Hernon® Tuffbond® 302 General Room Temp Cure Epoxy (50ml)

**Manufacturer Part Number:** 

TB302-50ML

Click here for more details on the Hernon<sup>®</sup> Tuffbond<sup>®</sup> 302 General Room Temp Cure Epoxy (50ml)

## MS-302AB / Tuffbond 302AB

Revision Date 13-Sep-2023

# Other Information

Softening point Molecular weight VOC Content (%) Densitv Bulk density

No Information Available No Information Available No Information Available No Information Available No Information Available

## **10. STABILITY AND REACTIVITY**

# Reactivity

Not applicable

# **Chemical stability**

Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid Incompatible materials.

Incompatible materials Acids. Amines. Oxidizing agents.

# Hazardous Decomposition Products

Carbon oxides. Hydrogen sulfide. Oxides of sulfur.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

**Product Information** 

Inhalation	No known effect based on information supplied.
Eye contact	No known effect based on information supplied.
Skin contact	No known effect based on information supplied.
Ingestion	No known effect based on information supplied.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
SUBSTITUTED AMINOPHENOL 90-72-2	= 1200 mg/kg (Rat)	= 1280 mg/kg (Rat)	-	

## Information on toxicological effects

Symptoms

### No Information Available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No Information Available.
Germ cell mutagenicity	No Information Available.
Carcinogenicity	No Information Available.
Reproductive toxicity	No Information Available.
STOT - single exposure	No Information Available.
STOT - repeated exposure	No Information Available.

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hernon®

Product Name: Hernon<sup>®</sup> Tuffbond<sup>®</sup> 302 General Room Temp Cure Epoxy (50ml)

Manufacturer Part Number:

TB302-50ML

Click here for more details on the Hernon® Tuffbond® 302 General Room Temp Cure Epoxy (50ml)

## MS-302AB / Tuffbond 302AB Revision Date 13-Sep-2023 Aspiration hazard No Information Available. Numerical measures of toxicity - Product Information The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 1,200.00 mg/kg 1,280.00 mg/kg ATEmix (dermal) **12. ECOLOGICAL INFORMATION** Ecotoxicity Yes Persistence and degradability No Information Available. **Bioaccumulation** No Information Available. Other adverse effects No Information Available 13. DISPOSAL CONSIDERATIONS Waste treatment methods **Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated packaging Do not reuse container. **14. TRANSPORT INFORMATION** DOT UN/ID no. UN 3082 Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Mercaptan terminated polymer) Hazard Class 9 Packing Group Ш 8, 146, 173, 335, IB3, T4, TP1, TP29 **Special Provisions** Marine pollutant Yes Description Note: Not regulated for ground transport IATA UN/ID no. UN 3082 Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Mercaptan terminated polymer) Hazard Class 9 Packing Group ш Special Provisions A97, A158, A197 Description Limited Quantities: 5L, 30 kg gross weight IMDG UN/ID no. UN 3082 Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





**Manufacturer:** 

Hernon<sup>®</sup>

**Product Name:** Hernon® Tuffbond® 302 General Room Temp Cure Epoxy (50ml)

**Manufacturer Part Number:** 

TB302-50ML

Click here for more details on the Hernon<sup>®</sup> Tuffbond<sup>®</sup> 302 General Room Temp Cure Epoxy (50ml)

# MS-302AB / Tuffbond 302AB

Revision Date 13-Sep-2023

Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Mercaptan terminated polymer) Hazard Class 9 Ш Packing Group EmS-No. F-A, S-F **Special Provisions** 274, 335, 969 Marine pollutant Yes Description Limited Quantities: 5L, 30 kg gross weight

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

All ingredients are on the inventory or are exempt from listing.

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### CERCLA


This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

## California Proposition 65

Data is subject to change without notice.

# Contact the professionals at Fiber Optic Center for a quote or to get more details.







Manufacturer:

Hernon®

Product Name: Hernon<sup>®</sup> Tuffbond<sup>®</sup> 302 General Room Temp Cure Epoxy (50ml)

Manufacturer Part Number:

TB302-50ML

Click here for more details on the Hernon® Tuffbond® 302 General Room Temp Cure Epoxy (50ml)

# MS-302AB / Tuffbond 302AB

Revision Date 13-Sep-2023

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA	Health hazards		Flammability	-	PREPARATION OF THE	Physical and Chemical Properties Not applicable
HMIS	Health hazards	2	Flammability	2	Physical hazards 1	Personal protection B
Prepared By SDS coordinator   Issue Date 30-Jun-2015   Revision Date 12-Sep-2023   Revision Note No Information Available						
<u>Disclaimer</u> The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The						

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

