



# **Manufacturer:**

Chemtronics

#### **Product Name:**

ITW Chemtronics® Electro-Wash® PX Degreaser Cleaner - 5 oz. Can with Trigger Grip

# **Manufacturer Part Number:**

ES810

Click here for more details on the ITW Chemtronics® Electro-Wash® PX Degreaser Cleaner - 5 oz. Can with Trigger Grip



# **Technical** Data Sheet

Rev. F (6/22) Page 1 of 2

### Electro-Wash® PX

#### Product# ES810, ES1210, ES110

#### **Product Description**

Electro-Wash PX is a one-step universal cleaning and degreasing agent. Engineered for removing contamination from fiber optic connectors, modules, and cables, this material is safe for most plastics. Formulated with very low surface tension, this high pressure aerosol formulation flushes areas clean and evaporates instantly leaving no residue.

- Removes encrusted dirt, grease and other contaminants
- Penetrates hard to reach areas
- Evaporates quickly
- Leaves no residues
- Has low odor
- Is non-corrosive
- Contains no CFCs or HCFCs
- Contains no 1,1,1 Trichloroethane

#### Typical Applications

Electro-Wash PX cleans:

- Buffer gel from cable
- Contaminants from transmitters, amplifiers and transceivers
- Soils from optical interfaces, electronic interfaces, and drivecCircuitry
- Airborne dirt from printed circuit boards
- Insulating residue from selector switches and relays





#### Typical Product Data and Physical Properties

Boiling Point:	141°F / 62°C (Initial)
Solubility in Water:	20%
Specific Gravity:	0.70
(water = 1@77°F)	
Appearance:	Clear, Colorless Liquid
Odor:	Mild
Surface Tension:	17.3
(dynes/cm @ 21.6°F)	
Flash Point (TCC):	-20°F / -29°C
Evaporation Rate (air =1)	>1
Vapor Density (air =1)	>1
Kauri-Butanol	50
(KB) Number	
Shelflife	5 years
RoHS Compliant	Yes

Contact the professionals at Fiber Optic Center for a quote or to get more details.





### **Manufacturer:**

Chemtronics

#### **Product Name:**

ITW Chemtronics® Electro-Wash® PX Degreaser Cleaner - 5 oz. Can with Trigger Grip

# **Manufacturer Part Number:**

ES810

Click here for more details on the ITW Chemtronics® Electro-Wash® PX Degreaser Cleaner - 5 oz. Can with Trigger Grip

# **Technical** Data Sheet

Rev. F (6/22) Page 2 of 2

# Electro-Wash® PX

Product# ES810, ES1210, ES110

## Compatibility

Electro-Wash PX is generally compatible with most materials used in the fiber optics industry. With any cleaning agent compatibility must be determined on a non-critical area prior to use.

Material	Compatibility	
ABS	Good	
Buna-N	Good	
EPDM	Poor	
Graphite	Excellent	
HDPE	Excellent	
Kynar	Fair	
LDPE	Fair	
Lexan	Fair	
Neoprene	Fair	
Noryl	Good	
Nylon 66	Excellent	
Cross-Linked PE	Excellent	
Polypropylene	Good	
Polystyrene	Non-Compatible	
PVC	Good	
Silicone Rubber	Non-Compatible	
Teflon	Excellent	
Viton	Excellent	Ī

#### Performance

Product Required for Oil Removal (mg solvent / 1 mg oil)

Electro-Wash PX 33 Conventional CFC Cleaner 94

Water Soluble Oil Removal Rate (mg / in^2 sec.)

Electro-Wash PX 11 Conventional CFC Cleaner 5

#### Usage Instructions

For industrial use only. Read SDS carefully prior to use.

Spray 4-6 inches from surface to clean. Wash parts from top to bottom, allowing the liquid to flush away dirt and dissolved grease. For precise application use attached extension tube. Do not use on energized equipment.

#### Availability

ES810 5 oz. / 141 g Aerosol ES1210 12.5 oz. / 354 g Aerosol ES110 1 Gal. / 3.7 L Liquid

#### **Environmental Impact Data**

CFC 0.0% HCFC 0.0% CI Solv. 0.0% VOC 100% HFC 0.0% nPB 0.0

CFC, HCFC-225, HCFC-141b, VOC, HFC, and nPB percentages shown are the content by weight.

#### Note:

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly. CHEMTRONICS does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.