

Manufacturer:

Hysol®

Product Name: LOCTITE® Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

Manufacturer Part Number: 0151-2.5G

Click here for more details on the LOCTITE® Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

Safety Data Sheet

Learn More



Revision Number: 004.0

Mississauga, Ontario L5N 6C3

Issue date: 08/06/2019

1. PRODUCT AND COMPANY IDENTIFICATION

IDH number:

Product name:

LOCTITE EA 0151 A RESIN known as LOCTITE 0151 50ml PTA Product type/use: Epoxy resin Restriction of Use: None identified Company address: Henkel Canada Corporation Meadowpine Boulevard 2515

83069 193035 Item number: Canada Region: Contact information: Telephone: +1 (905) 814-6511 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com

702119

This product contains a chemical (CAS 2426-08-6) that is subjected to a Canadian Environmental Protection Act (CEPA) Significant New Activity (SNAc). It is suspected that new activities involving this substance could result in the substance becoming CEPA toxic. Certain activities may be subject to conditions and/or notifications.

2. HAZARDS IDENTIFICATION		
	EMERGENCY OVERVIEW	
WARNING:	COMBUSTIBLE LIQUID.	
	CAUSES SKIN IRRITATION.	
	MAY CAUSE AN ALLERGIC SKIN REACTION.	
	CAUSES SERIOUS EYE IRRITATION.	
	SUSPECTED OF CAUSING GENETIC DEFECTS.	
	SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.	

HAZARD CLASS	HAZARD CATEGORY
FLAMMABLE LIQUID	4
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1
GERM CELL MUTAGENICITY	2
REPRODUCTIVE TOXICITY	2


PICTOGRAM(S)	

Precautionary Statements

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames, hot surfaces - no smoking. Prevention: Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, clothing, eye and face protection. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several Response: minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or Product name: LOCTITE EA 0151 A RESIN known as LOCTITE 0151 50ml PTA IDH number: 702119 Page 1 of 6

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hysol[®]

Product Name: LOCTITE® Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

Manufacturer Part Number:

0151-2.5G

Storage: Disposal:

diphenol resin

Butyl 2,3-epoxypropyl ether

Silica, amorphous, fumed, crystal-free

Click here for more details on the LOCTITE® Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

concerned: Get medical attention. If skin irritation or rash occurs: Get medical attention. If eve irritation persists: Get medical attention. Take off contaminated clothing. In case of fire: Use foam, dry chemical or carbon dioxide to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

10 - 30

1 - 5

Classification complies with Canadian Hazardous Products Regulations (WHMIS 2015) and is consistent with the provision of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COM	POSITION / INFORMA	TION ON INGREDIENTS	
Hazardous Component(s)	CAS Number	Weight %*	
Epichlorohydrin-4,4'-isopropylidene	25068-38-6	80 - 100	

112945-52-5 * Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections

2426-08-6

4. FIRST AID MEASURES				
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.			
Skin contact:	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and footwear. Get medical attention. Wash clothing before reuse.			
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.			
Ingestion:	DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.			
Symptoms:	See Section 11.			
5. I	FIRE FIGHTING MEASURES			
Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.				
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.			
Unusual fire or explosion hazards:	In case of fire, keep containers cool with water spray. Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.			
Hazardous combustion products:	Oxides of carbon. Irritating organic fragments. Acids. Aldehydes.			
6. ACCIDENTAL RELEASE MEASURES				

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected

personnel.

Environmental precautions:

Do not allow product to enter sewer or waterways.

IDH number: 702119

Product name: LOCTITE EA 0151 A RESIN known as LOCTITE 0151 50ml PTA Page 2 of 6

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hysol®

Product Name: LOCTITE[®] Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

Manufacturer Part Number:

0151-2.5G

Click here for more details on the LOCTITE® Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

Clean-up methods:	Remove all sources of ignition. Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean- up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up as much material as possible. Clean residue with soap and water. Store in a partly filled, closed container until disposal. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up.
	7. HANDLING AND STORAGE
Handling:	Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Keep container closed. Refer to Section 8.
Storage:	Store in original container until ready to use. Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Store away from heat, sparks, flames, or other sources of ignition.

Shelf Life Statement: Not available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Epichlorohydrin-4,4'-isopropylidene diphenol resin	None	None	None	None
Butyl 2,3-epoxypropyl ether	3 ppm TWA (SKIN) (Dermal sensitization)	50 ppm (270 mg/m3) PEL	None	None
Silica, amorphous, fumed, crystal-free	10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	20 MPPCF TWA 0.8 mg/m3 TWA	None	None
Engineering controls:	Provide adequa exposure limits		ilation to maintain wor	ker exposure belov
Respiratory protection: Use a NIOSH approved air-purifying respirator if the potential to exect a stablished exposure limits exists.			tial to exceed	
Eye/face protection:	Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety showers and eye wash stations should be available.			
Skin protection:	Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.			
9. PHYSIC	AL AND CHEM		TIES	
Physical state: Color: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature:	Liquid, Paste Milky, White Not available. Not applicable 2 mm hg (20 ° 140 °C (284°F) Not available. 1.13 Not available. 81 °C (177.8 ° Not available. Not available. Not available.		ised cup	

IDH number: 702119

Product name: LOCTITE EA 0151 A RESIN known as LOCTITE 0151 50ml PTA Page 3 of 6

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hysol®

Product Name: LOCTITE[®] Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

Manufacturer Part Number:

0151-2.5G

Click here for more details on the LOCTITE® Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

Flammability: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/w VOC content: Viscosity: Decomposition temperature:	Not applicable Not available. Not miscible or difficult to mix Not available. 0.0 % 0 g/l (value for resin and Not available. Not available.	hardener together)	
	10. STABILITY AND REACTIVIT	ГҮ	
Stability	Stable under normal conditions of storage and u	use.	
Hazardous reactions:	Polymerization is a highly exothermic reaction and may generate sufficient heat to cause thermal decomposition and/or rupture containers.		
Hazardous decomposition products:	Oxides of carbon. Aldehydes. Acids. Irritating organic fragments.		
Incompatible materials:	Strong acids. Strong bases. Strong oxidizing agents. Amines. Strong alkalis. Water.		
Reactivity:	Not available.		
Conditions to avoid:	Avoid temperatures above 38°C (100°F). Excessive heat. Store away from incompatible materials. Avoid mixing resin (Part A) and curing agent (Part B) unless you plan to use immediately. Failure to observe these precautions may result in excessive heat build-up causing an exotherm.		
	11. TOXICOLOGICAL INFORMAT	ION	
Relevant routes of exposure:	Skin, Inhalation, Eyes, Ingestion		
Potential Health Effects/Sympton	ms		
Inhalation:Inhalation of vapors or mists of the product may be irritating to the respiratory system. Coughing. Shortness of breath.Skin contact:Causes skin irritation. May cause allergic skin reaction. Itching. Redness.Eye contact:Causes serious eye irritation. If left untreated, corneal damage can occur and injury is slow to heal.Ingestion:May cause gastrointestinal tract irritation if swallowed.			
Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Epichlorohydrin-4,4'-isopropylidene diphenol resin	None	Allergen, Irritant	
Butyl 2,3-epoxypropyl ether	Oral LD50 (Rat) = 2,000 mg/kg Oral LD50 (Rat) = 2.05 g/kg Oral LD50 (Mouse) = 1.53 g/kg Dermal LD50 (Rabbit) = 0.788 g/kg	Irritant, Allergen, Central nervous system, Liver, Mutagen	
Silica, amorphous, fumed, crystal-free	None	Nuisance dust	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Epichlorohydrin-4,4'-isopropylidene diphenol resin	No	No	No
Butyl 2,3-epoxypropyl ether	No	No	No
Silica, amorphous, fumed, crystal-free	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

IDH number: 702119

Product name: LOCTITE EA 0151 A RESIN known as LOCTITE 0151 50ml PTA Page 4 of 6

Learn More

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.



Manufacturer:

Hysol®

Product Name: LOCTITE® Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

Manufacturer Part Number:

0151-2.5G

Click here for more details on the LOCTITE® Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

13. DISPOSAL CONSIDERATIONS Information provided is for unused product only. Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal. 14. TRANSPORT INFORMATION The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration. Canada Transportation of Dangerous Goods - Ground Proper shipping name: Not regulated Hazard class or division: Identification number: None None Packing group: None International Air Transportation (ICAO/IATA) Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A Epichlorhydrin Proper shipping name: resin) Hazard class or division: q UN 3082 Identification number: Packing group: III. Water Transportation (IMO/IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol-A Proper shipping name: Epichlorhydrin resin) Hazard class or division: 9 Identification number: UN 3082 Packing group: ш Bisphenol-A Epichlorhydrin resin Marine pollutant: **15. REGULATORY INFORMATION** Canada Regulatory Information CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic Substances List. United States Regulatory Information TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory **16. OTHER INFORMATION** This safety data sheet contains changes from the previous version in sections: 2, 3 Prepared by: Product Safety and Regulatory Affairs

Product Safety and Regulatory Affairs08/06/2019

Issue date: 08/06/20

IDH number: 702119

Product name: LOCTITE EA 0151 A RESIN known as LOCTITE 0151 50ml PTA Page 5 of 6

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.





Manufacturer:

Hysol®

Product Name: LOCTITE® Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

Manufacturer Part Number:

0151-2.5G

Click here for more details on the LOCTITE® Hysol 0151 Epoxy, Room Temperature & Heat Cure (2.5g)

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on the Canadian Hazardous Products Regulations (WHMIS 2015) and provides information in accordance with Canadian law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.

IDH number: 702119

Product name: LOCTITE EA 0151 A RESIN known as LOCTITE 0151 50ml PTA Page 6 of 6

Data is subject to change without notice.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

