



Manufacturer:
Schleuniger

Product Name:
Schleuniger US-2545 Jacket Stripping Machine

Manufacturer Part Number:
US-2545

>> Find Out More Details on the Schleuniger US-2545 Jacket Stripping Machine <<



UniStrip 2545 Stripping Machine


- For partial strips with long stripping lengths
- Extremely short cycle times
- No blade changeover necessary
- Simple machine operation
- Robust and reliable

Contact the professionals at Fiber Optic Center for a quote or to get more details.

focenter.com • 508-992-6464 | (800) 473-4237 • sales@focenter.com

23 Centre Street • New Bedford, MA 02740 USA

*Product specifications and data are
subject to change without notice.*



Manufacturer:
Schleuniger
Product Name:
Schleuniger US-2545 Jacket Stripping Machine
Manufacturer Part Number:
US-2545

>> Find Out More Details on the Schleuniger US-2545 Jacket Stripping Machine <<

UniStrip 2545

Application Range | Function

The UniStrip 2545 is mainly used for stripping fiber optic cable jackets. The machine operates with extremely fast cycle times and features a universal blade system that eliminates time consuming changeovers. Absolute precision and a very short return on investment are the main features of this machine.

The compact and slender design allows for several units to be used at one workstation.

A Simple Solution

The pneumatically operated UniStrip 2545 stripping machine excels with its compact design, fast cycle times and infinite settings for conductor diameters, stripping- and pull-off lengths.

Technical Specifications	
Range	0.03 – 2.08 mm ² (32 – 14 AWG)
Precision of diameter setting	0.01 mm (0.001")
Maximum outer cable diameter	3.2 mm (0.12")
Strip length	25 – 45 mm (1 – 1.8")
Graduated full strip increments	0.5 mm (0.019")
Graduated partial strip increments	2.0 mm (0.078")
Cycle time	Approx. 0.3 s
Stripping blade	V-blades
Compressed air	5 – 7 bar (75 – 105 psi)
Compressed air consumption	0.28 l/cycle (0.01 ft ³ / cycle)
Noise level	< 75 dB (A)
Dimensions (L x W x H)	265 x 70 x 135 mm (10.4" x 2.8" x 5.3")
Weight	2 kg (4 lbs.)
CE – conformity	The UniStrip 2545 fully complies with all CE and EMC equipment guidelines relative to mechanical and electrical safety and electromagnetic compatibility.
Important note	Schleuniger recommends that wire samples be submitted in cases where there is doubt as to the processing capabilities of a particular machine.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

focenter.com • 508-992-6464 | (800) 473-4237 • sales@focenter.com

23 Centre Street • New Bedford, MA 02740 USA

Product specifications and data are subject to change without notice.