


## SELECTION GUIDE

**Manufacturer:**

VIAVI

**Product Name:**

Viavi CleanBlast MIL3 Tip

**Manufacturer Part Number:**

FCLT-MIL3

▶ [Click here for more details on the Viavi CleanBlast MIL3 Tip](#)

### Fiber Cleaning Tips and Adapters

VIAVI Solutions offers a wide variety of tips, adapters and guides for cleaning fiber connector end-faces. Browse through this comprehensive guide to determine what you need.

The FCLT Series cleaning tips attach to the **CleanBlastPRO™** and legacy **CleanBlast™** systems. FCLT tips can support both PC/UPC and APC polish types with the same tip. A "CF" designation in a part number indicates that this tip has been engineered not to make contact with the ferrule. Some of the tips are used in conjunction with a guide, as shown in the images below.






| Catalog Part Number           | Type      | Product Image | Description                                                                      |
|-------------------------------|-----------|---------------|----------------------------------------------------------------------------------|
| <a href="#">FCLT-U12</a>      | Universal |               | CleanBlast Tip for 1.25mm Bulkheads (LC, MU)                                     |
| <a href="#">FCLT-U12-MA</a>   | Universal |               | CleanBlast Adapter for 1.25mm Patch Cords (LC, MU)<br>Note: Requires FCLT-U12    |
| <a href="#">FCLT-U25</a>      | Universal |               | CleanBlast Tip for 2.5mm Bulkheads (FC, SC, ST)                                  |
| <a href="#">FCLT-U25-MA</a>   | Universal |               | CleanBlast Adapter for 2.5mm Patch Cords (FC, SC, ST)<br>Note: Requires FCLT-U25 |
| FCLT-U25-A6                   | Universal | <b>NEW</b>    | CleanBlast Tip for 2.5mm Bulkheads angles 60 degree (FC, SC, ST)                 |
| <a href="#">FCLT-FC-CF</a>    | FC        |               | CleanBlast Tip for FC Bulkheads                                                  |
| <a href="#">FCLT-FC-CF-MA</a> | FC        |               | CleanBlast Tip for FC Patch Cords<br>Note: Requires FCLT-FC-CF                   |
| <a href="#">FCLT-E2-250</a>   | E2000     |               | CleanBlast Tip for E2000 Bulkheads                                               |

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

[focenter.com](http://focenter.com) • 508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

23 Centre Street • New Bedford, MA 02740 USA

Product data subject to change without notice. FOC last update 6/09/26.



| Catalog Part Number             | Type | Product Image                                                                                     | Description                                                            |
|---------------------------------|------|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| <a href="#">FCLT-SC-CF</a>      | SC   |                  | CleanBlast Tip for SC Bulkheads                                        |
| <a href="#">FCLT-SC-CF-MA</a>   | SC   |                  | CleanBlast Tip for SC Patch Cords<br>Note: Requires FCLT-SC-CF         |
| <a href="#">FCLT-SC-A6</a>      | SC   |                  | CleanBlast Tip for SC Bulkheads, Angled 60 Degrees                     |
| <a href="#">FCLT-FC-250</a>     | FC   |                  | CleanBlast Tip for FC Bulkheads                                        |
| <a href="#">FCLT-LC-CF</a>      | LC   |                  | CleanBlast Tip for LC Bulkheads                                        |
| <a href="#">FCLT-LC-CF-MA</a>   | LC   |                 | CleanBlast Adapter for LC Patch Cords                                  |
| <a href="#">FCLT-LC-A6</a>      | LC   |                | CleanBlast Tip for LC Bulkheads, Angled 60 Degrees                     |
| <a href="#">FCLT-LC-D-CF</a>    | LC   | <b>NEW</b><br> | CleanBlast Tip for Duplex LC Bulkheads                                 |
| <a href="#">FCLT-LC-D-CF-MA</a> | LC   | <b>NEW</b><br> | CleanBlast Tip for Duplex LC patchcords<br>Note: Requires FCLT-LC-D-CF |
| <a href="#">FCLT-CS-CF</a>      | VSFF |                | CleanBlast Tip for CS Bulkheads                                        |

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

[focenter.com](http://focenter.com) • 508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

23 Centre Street • New Bedford, MA 02740 USA

Product data subject to change without notice. FOC last update 6/09/26.






| Catalog Part Number                | Type   | Product Image                                                                       | Description                                                             |
|------------------------------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <a href="#">FCLT-CS-CF-MA</a>      | VSFF   |    | CleanBlast Adapter for CS Patch Cords<br>Note: Requires FCLT-CS-CF      |
| <a href="#">FCLT-MDC-CF</a>        | VSFF   |    | CleanBlast Tip for MDC Bulkheads                                        |
| <a href="#">FCLT-MDC-CF-MA</a>     | VSFF   |    | CleanBlast Adapter for MDC Patch Cords<br>Note: Requires FCLT-MDC-CF    |
| <a href="#">FCLT-SN-CF</a>         | VSFF   |    | CleanBlast Tip for SN Bulkheads                                         |
| <a href="#">FCLT-SN-CF-MA</a>      | VSFF   |    | CleanBlast Adapter for SN Patch Cords<br>Note: Requires FCLT-SN-CF      |
| <a href="#">FCLT-SN-BTW1-CF-MA</a> | VSFF   |   | CleanBlast Adapter for SN-BTW1 Patch Cords<br>Note: Requires FCLT-SN-CF |
| <a href="#">FCLT-SN-BTW2-CF-MA</a> | VSFF   |  | CleanBlast Adapter for SN-BTW2 Patch Cords<br>Note: Requires FCLT-SN-CF |
| <a href="#">FCLT-MPX</a>           | Ribbon |  | CleanBlast Tip for MPX Bulkheads                                        |
| <a href="#">FCLT-MT</a>            | Ribbon |  | CleanBlast Tip for MT Ferrule Bulkheads (unconnectorized)               |
| <a href="#">FCLT-MTP-CF12</a>      | Ribbon |  | CleanBlast Tip for 12/24f MPO Bulkheads                                 |
| <a href="#">FCLT-MTP-CF16</a>      | Ribbon |  | CleanBlast Tip for 16/32f MPO Bulkheads                                 |

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

[focenter.com](http://focenter.com) • 508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

23 Centre Street • New Bedford, MA 02740 USA

Product data subject to change without notice. FOC last update 6/09/26.

| Catalog Part Number            | Type   | Product Image                                                                           | Description                                                                                                         |
|--------------------------------|--------|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <a href="#">FCLT-MT-MA</a>     | Ribbon |        | CleanBlast Adapter for MT Ferrule (unconnectorized)<br><i>Note: Requires FCLT-MTP-CF12 or FCLT-MTP-CF16</i>         |
| <a href="#">FCLT-MTP-A6</a>    | Ribbon |        | CleanBlast Tip for MPO Bulkheads, Angled 60 Degrees                                                                 |
| <a href="#">FCLT-MTP-MA</a>    | Ribbon |        | CleanBlast Adapter for MPO Patch Cords<br><i>Note: Requires FCLT-MTP-CF12 or FCLT-MTP-CF16</i>                      |
| <a href="#">FCLT-MMC-CF</a>    | VSFF   |        | CleanBlast Tip for MMC Bulkheads                                                                                    |
| <a href="#">FCLT-MMC-CF-MA</a> | VSFF   |        | CleanBlast Tip for MM Patch Cords<br><i>Note: Requires FCLT-MMC-CF</i>                                              |
| FCLT-TMT                       | VSFF   |  NEW | Cleanblast tip for TMT Bulkheads                                                                                    |
| <a href="#">FCLT-SMA</a>       | Other  |      | CleanBlast Tip for SMA Bulkheads                                                                                    |
| <a href="#">FCLT-SMA-MA</a>    | SMA    |      | CleanBlast Tip for SMA Patch Cords<br><i>Note: Requires FCLT-SMA</i>                                                |
| FCLT-AC950                     | Other  |  NEW | CleanBlast Tip the AC950 universal adapter system used for FAU, TMT, MT, splice chuck and other custom fibers/glass |
| FCLT-HMFOC-P                   | FTTX   |      | CleanBlast Tip for HMFOC Plug                                                                                       |


**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

[focenter.com](http://focenter.com) • 508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

23 Centre Street • New Bedford, MA 02740 USA

Product data subject to change without notice. FOC last update 6/09/26.

▶ [Click here for more details on the Viavi CleanBlast MIL3 Tip](#)






| Catalog Part Number | Type     | Product Image                                                                              | Description                                      |
|---------------------|----------|--------------------------------------------------------------------------------------------|--------------------------------------------------|
| FCLT-HMFOC-P-CF12   | FTTX     |           | CleanBlast Tip for HMFOC Plug 12-24F             |
| FCLT-HMFOC-R        | FTTX     |           | CleanBlast Tip for HMFOC Receptacle              |
| FCLT-HMFOC-R-CF12   | FTTX     |           | CleanBlast Tip for HMFOC Receptacle 12-24F       |
| FCLT-ODC12-P        | FTTX     |           | CleanBlast Tip for ODC-12 Plug Side              |
| FCLT-ODC12-S        | FTTX     |           | CleanBlast Tip for ODC-12 Socket Side            |
| FCLT-ODC2-D-P       | FTTX     | NEW<br>  | Duplex CleanBlast Tip for ODC-12 plug side       |
| FCLT-ODC2-D-R       | FTTX     | NEW<br> | Duplex CleanBlast Tip for ODC-12 Receptacle side |
| FCLT-PROD-SC-CF     | FTTX     |         | CleanBlast Tip for Prodigy                       |
| FCLT-BAP3-125       | Mil/Aero |         | CleanBlast Tip for BAP3 Guides                   |
| FCLT-BAP4-125       | Mil/Aero |         | CleanBlast Tip for BAP4 Guides                   |
| FCLT-C130           | Mil/Aero |         | CleanBlast Tip for C130                          |

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

[focenter.com](http://focenter.com) • 508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

23 Centre Street • New Bedford, MA 02740 USA

Product data subject to change without notice. FOC last update 6/09/26.





| Catalog Part Number           | Type     | Product Image                                                                       | Description                                                                                                    |
|-------------------------------|----------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <a href="#">FCLT-MIL1</a>     | Mil/Aero |    | CleanBlast Tip for 29504/14 and 29504/15 Termini<br><i>Note: Cleans Both Pins and Sockets</i>                  |
| <a href="#">FCLT-MIL2</a>     | Mil/Aero |    | CleanBlast Tip for 29504/4 and 29504/5 Termini<br><i>Note: Cleans Both Pins and Sockets</i>                    |
| <a href="#">FCLT-MIL2-CF</a>  | Mil/Aero |    | CleanBlast Tip for 29504/4 and 29504/5 Termini<br><i>Note: Cleans Both Pins and Sockets</i>                    |
| <a href="#">FCLT-MIL2-A6</a>  | Mil/Aero |   | CleanBlast Tip for 29504/4 and 29504/5 Termini, Angled 60 Degrees<br><i>Note: Cleans Both Pins and Sockets</i> |
| <a href="#">FCLT-MIL2-CPA</a> | Mil/Aero |  | CleanBlast Tip for Use with Glenair Test Probe Adapter                                                         |
| <a href="#">FCLT-MIL3</a>     | Mil/Aero |  | CleanBlast Tip for 1.25mm LuxCis Termini<br><i>Note: Cleans Both Pins and Sockets</i>                          |
| FCLT-MT999                    | Mil/Aero |  | CleanBlast Tip for 38999 with MT Ferrules<br><i>Note: Requires FBPT-MT999 Guides</i>                           |
| FCLT-RQX8-P                   | Mil/Aero |  | CleanBlast Tip for Radiall Quadrax Size 8 - Pin Side                                                           |
| FCLT-RQX8-S                   | Mil/Aero |  | CleanBlast Tip for Radiall Quadrax Size 8 - Socket Side                                                        |

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

[focenter.com](http://focenter.com) • 508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

23 Centre Street • New Bedford, MA 02740 USA

Product data subject to change without notice. FOC last update 6/09/26.

| Catalog Part Number         | Type      | Product Image                                                                                   | Description                                                                                                      |
|-----------------------------|-----------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <a href="#">FCLT-TFOCA2</a> | Mil/Aero  |                | CleanBlast Tip for TFOCA-II Connectors<br>(includes Guide)                                                       |
| FCLT-66P4-MT-P-CF           | Mil/Aero  | <b>NEW</b><br> | CleanBlast Tip for MT Vita 66.4 connector plug                                                                   |
| FCLT-66P4-MT-R-CF           | Mil/Aero  | <b>NEW</b><br> | CleanBlast Tip for MT Vita 66.4 connector receptacle                                                             |
| FCLT-EXT-050                | Accessory |               | Extender, 50 mm, for FCLT Tips<br><i>Add up to 3 extenders with most tips</i>                                    |
| FCLP-LAN-10                 | Accessory |              | Lanyard for FCLT Tips, Single Snap<br><i>Use with FBPP-CRB1 to corral loose FCLT CF tips and mating adapters</i> |
| FBPP-CRB1                   | Accessory |              | Carabiner for use with FCLP-LAN-10                                                                               |
| FCLP-LAN-10-2S              | Accessory |              | Lanyard for FCLT Tips, Dual Snap                                                                                 |

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

[focenter.com](http://focenter.com) • 508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

23 Centre Street • New Bedford, MA 02740 USA

Product data subject to change without notice. FOC last update 6/09/26.