

Manufacturer:

Dymax®

Product Name:

Dymax OP-20 General Purpose UV Adhesive (3ml)

Manufacturer Part Number:

OP-20-3ML

Click here for more details on the Dymax OP-20 General Purpose UV Adhesive (3ml)



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Canadian WHMIS 2015

OP-20

Issuing Date 04-Apr-2023 Revision date 04-Apr-2023 Revision Number 2

1. Identification

Product identifier

Product Name OP-20

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Adhesives and/or sealants

Restrictions on use Consumer use.

Details of the supplier of the safety data sheet

Manufacturer

Dymax Corporation 318 Industrial Lane Torrington, CT 06790 Tel: 860-482-1010 Fax: 860-496-0608

E-mail address Product_Regulatory@dymax.com

Emergency telephone number

Emergency Telephone Chemtrec @ 001-703-741-5970 (24hrs)

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

Label elements

Signal word Danger

Hazard statements
Harmful if swallowed.
Causes skin irritation.

Page 1 / 10







Manufacturer:

Dymax®

Product Name:

Dymax OP-20 General Purpose UV Adhesive (3ml)

Manufacturer Part Number:

OP-20-3ML

Click here for more details on the Dymax OP-20 General Purpose UV Adhesive (3ml)

OP-20

 Issuing Date
 04-Apr-2023
 Revision date
 04-Apr-2023
 Revision Number
 2

Causes serious eye damage.
May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child.
Causes damage to organs through prolonged or repeated exposure.



Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust, fume, gas, mist, vapors and spray.

Precautionary Statements - Response

Get medical advice/attention if you feel unwell.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse.

. .

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant.

Other information

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%		Date HMIRA filed and
			Information Review	date exemption
				•

Page 2 / 10







Manufacturer:

Dymax®

Product Name:

Dymax OP-20 General Purpose UV Adhesive (3ml)

Manufacturer Part Number:

OP-20-3ML

Click here for more details on the Dymax OP-20 General Purpose UV Adhesive (3ml)

OP-20

Issuing Date 04-Apr-2023 Revision date 04-Apr-2023 Revision Number 2

			Act registry number (HMIRA registry #)	granted (if applicable)
N,N-Dimethylacrylamide	2680-03-7	10-24	-	-
Acrylic Ester	Proprietary	10-24	-	-
Vinyl Caprolactam	Proprietary	10-24	-	-
Visible Photoinitiator	Proprietary	<1	-	-

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.

Remove to fresh air. Get medical attention immediately if symptoms occur.

Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms

Burning sensation, Itching, Rashes, Hives,

Indication of any immediate medical attention and special treatment needed

Note to physicians

May cause sensitization in susceptible persons. Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media
Dry chemical or CO2. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

<u>Unsuitable extinguishing media</u>
Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

<u>Hazardous combustion products</u> Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons. Nitrogen oxides (NOx).

Explosion data

Page 3 / 10





Manufacturer:

Dymax®

Product Name:

Dymax OP-20 General Purpose UV Adhesive (3ml)

Manufacturer Part Number:

OP-20-3ML

Click here for more details on the Dymax OP-20 General Purpose UV Adhesive (3ml)

OP-20

Revision date 04-Apr-2023 Issuing Date 04-Apr-2023 Revision Number 2

Sensitivity to mechanical impact: None. Sensitivity to static discharge: None.

<u>Special protective equipment and precautions for fire-fighters</u>
Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eves or clothing. Use personal protective equipment as required. Ensure adequate ventilation, Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak

Other information

Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Protect from light.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Protect from light.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls

Page 4 / 10





Manufacturer:

Dymax®

Product Name:

Dymax OP-20 General Purpose UV Adhesive (3ml)

Manufacturer Part Number:

OP-20-3ML

Click here for more details on the Dymax OP-20 General Purpose UV Adhesive (3ml)

OP-20

Issuing Date04-Apr-2023Revision date04-Apr-2023Revision Number2

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

General hygiene considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

Hand protection

Wear suitable gloves. Nitrile rubber, Butyl rubber.

Duration of contact	PPE - Glove material	Glove thickness [mm	Break through time [minutes]
Short term	Wear protective nitrile rubber gloves	> 0.1	10 - 20	
Long term (repeated)	Wear protective butyl rubber gloves	0.5	> 480	

Eye/face protection

Tight sealing safety goggles.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls

Prevent product from entering drains

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Liquid
Appearance: transparent
Color: light yellow
Odor: Characteristic

Odor threshold: No information available

 Property pH:
 Values No data available
 Remarks • Method No information available

 Melting point / freezing point:
 No data available
 No information available

 Boiling point / boiling range:
 No data available
 No information available

 Flash point:
 101 °C / 213.8 °F
 Pensky-Martens Closed

Flash point: 101 °C / 213.8 °F Pensky-Martens Closed Cup (PMCC)
Evaporation rate: No data available No information available

Flammability (solid, gas): No data available Not applicable

Flammability Limit in Air Upper flammability or explosive No data available No information available limits: Lower flammability or explosive No data available No information available Vapor pressure: No data available No information available Relative vapor density: No data available No information available Relative density: No data available No information available Water solubility: partially soluble No information available Solubility in other solvents: Partition coefficient: No data available No information available No data available No information available 270 °C / 518 °F No information available Autoignition temperature: Decomposition temperature: No data available No information available

Page 5 / 10





Manufacturer:

Dymax®

Product Name:

Dymax OP-20 General Purpose UV Adhesive (3ml)

Manufacturer Part Number:

OP-20-3ML

Click here for more details on the Dymax OP-20 General Purpose UV Adhesive (3ml)

OP-20

Issuing Date 04-Apr-2023 Revision date 04-Apr-2023 Revision Number 2

Kinematic viscosity: No data available No information available 1.000 cF Dynamic viscosity:

Other information

Explosive properties: No information available Oxidizing properties: No information available Softening point: No information available No information available Molecular weight: VOC content: No information available Liquid Density: No information available Bulk density: No information available

10. Stability and reactivity

Reactivity
No information available.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization

None under normal processing.

<u>Conditions to avoid</u> Heat, flames and sparks. Protect from light.

Incompatible materials
Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

None under normal use conditions.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation:

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Eye contact:

Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to

Skin contact:

Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components)

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

Page 6 / 10





Manufacturer:

Dymax®

Product Name:

Dymax OP-20 General Purpose UV Adhesive (3ml)

Manufacturer Part Number:

OP-20-3ML

Click here for more details on the Dymax OP-20 General Purpose UV Adhesive (3ml)

OP-20

Issuing Date 04-Apr-2023 Revision date 04-Apr-2023 Revision Number 2

932.60 mg/kg ATEmix (oral): ATEmix (dermal): 2,589.80 mg/kg

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
N,N-Dimethylacrylamide	= 316 mg/kg (Rat)	907mg/kg (Rabbit)	> 776 ppm (Rat) 1 h
Acrylic Ester	= 4890 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Vinyl Caprolactam	-	= 1700 mg/kg (Rabbit)	> 1.6 mg/L (Rat) 8h
Visible Photoinitiator	-	> 2000 mg/kg (Rat)	-

Symptoms related to the physical, chemical and toxicological characteristics

Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation:

Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation: Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitization: May cause sensitization by skin contact.

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Not classified.

Carcinogenicity: Based on available data, the classification criteria are not met

Reproductive toxicity: Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. Suspected of damaging fertility or the unborn child.

STOT - single exposure: Based on available data, the classification criteria are not met. Not classified.

STOT - repeated exposure: Causes damage to organs through prolonged or repeated exposure.

Not classified. Based on available data, the classification criteria are not met. Aspiration hazard:

12. Ecological information

Ecotoxicity

Product Information

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
N,N-Dimethylacrylamide	-	LC50: >100mg/L 96h (Oncorhynchus mykiss)	-	EC50 > 120 mg/l 48 h (Daphnia magna)
Acrylic Ester	ErC 50 = 2.7 mg/L 96h (Pseudokirchneriella	LC50: =0.704mg/L 96h (Danio rerio)	-	EC 50 = 1.1 mg/L 48 h (Daphnia magna)

Page 7/10





Manufacturer:

Dymax®

Product Name:

Dymax OP-20 General Purpose UV Adhesive (3ml)

Manufacturer Part Number:

OP-20-3ML

Click here for more details on the Dymax OP-20 General Purpose UV Adhesive (3ml)

OP-20

Issuing Date04-Apr-2023Revision date04-Apr-2023Revision Number2

	subcapitata)			
Vinyl Caprolactam	EC50 > 100 mg/L	LC50: =307mg/L	-	EC50 > 100 mg/L
	(72h, Desmodesmus	(96h, Danio rerio)		(48h, Daphnia
	subspicatus)			magna)
Visible Photoinitiator	-	LC50 10 mg/l 48 h	-	-
		(Oryzias latipes)		

Persistence and degradability

No information available

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
N,N-Dimethylacrylamide	-0.3
Acrylic Ester	4.52
Vinyl Caprolactam	1.2
Visible Photoinitiator	3.1

Other adverse effects

No information available

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging

Do not reuse empty containers.

14. Transport information

 IMDG
 Not regulated

 IATA
 Not regulated

 DOT
 Not regulated

 TDG
 Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable.

The Stockholm Convention on Persistent Organic Pollutants Not applicable.

The Rotterdam Convention

Page 8 / 10





Manufacturer:

Dymax®

Product Name:

Dymax OP-20 General Purpose UV Adhesive (3ml)

Manufacturer Part Number:

OP-20-3ML

Click here for more details on the Dymax OP-20 General Purpose UV Adhesive (3ml)

OP-20

Revision date 04-Apr-2023 Issuing Date 04-Apr-2023 Revision Number 2

Not applicable.

International Inventories

TSCA Complies Listed on NDSL DSL/NDSL **EINECS/ELINCS** Complies ENCS Complies Record Notification **IECSC** KECL Complies PICCS NZIoC Not Listed Not Listed TCSI Complies AIIC Complies

<u>Legend:</u>
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances AIICS - Australian Industrial Chemicals Introduction Scheme

16. Other information

Instability 0 **NFPA** Health hazards 3 Flammability 1 Special hazards HMIS Health hazards 3 Flammability 1 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend: * = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average)	STEL (Short Term Exposure Limit)
Ceiling: Maximum limit value	*: Skin designation

Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AÉGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Page 9/10





Manufacturer:

Dymax®

Product Name:

Dymax OP-20 General Purpose UV Adhesive (3ml)

Manufacturer Part Number:

OP-20-3ML

Click here for more details on the Dymax OP-20 General Purpose UV Adhesive (3ml)

OP-20

Issuing Date 04-Apr-2023 Revision date 04-Apr-2023 Revision Number 2

Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 04-Apr-2023

Revision Note The symbol (*) in the margin of this SDS indicates that this line has been revised.

Disclaimer

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Dymax Corporation and its subsidiaries and affiliates (DYMAX). The information in this SDS relates only to the specific material designated herein. DYMAX assumes no legal responsibility for use of or reliance upon the information in this SDS.

End of Safety Data Sheet

Page 10 / 10

